



THE UNITED STATES HOUSE OF REPRESENTATIVES COMMITTEE ON AGRICULTURE ROOM 1300, LONGWORTH HOUSE OFFICE BUILDING

Audio and AV Systems & Infrastructure Drawings




1. CONNECT ALL GROUND LINES AT ONE POINT ONLY IN EQUIPMENT RACK RECEPTACLES. CONDUITS ATTACHING TO EQUIPMENT RACKS WITH PLASTIC BUSHING OR COPING, CONNECT INSULATED GROUND WIRE FROM CONDUIT TO NEAREST ELECTRICAL GROUND POINT OTHER THAN AUDIO SYSTEM GROUND AS PER ELECTRICAL DRAWINGS. ALL GROUND WIRES TO BE INSULATED COPPER OF GAUGE INDICATED.
2. NO SHARED NEUTRAL, NO SHARED GROUND.

POWER GROUNDING DETAIL




SIGNAL GROUNDING DETAIL


DEVICE LEGEND



SYMBOLS LEGEND



PATCH PANEL LEGEND



CONNECTOR LEGEND




TABLE OF CONTENTS:


AV1.0	Title Sheet, Legend and Table of Contents
AV1.1	Audio System Functional Diagram
AV1.2	AV Presentation and Video Production System Functional Diagram
AV1.3	Facilities System Functional Diagrams
AV1.4	Device Layout
AV1.5	Miscellaneous Elevations
AV1.6	Miscellaneous Elevations Continued
AV1.7	Miscellaneous Elevations Continued
AV1.8	Rack Elevations and Details
AV1.9	Camera Views
AC1.0	Conduit Layout Continued
AC1.1	Conduit Layout

All conduit (for audio, AV and power) and associated junction boxes to be installed by the Architect or the Contractor.

GENERAL NOTES

1. THE SYMBOLS AND DETAILS ON THIS SHEET ARE TYPICAL AND MAY NOT APPLY TO THE SYSTEMS DESIGNED IN THIS DRAWING SET.
2. REFER TO THE SPECIFICATION FOR ADDITIONAL DETAILS.

<p>4900 Pearl East Circle Suite 201E Boulder, CO 80301 303-865-5500</p>	<p>DESIGN ACTIVITY For Construction</p>	<p>PROJECT TITLE U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C. LONGWORTH HOUSE OFFICE BUILDING 1300 COMMITTEE ON AGRICULTURE</p>												
		<p>SHEET TITLE TITLE SHEET, LEGEND, AND TABLE OF CONTENTS</p>												
<p>SUBCONTRACTORS</p>	<p>HISTORY</p> <table border="1"> <tr> <th>DATE</th> <th>BY</th> <th>DESCRIPTION</th> </tr> <tr> <td>8/21/2006</td> <td>For Construction</td> <td>Rev. 1</td> </tr> <tr> <td>9/28/2006</td> <td>For Construction</td> <td>Rev. 2</td> </tr> <tr> <td>10/2/2006</td> <td>For Construction</td> <td>Rev. 2</td> </tr> </table>	DATE	BY	DESCRIPTION	8/21/2006	For Construction	Rev. 1	9/28/2006	For Construction	Rev. 2	10/2/2006	For Construction	Rev. 2	<p>SCALE</p> <p>DESIGNED</p> <p>NO</p>
DATE	BY	DESCRIPTION												
8/21/2006	For Construction	Rev. 1												
9/28/2006	For Construction	Rev. 2												
10/2/2006	For Construction	Rev. 2												
<p>DRAWN</p> <p>DB/RO</p>	<p>CHECKED</p> <p>DB</p>	<p>LAST REVISION</p> <p>10/04/2006</p>												
<p>SHEET</p> <p>AV1.0</p>														



- NOTES:**
1. NOTES ON THIS PAGE ARE SPECIFIC TO THIS PAGE AND THIS PAGE ONLY.
 2. ALL CONDUIT 3/4" UNLESS NOTED OTHERWISE.
 3. EXACT LOCATIONS OF FLOOR/WALL BOXES TO BE VERIFIED IN THE FIELD.
 4. ALL LINES HOMERUN TO ROOM 112 AUDIO EQUIPMENT RACK UNLESS NOTED OTHERWISE.
 5. USE EXISTING WIREWAYS WHEREVER POSSIBLE.
 6. REMOVE UNUSED EXISTING WIRES WHEREVER POSSIBLE.
 7. DUPLEX OUTLETS SERVING THE LOWER DAIS MEMBER POSITIONS SHALL SHARE FIVE CIRCUITS. ISOLATED GROUND NOT NECESSARILY REQUIRED.
 8. DUPLEX OUTLETS SERVING THE TOP DAIS MEMBER POSITIONS SHALL SHARE TWO CIRCUITS. ISOLATED GROUND NOT NECESSARILY REQUIRED.
 9. ALL ISOLATED GROUND POWER IS TO BE ON ONE LEG OF THE POWER.
 10. NO SHARED NEUTRAL. NO SHARED GROUND.
 11. INSTALL SURGE-X (OR SIMILAR) SURGE PROTECTION AS SPECIFIED ON EACH BRANCH CIRCUIT.
 12. REFER TO THE DOCUMENT "AUDIO SYSTEMS POWER AND GROUNDING GUIDELINES" FOR ADDITIONAL DETAILS.

WIRING RESPONSIBILITY:

1. THE ARCHITECT OF THE CAPITOL (AOC) SHALL BE RESPONSIBLE FOR PROVIDING ALL INFRASTRUCTURE (INCLUDING CONDUIT, JUNCTION BOXES, ELECTRICAL BOXES POWER RECEPTACLES AND PANELS) AND THE SUPPLY AND INSTALLATION OF POWER CABLE.

2. HOUSE INFORMATION RESOURCES SHALL BE RESPONSIBLE FOR THE INSTALLATION OF ALL DATA CAVY AND TELEPHONE WIRING.

3. THE U.S. CAPITOL POLICE PHYSICAL SECURITY DIVISION SHALL BE RESPONSIBLE FOR PULLING ALL SECURITY WIRING.

4. THE AUDIO CONTRACTOR SHALL BE RESPONSIBLE FOR SUPPLYING AND PULLING ALL AUDIO AND A/V WIRING.

CONDUIT LEGEND:

[AS] NON-STANDARD BOX, SEE DRAWINGS FOR DIMENSIONS AND MOUNTING HEIGHT; LETTER IN LOWER RIGHT INDICATES TYPE; LETTER TO AS BOXES BELOW.

[ASX] ELECTRICAL BACKBOX FOR AUDIO OR A/V SYSTEM CONNECTIONS; MOUNT AT STANDARD RECEPTACLE HEIGHT UNLESS OTHERWISE INDICATED ON DRAWINGS; NUMBER IN LOWER RIGHT INDICATES BOX NUMBER (GROSS-REFERENCE WITH PANEL DETAILS DRAWING); LETTER (X) INDICATES NUMBER OF GANES

[AS2] FLOOR BOX; LETTER IN RIGHT INDICATES BOX TYPE; NUMBER IN LOWER RIGHT INDICATES BOX NUMBER (GROSS-REFERENCE WITH PANEL DETAILS DRAWING); F2=F2R F1500-P

[AS1] INDICATES TWO PARALLEL CONDUITS OF DIFFERING SIGNAL TYPES; M, M1, M2=MONITOR; N=AUDIO NETWORK; L=LINE; S=DATA; SP=SPARE; WT=WITNESS TIE; G=CONTROL; V=VIDEO; *TEXT ATTACHED TO CONDUIT IDENTIFIES TERMINATION LOCATION

[AS2] (2) 1-1/4" c (M.L) OR 1-1/4" c (L)

[AS1] (2) 1-1/4" c (M.L) OR 1-1/4" c (L)

[AS2] (2) 1-1/4" c (M.L) OR 1-1/4" c (L)

[AS1] (2) 1-1/4" c (M.L) OR 1-1/4" c (L)

[AS2] (2) 1-1/4" c (M.L) OR 1-1/4" c (L)

[AS1] (2) 1-1/4" c (M.L) OR 1-1/4" c (L)

[AS2] (2) 1-1/4" c (M.L) OR 1-1/4" c (L)

[AS1] (2) 1-1/4" c (M.L) OR 1-1/4" c (L)

[AS2] (2) 1-1/4" c (M.L) OR 1-1/4" c (L)

[AS1] (2) 1-1/4" c (M.L) OR 1-1/4" c (L)

[AS2] (2) 1-1/4" c (M.L) OR 1-1/4" c (L)

JUNCTION BOX SIGNAL TYPE IDENTIFIERS:

[AS] AUDIO SYSTEM JUNCTION BOXES:

- AS1=AUDIO NETWORK JUNCTION BOX
- AS2=ARCHITECT LEVEL SIGNAL JUNCTION BOX
- AS3=CONTROL SIGNAL JUNCTION BOX
- AS4=LINE LEVEL SIGNAL JUNCTION BOX
- AS5=AUDIO/AV SYSTEM POWER JUNCTION BOX
- AS6=DATA JUNCTION BOX
- AS7=UNUSED JUNCTION BOX FOR FUTURE EXPANSION

[ASX] AUDIO SYSTEM JUNCTION BOXES:


- AS1=10"x10"x6" FLUSH-MOUNTED BOX
- AS2=6"x8"x6" FLUSH-MOUNTED BOX
- AS3=6"x6"x6" FLUSH-MOUNTED BOX
- AS4=10"x10"x6" SURFACE-MOUNTED BOX
- AS5=10"x10"x6" SURFACE-MOUNTED BOX
- AS6=8"x6"x6" SURFACE-MOUNTED BOX
- AS7=8"x6"x6" SURFACE-MOUNTED BOX

KEY TO AS BOXES:

- A: 10"x10"x6" FLUSH-MOUNTED BOX
- B: 6"x8"x6" FLUSH-MOUNTED BOX
- C: 6"x6"x6" FLUSH-MOUNTED BOX
- D: 10"x10"x6" SURFACE-MOUNTED BOX
- E: 10"x10"x6" SURFACE-MOUNTED BOX
- F: 8"x6"x6" SURFACE-MOUNTED BOX

SCALE: 3/4" = 1'-0"

NOTE: IF ROOM LAYOUT DIFFERS FROM SHOWN, COORDINATE WITH CONSULTANT FOR INTEGRATION OF AUDIO RACK AND JUNCTION BOXES




- NOTES:
1. NOTES ON THIS PAGE ARE SPECIFIC TO THIS PAGE AND THIS PAGE ONLY.
 2. ALL CONDUIT 3/4" UNLESS NOTED OTHERWISE.
 3. USE EXISTING WIREWAYS WHEREVER POSSIBLE.
 4. REMOVE UNUSED EXISTING WIRES WHEREVER POSSIBLE.
 5. ALL ISOLATED GROUND POWER IS TO BE ON ONE LEG OF THE POWER.
 6. NO SHARED NEUTRAL, NO SHARED GROUND.
 7. INSTALL SURGE-X SURGE PROTECTION AS SPECIFIED ON EACH BRANCH CIRCUIT.
 8. REFER TO THE DOCUMENT "AUDIO SYSTEMS POWER AND GROUNDING GUIDELINES" FOR ADDITIONAL DETAILS.

AUDIO RACK (3) 20A, 120VAC-4W-ISOLATED POWER CIRCUITS TO EQUIPMENT RACK, IF POSSIBLE, ALLOW AT LEAST 36" OF CLEARANCE AT REAR AND FRONT OF RACK FOR SERVICING. PROVIDE WHEELS OR RAILS SO THAT RACKS MAY BE MOVED AWAY FROM WALL FOR SERVICING.


1302

SCALE: 1/2" = 1'-0"







<p>AC1.1</p> <p>SHEET</p>	<p>8/21/2006 For Construction</p> <p>9/20/2006 For Construction Rev. 1</p> <p>10/4/2006 For Construction Rev. 2</p>	<p>HISTORY</p>	<p>10/04/2006</p> <p>LAST REVISION</p>	<p>DESIGNED</p> <p>RO</p>	<p>DRAWN</p> <p>DB/RO</p>	<p>CHECKED</p> <p>DB</p>	<p>PROJECT TITLE</p> <p>U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.</p> <p>LONGWORTH HOUSE OFFICE BUILDING 1300</p> <p>COMMITTEE ON AGRICULTURE</p>	<p>SHEET TITLE</p> <p>CONDUIT LAYOUT CONTINUED</p>	<p>DESIGN ACTIVITY</p> <p>For Construction</p>	<p>SUBCONTRACTORS</p>	<p>K2 AUDIO, LLC</p> <p>4900 Pearl East Circle</p> <p>Suite 201E</p> <p>Boulder, CO 80301</p> <p>303-865-5500</p>
	<p>SCALE</p> <p>DESIGNED</p>		<p>DRAWN</p> <p>CHECKED</p>		<p>PROJECT TITLE</p> <p>U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.</p> <p>LONGWORTH HOUSE OFFICE BUILDING 1300</p> <p>COMMITTEE ON AGRICULTURE</p>		<p>SHEET TITLE</p> <p>CONDUIT LAYOUT CONTINUED</p>		<p>DESIGN ACTIVITY</p> <p>For Construction</p>		<p>SUBCONTRACTORS</p>




K2 AUDIO, LLC SINECONTRACTORS 4900 Pearl East Circle Suite 201E Boulder, CO 80301 303-865-5500	PROJECT TITLE U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C. LONGWORTH HOUSE OFFICE BUILDING 1300 COMMITTEE ON AGRICULTURE SHEET TITLE AUDIO SYSTEM FUNCTIONAL DIAGRAM	DESIGN ACTIVITY For Construction	SCALE DESIGNED NO DRAWN CHECKED DB/RO DB HISTORY 8/21/2006 For Construction 9/20/2006 For Construction Rev. 1 10/12/2006 For Construction Rev. 2 LAST REVISION 10/04/2006 SHEET AV1.1
--	---	--	--




<h1 style="margin: 0;">AV1.2</h1>	<p>PROJECT TITLE</p> <p>U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.</p> <p>LONGWORTH HOUSE OFFICE BUILDING 1300</p> <p>COMMITTEE ON AGRICULTURE</p> <p>SHEET TITLE</p> <p>AV PRESENTATION AND VIDEO PRODUCTION SYSTEM</p> <p>FUNCTIONAL DIAGRAM</p>	<p>DESIGN ACTIVITY</p> <p>For Construction</p>	<p style="font-size: 2em; font-weight: bold;">K2</p> <p>AUDIO, LLC</p> <p>4900 Pearl East Circle Suite 201E Boulder, CO 80301 303-865-5500</p>												
<p>SCALE</p> <p>DESIGNED</p>	<p>PROJECT TITLE</p> <p>U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.</p> <p>LONGWORTH HOUSE OFFICE BUILDING 1300</p> <p>COMMITTEE ON AGRICULTURE</p> <p>SHEET TITLE</p> <p>AV PRESENTATION AND VIDEO PRODUCTION SYSTEM</p> <p>FUNCTIONAL DIAGRAM</p>	<p>DESIGN ACTIVITY</p> <p>For Construction</p>	<p>CONTRACTORS</p>												
<p>DRAWN</p> <p>CHECKED</p>	<p>PROJECT TITLE</p> <p>U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.</p> <p>LONGWORTH HOUSE OFFICE BUILDING 1300</p> <p>COMMITTEE ON AGRICULTURE</p> <p>SHEET TITLE</p> <p>AV PRESENTATION AND VIDEO PRODUCTION SYSTEM</p> <p>FUNCTIONAL DIAGRAM</p>	<p>DESIGN ACTIVITY</p> <p>For Construction</p>	<p>CONTRACTORS</p>												
<p>HISTORY</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>DATE</th> <th>REVISION</th> <th>DESCRIPTION</th> </tr> <tr> <td>8/21/2006</td> <td>For Construction</td> <td></td> </tr> <tr> <td>9/20/2006</td> <td>For Construction Rev. 1</td> <td></td> </tr> <tr> <td>10/12/2006</td> <td>For Construction Rev. 2</td> <td></td> </tr> </table>	DATE	REVISION	DESCRIPTION	8/21/2006	For Construction		9/20/2006	For Construction Rev. 1		10/12/2006	For Construction Rev. 2		<p>PROJECT TITLE</p> <p>U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.</p> <p>LONGWORTH HOUSE OFFICE BUILDING 1300</p> <p>COMMITTEE ON AGRICULTURE</p> <p>SHEET TITLE</p> <p>AV PRESENTATION AND VIDEO PRODUCTION SYSTEM</p> <p>FUNCTIONAL DIAGRAM</p>	<p>DESIGN ACTIVITY</p> <p>For Construction</p>	<p>CONTRACTORS</p>
DATE	REVISION	DESCRIPTION													
8/21/2006	For Construction														
9/20/2006	For Construction Rev. 1														
10/12/2006	For Construction Rev. 2														
<p>LAST REVISION</p> <p>10/04/2006</p> <p>SHEET</p>	<p>PROJECT TITLE</p> <p>U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.</p> <p>LONGWORTH HOUSE OFFICE BUILDING 1300</p> <p>COMMITTEE ON AGRICULTURE</p> <p>SHEET TITLE</p> <p>AV PRESENTATION AND VIDEO PRODUCTION SYSTEM</p> <p>FUNCTIONAL DIAGRAM</p>	<p>DESIGN ACTIVITY</p> <p>For Construction</p>	<p>CONTRACTORS</p>												







1 PLATE FLOOR BOX FB1-1, RIGHT SIDE
SCALE: 3/4" = 1"




2 PLATE PORTABLE DAIS FLOORBOX, RIGHT SIDE
(TYP. OF FB1-4; FB1-5; FB1-6; FB1-7; FB1-8; FB1-9)
SCALE: 3/4" = 1"




3 PLATE, FB1-2 AT CLERK'S TABLE, RIGHT SIDE
SCALE: 3/4" = 1"




4 PLATE CHAIRMAN'S BUTTONS
SCALE: 3/4" = 1'-0"




5 PLATE FLOOR BOX FB1-1, LEFT SIDE
SCALE: 3/4" = 1"




6 PLATE PORTABLE DAIS FLOORBOX, LEFT SIDE
(TYP. OF FB1-4; FB1-5; FB1-6; FB1-7; FB1-8; FB1-9)
SCALE: 3/4" = 1"




7 PLATE, FB1-2 AT CLERK'S TABLE, LEFT SIDE
SCALE: 3/4" = 1"




8 MICROPHONE PLATE, TOP DAIS
SCALE: 3/4" = 1'-0"




9 PLATE, ON SIDE WALLS (TYP. 2)
(TYP. OF ASX-1; ASX-3)
SCALE: 3/4" = 1"




10 PLATE, ASX-2 ON REAR WALL
SCALE: 3/4" = 1"




11 PLATE, FB1-3 AT STENO POSITION, RIGHT SIDE
SCALE: 3/4" = 1"




12 PLATE, FB1-3 AT STENO POSITION, LEFT SIDE
SCALE: 3/4" = 1"




13 SECURE DISCONNECT PANEL, AUDIO
SCALE: 3/4" = 1"




14 BACKUP SYSTEM INTERFACE PANEL
SCALE: 3/4" = 1"




15 AUXILIARY MICROPHONE PLATE IN PORTABLE RACK (TYP. OF 2)
SCALE: 3/4" = 1"




16 PRESS PANEL AT DAIS FRONT (TYP. OF 2)
SCALE: 3/4" = 1"




17 AUDIO NETWORK PANEL IN RACK
SCALE: 3/4" = 1"



18 BRASS LOWER/PORTABLE DAIS MEMBER PANEL
SCALE: 3/4" = 1" SHOWN FOR INFORMATION ONLY. ORDER FROM MFG.




20 TOP DAIS CONNECTOR PANEL
SCALE: 3/4" = 1"




21 LOWER/PORTABLE DAIS CONNECTOR PANEL
SCALE: 3/4" = 1"




22 FIBER SECURITY DISCONNECT SIDE VIEW
SCALE: 3/4" = 1"



19 SECURE DISCONNECT, FIBER
SCALE: 3/4" = 1"



23 MUTE SWITCH PLATE (TYP.)
SCALE: 3/4" = 1"



24 LCD MON WALL PLATE (TYP.)
SCALE: 3/4" = 1"



25 CHAIRMAN'S WT CONNECTOR PANEL
SCALE: 3/4" = 1"

PROJECT TITLE
U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.
LONGWORTH HOUSE OFFICE BUILDING 1300
COMMITTEE ON AGRICULTURE

SHEET TITLE
PANEL DETAILS

DESIGN ACTIVITY
For Construction

SUBCONTRACTORS



4900 Pearl East Circle
Suite 201E
Boulder, CO 80301
303-865-5500

SCALE: DESIGNED
NO


DRAWN: CHECKED
DB/RO DB

HISTORY

8/21/2008	For Construction
9/28/2008	For Construction Rev. 1
10/7/2008	For Construction Rev. 2

LAST REVISION
10/04/2006

AV1.4
SHEET



AV1.5
SHEET

LAST REVISION
10/04/2006

HISTORY

8/21/2006	For Construction
9/20/2006	For Construction Rev. 1
10/4/2006	For Construction Rev. 2

DRAWN
DB/RO

CHECKED
DB

SCALE
1/2"=1'-0"

DESIGNED
RO

PROJECT TITLE
U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.
LONGWORTH HOUSE OFFICE BUILDING 1300
COMMITTEE ON AGRICULTURE



SHEET TITLE
DEVICE LAYOUT

DESIGN ACTIVITY
For Construction


SUBCONTRACTORS

K2 AUDIO, LLC

4900 Pearl East Circle
Suite 201E
Boulder, CO 80301
303-865-5500




2 PROFILE OF TOP DAIS
SCALE: N.T.S.



5 TYPICAL MEMBER POSITION - TOP DAIS, TOP VIEW
SCALE: 1"=4"


3 EXISTING TYPICAL MEMBER POSITION - TOP DAIS
SCALE: 1"=4"

NOTES:
1. Side-to-side spacing of drawers in elevation drawings not accurate.
2. Locations for AC power and data (provided by others) at top dais are conceptual. Exact locations to be coordinated with AOC/Committee.
3. AOC is to coordinate with Committee to determine Committee's AC power requirements to support the new lighting.



4 NEW TYPICAL MEMBER POSITION - TOP DAIS
SCALE: 1"=4"

6 NEW CHAIRMAN'S POSITION
SCALE: 1"=4"



K2 AUDIO, LLC
4900 Pearl East Circle
Suite 201E
Boulder, CO 80301
303-865-5500

DESIGN ACTIVITY
For Construction

PROJECT TITLE
U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.
LONGWORTH HOUSE OFFICE BUILDING 1300
COMMITTEE ON AGRICULTURE

SHEET TITLE
MISCELLANEOUS ELEVATIONS

SCALE DESIGNED NO

DRAWN CHECKED DB/RO DB

HISTORY


8/23/2006	For Construction
9/20/2006	For Construction Rev. 1
10/17/2006	For Construction Rev. 2

LAST REVISION
10/04/2006

SHEET


AV1.6

ADD A "GALLERY" TO THE LOWER DAIS TO ACCOMMODATE NEW MEMBER PANELS (DIMENSIONS SHOWN ARE MINIMUM)




1 SIDE VIEW LOWER DAIS (TYP. MEMBER'S POSITION)
SCALE: 1/4"=1"

NOTES:
1. COORDINATE WITH COMMITTEE FOR EXACT PLACEMENT OF PANELS ON LOWER DAIS
2. NEW "GALLERY" NOT SHOWN FOR CLARITY




2 FRONT VIEW LOWER DAIS (TYP. MEMBER'S POSITION)
SCALE: 1/4"=1'-0"

NOTE:
"CONCEPTUAL" VIEWS OF THE PORTABLE DAIS ARE INTENDED TO CONVEY THE EQUIPMENT MOUNTING SCHEME. AS SUCH, THE EXACT DIMENSIONS OF THE FURNITURE AND POSITION OF PANELS/PLATES MAY NOT MATCH THE ACTUAL FURNITURE.



3 TYPICAL PORTABLE DAIS (CONCEPTUAL)
SCALE: 1/4"=1"



PROJECT TITLE
U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.
LONGWORTH HOUSE OFFICE BUILDING 1300
COMMITTEE ON AGRICULTURE

SHEET TITLE
MISCELLANEOUS ELEVATIONS CONTINUED

DESIGN ACTIVITY
For Construction

SUBCONTRACTORS



4900 Pearl East Circle
Suite 201E
Boulder, CO 80301
303-865-5500


SCALE DESIGNED
NO
DRAWN CHECKED
DB/RO DB

HISTORY
8/21/2006 For Construction
9/20/2006 For Construction Rev. 1
10/4/2006 For Construction Rev. 2


LAST REVISION
10/05/2006

SHEET


AV1.6a




1 ELEVATION – FRONT WALL
SCALE: 3/8"=1'-0"




4 ELEVATION – HALL SIDE WALL
SCALE: 3/8"=1'-0"




7 AUDIENCE LOUDSPEAKER MOUNTING DETAILS
SCALE: 1/8"=1"




2 ELEVATION – REAR WALL
SCALE: 3/8"=1'-0"




5 DISPLAY STORAGE DIMENSIONS
SCALE: 1/8"=1"




8 SCREEN ROTATION ADAPTER
SCALE: 1/8"=1"




9 DISPLAY MOUNTING AND ENCLOSURE DETAILS
SCALE: 1/8"=1"



3 ELEVATION – WINDOW WALL
SCALE: 3/8"=1'-0"



6 DISPLAY MOUNT DETAILS
SCALE: 1/8"=1"



10 CAMERA MOUNTING DETAILS
SCALE: 1/8"=1"


PROJECT TITLE
U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.
LONGWORTH HOUSE OFFICE BUILDING 1300
COMMITTEE ON AGRICULTURE
SHEET TITLE
MISCELLANEOUS ELEVATIONS CONTINUED

DESIGN ACTIVITY
For Construction
SUBCONTRACTORS


K2 AUDIO, LLC
4900 Pearl East Circle
Suite 201E
Boulder, CO 80301
303-865-5500

SCALE	DESIGNED	RO
DRAWN	CHECKED	DB
DB/RO		
HISTORY		
8/21/2006	For Construction	
9/20/2006	For Construction	Rev. 1
10/1/2006	For Construction	Rev. 2
LAST REVISION		
10/04/2006		

SHEET
AV1.7




1 STORAGE 1336B - PRODUCER'S STATION LAYOUT
SCALE: 1" = 1' - 0"




2 STORAGE 1336B - SERVICE POSITION
SCALE: 1" = 1' - 0"


ROOM WIDTH: 59.75"



3 PRODUCER'S STATION RACK ELEVATIONS (AT 1336B)
SCALE: 3/16" = 1"



4 STORAGE 1336B - SIDE VIEW
SCALE: 1" = 1' - 0"



5 AUDIO EQUIPMENT RACK ELEVATION (AT 112)
SCALE: 3/16" = 1"

NOTE:
- "U" TO RIGHT OF EQUIPMENT RACKS DESIGNATES EQUIPMENT CONNECTIONS TO UPS UNIT(S).



4900 Pearl East Circle
Suite 201E
Boulder, CO 80301
303-865-5500

SUBCONTRACTORS

DESIGN ACTIVITY
For Construction

PROJECT TITLE
U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.
LONGWORTH HOUSE OFFICE BUILDING 1300
COMMITTEE ON AGRICULTURE

SHEET TITLE
RACK ELEVATIONS AND DETAILS

SCALE DESIGNED

SCALE DRAWN

SCALE CHECKED

SCALE DB/RO

SCALE DB

SCALE HISTORY


SCALE 8/23/2006 For Construction Rev. 1

SCALE 9/29/2006 For Construction Rev. 1


SCALE 10/09/2006 For Construction Rev. 2

SCALE SHEET


AV18




1 DAIS WALL CAMERA VIEW OF WITNESS TABLE AND AUDIENCE
SCALE: 1/3" = 1' - 0"



3 REAR WALL (RIGHT SIDE) CAMERA VIEW OF DAIS AND CHAIRMAN
SCALE: 1/3" = 1' - 0"



2 SIDE WALL CAMERA VIEW OF DAIS AND MEMBERS
SCALE: 1/3" = 1' - 0"



4 REAR WALL (LEFT SIDE) CAMERA VIEW OF DAIS AND CHAIRMAN
SCALE: 1/3" = 1' - 0"

PROJECT TITLE
U.S. HOUSE OF REPRESENTATIVES, WASHINGTON, D.C.
LONGWORTH HOUSE OFFICE BUILDING 1300
COMMITTEE ON AGRICULTURE

SHEET TITLE
CAMERA VIEWS

DESIGN ACTIVITY
For Construction

K2 AUDIO, LLC
4900 Pearl East Circle
Suite 201E
Boulder, CO 80301
303-865-5500

SUBCONTRACTORS

DRAWN DB/RO	CHECKED DB	SCALE	DESIGNED
		NO	NO
HISTORY		8/21/2006	For Construction
LAST REVISION		9/20/2006	For Construction Rev. 1
SHEET		10/4/2006	For Construction Rev. 2
AV1.9		SHEET	