

NOAA National Marine Sanctuary Program Site Evaluation List Nantucket Sound/ Shoals and Oceanographer Canyon, Massachusetts



NOAA National Marine Sanctuary Program Site Evaluation List

Nantucket Sound/Shoals and Oceanographer Canyon, Massachusetts

Site Location



Province: Virginian Area: Approx. 1,360 nm²

Rationale for Consideration as a National Marine Sanctuary

- The site provides a variety of coastal and marine habitats and species, and is a unique transition area between the Acadian and Virginian provinces.
- Nantucket Sound/Shoals and Oceanographer Canyon support the valuable commercial and recreational fisheries that make a large contribution to the regional economy.
- Tourism, another large portion of the local economy, is also based on the ecological, recreational, aesthetic, and cultural resources of the area.

National Significance

The site contains an array of rich habitats and species that displays circulation and migration patterns unique to the Georges Bank area. It also provides important economic and historical resources to both the local community and country. The opportunity for a Federal-State partnership in ocean resource protection is provided.

Current Status

Nantucket Shoals and Oceanographer Canyon appeared on the List of Recommended Areas (LRA) in 1979, as nominated by the U.S. Fish and Wildlife Service. Nantucket Sound/Shoals and Oceanographer Canyon was nominated as a single site by the North Atlantic Regional Evaluation Team in 1983 for placement on the Site Evaluation List (SEL); NOAA concurred and its status remains unchanged.

- The prestigious Woods Hole Oceanographic Institute is located near the site.
- The maritime tradition of Nantucket Sound makes an important contribution to the marine heritage of the country.
- The site provides a unique opportunity to integrate State and Federal marine protected areas, since the site lies adjacent to waters protected by Massachusetts' Ocean Sanctuary Act.



Summary of Significant Resources

Status/Concerns							
Category Juitue Rate Profesion Silver Comments							
Habitats							
Open bay	Important recreation area						
Open waters	Recreation/commercial area						
Shoals	Nursery habitat						
Submarine canyon	Located on continental shelf edge						
Species							
Plants							
Invertebrates	Lobster, clam, scallops, oyster						
Fish	Cod, haddock, flounder, tuna						
Reptiles •	Several sea turtle species present						
Birds	Peregrine falcon, terns, waterfowl						
Marine mammals •	Gray seals, humpback whales						
Aesthetic Resources	Important draw to tourism industry						
Recreation Resources	Concentration of activities						
Education Resources •	Woods Hole is located nearby						
Research Resources	Strong research history						
Cultural Resources	Strong maritime heritage						

The National Marine Sanctuary Program

Authorized by the Marine Protection, Research, and Sanctuaries Act of 1972, the National Marine Sanctuary Program was created to identify, designate, and manage nationally significant marine and Great Lake waters. National significance is based on the conservational, ecological, aesthetic, recreational, historical, research, and/or educational value of the site.

The Site Evaluation List (SEL) is the pool of sites from which future National Marine Sanctuaries are chosen. In order for a site to be placed on the SEL, it must be judged to be of special national significance. Being on the SEL does not guarantee a site will become a Sanctuary, but it is the necessary first step. The site may then be selected as an Active Candidate, based on factors including available staff and resources, biogeographic and resource representation, and relative costs and benefits of designa-

tion. The designation process includes the preparation of an Environmental Impact Statement/Management Plan, consultation with governmental bodies, and public meetings. With the approval of Congress (and the concurrence of the Governor where state waters are included), the Secretary of Commerce designates the site as a National Marine Sanctuary.

Contact

For more information about Nantucket Sound/Shoals and Oceanographer Canyon, the Site Evaluation List, or the National Marine Sanctuary Program, please contact the Sanctuaries and Reserves Division at:

Sanctuaries and Reserves Division National Oceanic and Atmospheric Administration 1825 Connecticut Avenue, N.W., Suite 714 Washington, D.C. 20235 (202) 606-4126

Site Location

Latitude and Longitude

The three components of the site are bound by 1) 41°29.8'N x 70°30.5'W to 41°27.0'N x 70°26.1'W to 41°20.6'N x 70°22.9'W to 41°23.5'N x 70°17.6'W to 41°20.7'N x 70°8.8'W to 41°21.3'N x 70°6.0'W to 41°26.5'N x 70°3.3'W to 41°27.8'N x 70°3.3'W to 41°30.6'N x 70°7.7'W to 41°36.0'N x 70°4.2'W to 41°34.3'N x 70°18.8'W (Nantucket Sound to the State water line); 2) 41°13.8'N x 70°0.0'W to 41°18.9'N x 69°55.9'W to 41°20.3'N x 69°43.4'W to 41°6.0'N x 69°4.0'W to 40°44.4'N x 69°19.2'W (Nantucket Shoals); and 3) 40°15.0'N x 68°15.0'W to 40°15.0'N x 68°0.0'W to 40°30.0'N x 68°0.0'W to 40°30.0'N x 68°15.0'W (Oceanographer Canyon).

Biogeographic Representation

Province: Virginian

Representativeness: This site occupies a unique position as a transition zone between the Acadian and Virginian coastal provinces, and displays migration and circulation patterns unique to the Georges Bank region.

Other Representation in Province: Norfolk Canyon National Marine Sanctuary (proposed) and three other SEL sites are also found in this province.

Boundary Alternatives

The site is formed by three biological components of diverse habitat types (Nantucket Sound, Nantucket Shoals, and Oceanographer Canyon). The total area of the site is 1,360 nm² and contains both State and Federal waters.

Site Description


Natural Resource Values

Ecosystem Features/Community Representation:

The three components of the site provide a variety of coastal and marine habitats, including open bay, open waters, shoals, and a shelf-edge submarine canyon (Map 1). The richness and variety of these natural communities, partially as a result of the transitional character, provide not only high productivity but ecological stability as well. Oceanographer Canyon, situated on the edge of the continental shelf, serves as a conduit for the transport of material from the shelf into the abyss.

Biological Productivity: An area of upwelling along the eastern edge of the Nantucket shoals supports the high productivity noted in this area.

> Biodiversity/Species Representation: The site displays a rich biotic collection, with invertebrate, fish, and bird species being the most diverse and abundant (Table 1). One unique species of the site is the beach meadow vole. which is found only on Muskeget Island. Endangered and threatened species found in the site include sea turtles, least tern, roseate tern, peregrine falcon, and humpback whale.



Nantucket Sound/Shoals and Oceanographer Canyon, Massachusetts

Table 1. Species Presence

Invertebrates	Red hake	Birds	Snowy egret	
Bay scallop	Silver hake	Mute swan	Black-crowned night heron	
Calico scallop	Atlantic cod	Canada goose	American bittern	
Deepsea scallop	Haddock	Atlantic brant	Glossy ibis	
Blue mussel	Pollock	Mallard	Common gallinule	
Eastern oyster	Black sea bass	Black duck	American coot	
Eastern softshell clam	Striped bass	Pintail	American oystercatcher	
Hard clam	Bluefish	American wigeon	*Piping plover	
Surf clam	Scup	Blue-winged teal	Spotted sandpiper	
Ocean quahog	White perch	Green-winged teal	Dunlin	
Blue crab	Atlantic croaker	Canvasback	Sanderling	
Red crab	Tautog	Ring-necked duck	Great black-backed gull	
American lobster	Atlantic mackerel	Greater scaup	Herring gull	
Long-fin squid	Bluefin tuna	Bufflehead	Arctic tern	
Fish	White marlin	Common eider	Common tern	
Smooth dogfish	Swordfish	Oldsquaw	*Least tern	
Spiny dogfish	Southern flounder	Black scoter	*Roseate tern	
Atlantic sturgeon	Summer flounder	Surf scoter	Mammals	
Alewife	Winter flounder	Whitewing scoter	Beach meadow vole	
Atlantic menhaden	Yellowtail flounder	Marsh hawk	Gray seal	
American shad	Reptiles	*Peregrine falcon	*Humpback whale	
Atlantic herring	*,#Sea turtles	Great egret		
Sea herring				

^{*}Federal endangered, #Federal threatened

Species Maintenance: The shoals are an important spawning area for cod and other species (Table 2). Humpback whales migrate and feed in the area, and gray seals breed on the small islands. Wintering grounds for waterfowl and nesting grounds for shorebirds are also provided.

Habitat Features:

Shoreline Types: The coastline is composed of dunes, beaches, and salt ponds.

Geology: Glacial processes have been responsible for the formation and character of this area.

The shoals and interspersed channels are a result of glacially deposited sediments (mainly sandy gravel) that have been worked and re-worked by the strong, erratic currents characterizing the waters.

Hydrology: January surface currents are southwesterly; in July, they turn more toward the south, but develop westerly crosscurrents. This is a gross oversimplification of the actual current systems; the shoals have strong, erratic currents and rough conditions. The tidal range is about 1 m. January surface temperatures average about 5°C, and range from 12.5°C to 15°C in July.

Table 2. Life History/Utilization Characteristics for Selected Species

	Utilization					
Species	Resident Historical Hout des Site Breeding Minde Heed Ind.	hed feeding				
Herring spp	Win •					
Atlantic menhaden	•					
Atlantic mackerel	•					
Mute swan	Win					
Common eider	Win					
Whitewing scoter	Win					
Peregrine falcon	•					
Dunlin	Win					
Least tern	•					
Roseate tern						
Gray seal						
Humpback whale						

Nantucket Sound/Shoals and Oceanographer Canyon, Massachusetts

Natural Hazards: The currents, rough conditions, and bad weather make this a hazardous boating and shipping area.

Human Use Values

Fisheries Resources: Significant commercial and sport fisheries are supported by the site, and depend on the maintenance of good water quality. The most valuable commercial finfish are cod, yellowtail and winter flounder, haddock, bluefin tuna, and swordfish. The most valuable shellfish are bay and sea scallops, lobster, oyster, soft-shell clams, and blue mussels. Striped bass, flounder, bluefish, and scup are taken recreationally. Bloodworms and clamworms are harvested commercially as bait.

Aesthetic and Recreation Resources: The Nantucket region has a high degree of recreational and vacation activities. Boating, fishing, swimming, and sight-seeing are some of the activities resulting from the aesthetic resources and high quality waters. These and other recreational activities are supported by 81 boating ramps, 18 docks, 12 fishing piers, and over 260 km of beach. In 1984, there were 56 party boats in 24 ports and 127 charter boats in 33 ports.

Education and Interpretation Opportunities: The prestigious Woods Hole Oceanographic Institute is close to the site, and provides a unique opportunity for integration of a well-established and well-known education program into Sanctuary interpretive activities.

Research Opportunities and Resources: Oceanographer Canyon is one of the better-studied marine canyons on the northeast coast, though basic research indicates that canyon ecology can differ from one to the next. The Nantucket region provides opportunities for research in biogeographic relationships, glacial processes and geology, and shelf-edge ecology. The University of Massachusetts maintains the Nantucket Field Station, and Woods Hole Oceanographic Institute is located nearby.

Historical and Cultural Resources and Value:
Although it contains a number of shipwrecks, the site's primary cultural value is its contribution to the maritime heritage of the country. Since the Revolutionary War, the Nantucket region has served as the home of shipyards, home ports, and shipping corridors for a major segment of coastal industries. Nantucket's Brant Point Lighthouse was built in 1746 and is still active.


Impacts of Human Activities

Population Trends: The major counties adjacent to the site (Barnstable, Duke, and Nantucket) have experienced significant growth in the last 20 years (47 percent population increase), which is greater than Massachusetts (6 percent) and the United States (21 percent) over the same period. Although the rate of increase is expected to slow (to 14 percent from 1990 to 2010), this growth will still be greater than that projected for the State and Nation. Increasing population will place increasing pressure on coastal and marine resources, and make both

planning and protection more important than ever.

Land Use: Nearly half of the land adjacent to the site is forested, with other large portions used for urban and residential purposes (Figure 1). The large developed portions indicate potentially large sources of pollution and runoff.

Figure 1. Land Use in Major Counties Adjacent to the Site



Nantucket Sound/Shoals and Oceanographer Canyon, Massachusetts.

Commercial/Industrial/Service Activities: Six wastewater treatment plants are in the counties adjacent to the site (Barnstable, Dukes, and Nantucket); of these, half have ocean discharge and the other half have inland or estuarine discharge. Four of the plants have no or only primary treatment. A low volume oil pipeline crosses the southwest portion of the sound. Nantucket Harbor is a fishing port and houses commercial and recreational vessels. Nantucket Island has an airport.

Military Uses: There is little military use of the site. Otis Air Force Base, located on Cape Cod, is the closest military facility.

Ocean Mining and Mineral Extraction: Although Oceanographer Canyon is in an area known to have high hydrocarbon potential, the site is not part of proposed lease sales for 1992 to 1997.

Pollution and Physical Impacts

The primary sources of pollution are urban runoff and wastewater treatment plants. Commercial shipping, another potential source of pollution, has been moved away from the shoal area in the interests of environmental protection and shipping safety (see discussion under Relationship to Existing Program).


Management Concerns

Management of the Site as a Conservation Unit

Although the three components of the site are a cross-section of habitats in this region, they cannot function as an ecosystem, given the disjointed, open water nature. If the State ocean sanctuaries and Federal site waters could be integrated into a management unit, however, a representative ecosystem may be formed. Oceanographer Canyon is a discrete unit, and could be used as a test area for management techniques and baseline measurement.

Relationship to Existing Programs

Massachusetts protects some of the nearshore waters adjacent to the site under its Ocean Sanctuary Act; a viable opportunity for a Federal-State partnership in ocean protection is presented. The International Maritime Organization has created an "Area to be Avoided" in the shoals for environmental protection and shipping safety, applying to ships carrying oil or hazardous materials, or over 1,000 gross tons of cargo. The New England Regional Fishery Management Council is responsible for regulating fishing activities in the area. Two National Wildlife Refuges are located near the site (Map 2).



6

Nantucket Sound/Shoals and Oceanographer Canyon, Massachusetts

Sanctuary designation would allow for the coordination of the above regulatory mechanisms, as well as the creation of education and research programs geared toward the whole ecosystem.

Accessibility

The bay is very accessible and supports a high level of recreational activity. The shoals and canyon components are less accessible, due to rough conditions and their distance from shore.

Surveillance and Enforcement

Two U.S. Coast Guard Stations are located near the site, one at Woods Hole and another at Brant Point. A Sanctuary surveillance and enforcement program would most likely have to make use of these as well as State facilities in order to provide adequate monitoring of the site.

Economic Considerations

Because the fishing and tourism industries make a large contribution to the regional economy, Sanctuary status impact on these activities must be considered during the designation process. Potential long-term economic gain from hydrocarbon exploitation must also be evaluated, since Sanctuary designation would probably halt such efforts within its boundaries.

Possible Issues

Concern will likely be raised by recreational and commercial fishermen and from other recreational

Table 3. Probable Designation Impacts

		Impa	
Activity	Qrobati Qrobati	Property Property	terri
Habitat protection	+	+	
Listed species protection	+	+	
Research	+	+	
Education	+	+	
Commercial fishing	0	+	
Recreational activities	+	+	
Tourism	0	+	
OCS activities	0	_	
Vessel traffic	0	0	

+ = positive, - = negative, 0 = neutral, ? = unknown

interests who may perceive a threat to their activities. Although not currently developing the resources of the area, the oil and gas industry may wish to do so in the future and will also have concerns.

Support for Designation

Most of the comments received during the 1983 SEL process were in support of the site.

Probable Designation Impacts

Table 3 summarizes the probable short-term (within five years of designation) and long-term (after five years) impacts of Sanctuary status this site.

Site Bibliography_

Andrews, R., 1990. Coastal Waterbird Colonies: Maine to Virginia 1984-85. U.S. Fish and Wildlife Service, Newton Corner, MA. 807 pp.

Carlozzi, C., K. King, and W.F. Newbold, 1976. *Ecosystems and Resources of the Massachusetts Coast.* Institute for Man and Environment. 68 pp.

Dames and Moore, 1980. Atlantic Coast Ecological Inventory: Providence, Rhode Island, Connecticut, Massachusetts, and New York. U.S. Fish and Wildlife Service, Washington, D.C. 1 map.

Holland, F.R., 1989. *Great American Lighthouses*. Preservation Press, Washington, D.C. 346 pp.

Massachusetts Division of Marine Fisheries, 1985. *Massachusetts Marine Fisheries: Assessment at Mid-Decade*. Boston, MA. 31 pp plus appendices.

State of Massachusetts, 1978. Massachusetts Coastal Zone Management Plan and Final Environmental Impact Statement. NOAA, Washington, D.C. 439 pp.

Minerals Management Service, 1991. Proposed Comprehensive Outer Continental Shelf Natural Gas and Oil Resource Management Program, 1992-1997. MMS, Washington, D.C. 84 pp.

National Oceanic and Atmospheric Administration, 1989. United States Coastal Pilot, Atlantic Coast: Cape Cod to Sandy Hook. NOAA, Washington, D.C. 252 pp.

Strategic Assessment Branch, 1988. *National Estuarine Inventory Data Atlas, Volume 4: Public Recreation Facilities in Coastal Areas.* NOAA, Rockville, MD. 156 pp.

SAB, 1988. Treatment Levels of Publicly Owned Treatment Plants in Coastal Counties, Circa 1984. NOAA, Rockville, MD.