

Hintons

TYPE A ANNUAL INSPECTION SUMMARY
LESS FAMILY HOUSING
MARINE CORPS BASE
CAMP LEJEUNE, NORTH CAROLINA
FISCAL YEAR 1971




1. DATE 2.	FISCAL YEAR				[:	3. DEPARTMENT	4. INSTALLATION				
		MIL	ITARY CONSTR	UCTION LINE ITEM	DATA						
18 DEC 1970	1971			FACILITIES PR		NAVY	MADINE CODDS BASE CA	MD TET	ZIINUS		
5. PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZAT		7. CATEGORY CODE NUMBER	THE RESIDENCE OF THE PARTY OF T	EMENT NUMBER	MARINE CORPS BASE, CA	ME LEJI	SOME		
			a new fire								
\$106,000		P.L.		214			NORTH CAROLINA				
10. PROPOSED APPROPRIATION		11. BU	DGET ACCOUNT NUMB	ER .	12. LINE ITEM NUMBER		13. LINE ITEM TITLE	area da sagai			
\$106,000					3		REPLACE WINDOWS, BLDG	s. 150	2 & 1601		
		SECTION A - DESC	RIPTION OF LIN	E ITEM			SECTION B -	COST ESTIN	ATES		
14.	18.					20. PRIMARY FA		U/M	QUANTITY	UNIT COST	COST (\$000)
TYPE OF CONSTRUCTION		PHYSICAL (	CHARACTERIST	ICS OF PRIMARY FA	CILITY	MAINTEN	ANCE - AUTOMOTIVE .	SF.	20,600		\$ 106
a. PERMANENT	a. NO. OF BLE	DGS. 2 6. NO. 0	F STORES	c. LENGTH	d. WIDTH	a.		100	(	) , , , ,	(
. SEMI-PERMANENT	e. DESIGN C			f. GROSS AREA		b. ·	A STATE OF THE STA		(	)	(
. TEMPORARY	g. COOLING		CAP.		т (\$	)   c.			(	)	(
15. TYPE OF WORK		PTION OF WORK TO B		The Receipt of the Control of the Co		d.			(	)	(
a. NEW FACILITY				rovide project	ed industria	21. SUPPORTI	NG FACILITIES				\$
b. ADDITION		cent vented			ed Industria	ı, a.					(
. ALTERATION	To per	cene veneed	steel wi	ndows.		b.			100000000000000000000000000000000000000		(
d. CONVERSION						· .	Barrier Barrier Dy Carlotte Control		246206		(
e. OTHER (Specify)						d.					(
Repair	1 10 1										(
16. REPLACEMENT	N (5)					f-	A STATE OF THE STA				(
17. TYPE OF DESIGN						g.					(
a. STANDARD DESIGN						h					(
b. SPECIAL DESIGN						í.					(
c. DRAWING NO.						j.					(
						22. TOTAL L	INE ITEM COST		La de la companya		\$ 106
		The State of State of			SECTION C - BASI	S OF REQUIREMENT					2.4.61
23.	QUANTITATIVE	DATA		25. REQUIREMENT FOR LIN	E ITEM				100000000000000000000000000000000000000		
(U/M.		)					eel framed windows. The				
a. TOTAL REQUIREMENT		"到我都是我们					eft. Attempts to repair				
. EXISTING SUBSTANDARD		( )	)				e proven unsuccessful for				
. EXISTING ADEQUATE		THE BUILDINGS		found to be e	extremely dif	ficult to w	eld a new piece into the	existi	ng frames	with suf	ficient
d. FUNDED. NOT IN INVEN	TORY			accuracy to p	permit satisf	actory regla	zing. Further, it has be	en fou	nd almost	impossib	le to
. ADEQUATE ASSETS (c+	d)			remove existi	ing glass from	m the frames	without breakage because	the o	ld putty i	s so har	d. This
		AUTHORIZED	FUNDED	project, ther	refore, propo	ses the repl	acement of the entire sas	h and	glass with	new win	dows.
f. UNFUNDED PRIOR AUTHO	RIZATION										- 100 Au 1
. INCLUDED IN FY	PROGR	RAM									
DEFICIENCY (a-e-f-g)											
24. RELATED LINE ITEMS											
	the state of	To The season	to the contract of					-			
			6 - NA - 74	The second second second							
		The Authority									
		250					And the second of the second o				

DD 1 FORM 1391




1. DATE 2. F	FISCAL YEAR			3. DEPA	ARTMENT	4. INSTALLATION					
	1971		STRUCTION LINE ITEM DATA TY FACILITIES PROJECT	c ·	NAVY	MARINE CORPS BASE, CAMP	LEJE	UNE			
5. PROPOSED AUTHORIZATION	6. PRIOR	AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMENT	NUMBER	9. STATE/COUNTRY					
\$ 138,500	P.L.	<b>a</b>	841			NORTH CAROLINA					
10. PROPOSED APPROPRIATION		11. BUDGET ACCOUNT	IUMBER . 12. LIN	NE ITEM NUMBER		13. LINE ITEM TITLE	7				
\$ 138,500				15		REPLACE FIVE RAW WATER TT-45 & TT-55	WELLS	, NOS. 609	5, 618,	TT-28	8,
	SECTION	A - DESCRIPTION OF	LINE ITEM			SECTION B - COS	ST ESTIN	MATES			
TYPE OF CONSTRUCTION	18. PH	YSICAL CHARACTER	STICS OF PRIMARY FACILITY	,	20. PRIMARY FACI	LITY	U/M EA	QUANTITY 5	UNIT COST		138.5
a. PERMANENT	a. NO. OF BLDGS.	6. NO. OF STORES	c. LENGTH d. WI	DTH	a.		EA	,	17700.0	103	130.3
6. SEMI-PERMANENT	DESIGN CAPACITY		f. GROSS AREA		b.			(	1	1	
c. TEMPORARY	g. COOLING	CAP		1	c.		-	(	1	1	
15. TYPE OF WORK	19. DESCRIPTION OF	WORK TO BE DONE			d.			(	1	1	
a. NEW FACILITY	Construct fi	ve replacement	wells complete with	houses,	21. SUPPORTING	FACILITIES			/		
b. ADDITION	pumping equi	pment and inte	rconnecting piping f	rom each	a.		1			1	
c. ALTERATION			sting raw water line	The second se	ь.		1			1 500	
d. CONVERSION			the wells to be rep		c. •				a la casa de la casa d	1	
Repair	cap the repl				d.					(	
16. REPLACEMENT					f.					1.	
17. TYPE OF DESIGN					,					1.	
a. STANDARD DESIGN					h			100000		1,	
6. SPECIAL DESIGN					•					1.	
c. DRAWING NO.					1.		-		-	1	
					22. TOTAL LI	NE ITEN COST				1	138.5
			SECT	ION C - BASIS OF F						19	130.3
23.	QUANTITATIVE DATA		25. REQUIREMENT FOR LINE LIEM						. Italian		
(U/M'-			Five existing wat	er wells, to	wo serving	the Hadnot Point Water T	reatm	nent Plant	and the	cee fu	urnish
a. TOTAL REQUIREMENT	State Control of the		ing water for the	e Tarawa Ter	race Water	Treatment Plant have fai	led t	otally be	yond hop	pe of	
6. EXISTING SUBSTANDARD	(	Mary Mary Land	rehabilitation.	This projec	t proposes	the replacement of these	five	e wells con	mplete v	vith 1	pump
. EXISTING ADEQUATE			houses, pumping	equipment, a	nd interco	nnecting piping between t	he we	ells and e	xisting	raw v	water
d. FUNDED, NOT IN INVENTO	CRY		lines. Replaceme	ent is neces	sary in or	der to restore the raw wa	ter s	supply to	these to	reatmo	ent
. ADEQUATE ASSETS (c + d)	)		plants. This ite	em will not	cause addi	itional water or air pollu	tion.				
,		HORIZED FUNDED	The state of the s								
. UNFUNDED PRIOR AUTHORI	IZATION										
. INCLUDED IN FY	PROGRAM										
. DEFICIENCY (a-e-f-g)											
		delt de la				A Control of the Cont					
24. RELATED LINE ITEMS			and the second s								
24. RELATED LINE ITEMS	PERSONAL PROPERTY OF THE										
24. RELATED LINE ITEMS											
24. RELATED LINE ITEMS											

BOOK NO. \_\_\_\_ PAGE NO.\_\_\_\_



1. DATE 2	. FISCAL YEAR			10 To	3. DEPARTMENT	4. INSTALLATION				
18 Dec 1970	1971		TRUCTION LINE ITEM		NAVY	MARINE CORPS BASE, CAMP LEJEUNE				
5. PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM I	LEMENT NUMBER	9. STATE/COUNTRY				
\$ 150,000		P.L. ø'	723			NORTH CAROLINA				
10. PROPOSED APPROPRIATION		11. BUDGET ACCOUNT NO	MBER .	12. LINE ITEM NUMBER		13. LINE ITEM TITLE				
\$ 150,000				1 (PROJECT	'ED)	RENOVATE MESSHALL NOS. 107 & 206				
		SECTION A - DESCRIPTION OF L	INE ITEM			SECTION B - COST ESTIMATES				
14. TYPE OF CONSTRUCTION	18.	PHYSICAL CHARACTERIS		CILITY	20. PRIMARY FA					
a. PERMANENT	a. NO. OF BL	DGS. 2 6. NO. OF STORES 1	c. LENGTH	d. WIDTH	TROOF HO	JUSING - DETACHED PACIFITIES SP 40,140 \$ 3.2	5 1 100			
b. SEMI-PERMANENT	e. DESIGN		f. GROSS AREA 46,		b.					
c. TEMPORARY	g. COOLING			- 4-500	) 6.		1			
15. TYPE OF WORK		PTION OF WORK TO BE DONE			d.					
a. NEW FACILITY	Renew	wood doors, trim and	l hardware. Ren	new certain	21. SUPPORTI	NG FACILITIES	4			
b. ADDITION	ACCURATION AND ADDRESS OF THE PARTY OF THE P	windows and window s			lab .		(			
c. ALTERATION	Market Committee	. can washroom. Ren			Maria Carlos Company		(			
d. CONVERSION		ood bumpers in corris			c.		(			
e. OTHER (Specify)		condensate return 1:			d.		(			
Repair	AND DESCRIPTION OF THE PARTY OF	ngs. Renew heating			7		(			
16. REPLACEMENT		refrigeration cooling					(			
17. TYPE OF DESIGN		insulation in reef			g.		(			
a. STANDARD DESIGN	roof				h. ·		(			
b. SPECIAL DESIGN					i.		(			
c. DRAWING NO.					j		(			
					22. TOTAL L	INE ITEM COST	\$ 150			
				SECTION C - BAS	IS OF REQUIREMENT					
23.	QUANTITATIVE	E DATA	25. REQUIREMENT FOR LIN	E ITEM	achalle have	deteriorated from length of service and type of	use. Doo			
(U/A	1		are expelted	and anlit de	or casings	and jambs decayed and door hardware worn out in	service and			
a. TOTAL REQUIREMENT			must be reals	and spile, a	etal plaster	lath has rusted causing the plaster to crack ar	nd come			
b. EXISTING SUBSTANDAR	D	(	loose from the	he walle T	his allows mo	pisture to get into the walls from the inside ar	nd destroy			
EXISTING ADEQUATE			studding and	other vital	parts of the	building. The mullion portion of the window f	Frames have			
d. FUNDED. NOT IN INVE			rusted causin	no window na	nes to crack	. Glass has to be removed, mullion cleaned and	painted,			
. ADEQUATE ASSETS (c+	d)	AUTHORITIES I SINCE	dlass hedded	in glazing	compound and	reglazed. Various electrical switches and cont	crois have			
4 UNISUADED 20102 (1-7	ODIZATIO	AUTHORIZED FUNDED	worn out in	service and	must be repla	aced. The steam condensate return lines and rel	lated valve			
f. UNFUNDED PRIOR AUTHO			and fittings	have deteri	orated and mu	ist be replaced. The heating coil serving the g	garrey and			
. INCLUDED IN FY	PROGR	TAM	the cooling	coils servin	g the reefer	have worn out in service and must be replaced.	Determent			
A. DEFICIENCY (a-e-f-g.			of renaire W	ill result i	nto eventual	higher repair costs. Replacement of the facility	itles in-			
THE TIEMS			of repairs will result into eventual higher repair costs. Replacement of the facilities in volved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)							
							The second second in the second			


BOOK NO. \_\_\_\_ PAGE NO. \_\_\_\_




1. DATE	2. FISCAL YEAR		3. DEPARTMENT	4. INSTALLATION	
18 Dec 1970	1971	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	NAVY	MARINE CORPS BASE, CAMP LEJEUNE	ST
. LINE ITEM NUMBER		6. LINE ITEM TITLE			
1 (Projecte	d)	RENOVATE MESSHALL NOS. 107 & 206			

- 25. Requirement for Line Item (Continued)
  - a. Year Built: 1 1942 and 1- 1943
  - b. Total Cost of Construction: \$239,671
  - c. It is proposed to accomplish this work by contract.
  - d. This project has no relationship to other projects programmed or planned.


DD 1 JUL 62 1391c



1. DATE 2.	FISCAL YEAR					3. DEPARTMENT		4. INSTALLATION				
		MII	LITADY CONCT	CURTION LINE LIEU	217							
18 DEC 1970	1971			RUCTION LINE ITEM I		NAVY						
5. PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZA		7. CATEGORY CODE NUMBER	Contract of the property of the last territories	GRAM ELEMENT NUMBER		MARINE CORPS BASE, CAM	P LEJ	EUNE		
	AND THE RESERVE											
\$106,000	August Server	P.L.		214				NORTH CAROLINA				
10. PROPUSED APPROPRIATION		11. BU	DGET ACCOUNT NUMB	ER .	12. LINE ITEM NU	JMBE <b>R</b>		13. LINE ITEM TITLE				
\$106,000								REPLACE WINDOWS, BLDGS	150	2 & 1601		
				1		200		Million Willows, Black		2 & 1001		
14.	118	SECTION A - DESC	CRIPTION OF LIN	E ITEM				SECTION B - CO	ST ESTI	MATES		
TYPE OF CONSTRUCTION		PHYSICAL	CHARACTERIST	ICS OF PRIMARY FAC	CILITY	ZO. PRIM. MATN		NCE - AUTOMOTIVE	U/M SF	20,600	\$5.15	COST (\$000)
a. PERMANENT	a. NO. OF BLDG	os. 2   h. No. 0	OF STORES	c. LENGTH	d. WIDTH	a.			J.S.F	20,000	75.15	\$ 106
6. SEMI-PERMANENT	e. DESIGN CA	PACITY	Control of the Contro	f. GROSS AREA		b.				(		(
c. TEMPORARY	g. COOLING		CAP.	cost	(\$	)   c.				(		(
15. TYPE OF WORK	19. DESCRIPT	TON OF WORK TO E	BE DONE			d.				(		(
a. NEW FACILITY	Remove	existing w	indows. P	rovide projecto	ed indust	rial 21. SUPI	ORTING	FACILITIES			10 (a) (a) (b) (b) (b) (b) (b) (b) (b) (b) (b) (b	\$
b. ADDITION	40 per	cent vented	d steel wi	ndows.	a made	a.						(
c. ALTERATION						b.			1			(
d. CONVERSION e. OTHER (Specify)		•				c.						(
Repair						<del>a</del> .						(
16, REPLACEMENT						f.						
17. TYPE OF DESIGN												(
a. STANDARD DESIGN						h				- 512000000		(
6. SPECIAL DESIGN						i.						,
c. DRAWING NO.						j						(
						22. TOT	AL LIN	WE ITEM COST				\$ 106
					SECTION C -	BASIS OF REQUIREM			لـــــا	1.00		100
23.	QUANTITATIVE	DATA		25. REQUIREMENT FOR LINE		DAGTO OF REGOVERN						
(U/M_		)		Buildings 150:	2 and 160	1 have large	stee	el framed windows. The wa	indow	frames ha	ve ruste	d so badly
4. TOTAL REQUIREMENT		5867676		that in places	s no fram	e material i	s lef	t. Attempts to repair th	hese	windows by	welding	in new
6. EXISTING SUBSTANDARD		(	)	portions of fi	raming an	d reglazing	have	proven unsuccessful for s	sever	al reasons	. It ha	s been
c. EXISTING ADEQUATE				found to be ex	xtremely	difficult to	we1	d a new piece into the ex	xisti	ng frames	with suf	ficient
d. FUNDED, NOT IN INVENT	TORY			accuracy to pe	ermit sat	isfactory re	glazi	ing. Further, it has been	n fou	nd almost	impossib	le to
e. ADEQUATE ASSETS (e+ a	1)							vithout breakage because				
		AUTHORIZED	FUNDED	project, there	efore, pro	oposes the re	eplac	cement of the entire sash	and	glass with	new win	dows.
f. UNFUNDED PRIOR AUTHOR	RIZATION											
g. INCLUDED IN FY	PROGRA	М										
h. DEFICIENCY (a-e-f-g)			gale de la companya d									
24. RELATED LINE ITEMS				The second of th		STORES OF THE PROPERTY OF						
				41,046								
	Annual Control of the Section of the		and the second of the second									
						1945						



1. DATE   2. FI	SCAL YEAR			•	· 13 DE	PARTMENT	4. INSTALLATION			
		o MII	ITARY CONSTR	UCTION LINE ITEM DATA			4. INSTALLATION			
18 Dec 1970  5. PROPOSED AUTHORIZATION	1971		PROPERTY	FACILITIES PROJEC	T	NAVY	MARINE CORPS BASE, CAMP I	EJEUNE		
3. Thorosed Admontzation		6. PRIOR AUTHORIZA	ITON	7. CATEGORY CODE NUMBER	8. PROGRAM ELEMEN	T NUMBER	9. STATE/COUNTRY			
\$ 150,000		P.L.		723			NORTH CAROLINA			
10. PROPOSED APPROPRIATION		11. BU	DGET ACCOUNT NUMBE	IR . 12. L1	INE ITEM NUMBER		13. LINE ITEM TITLE		1 3 A	
\$ 150,000							RENOVATE MESSHALL NOS. 10	7 & 206		
		SECTION A - DESC	RIPTION OF LINE	ITEM		a laguatesi dir dir-	SECTION 3 - COST E	STIMATES		
TYPE OF CONSTRUCTION	18.	PHYSICAL	CHARACTERIST	ICS OF PRIMARY FACILIT	Υ	TROOP HO	USING - DETACHED FACILITIES S	M QUANTITY 46,146	UNIT COST \$ 3.25	cost (\$000 \$ 150
a. PERMANENT	a. NO. OF BLDG	s. 2 b. No. 0	F STORES 1	c. LENGTH d. W	IDTH	a.	OSING DEFINITION PROTECTION	1 40,140	3 3.23	1 130
b. SEMI-PERMANENT	e. DESIGN CA	APACITY		f. GROSS AREA 46,146		Ь.				(
. TEMPORARY	g. COOLING		CAP.	COST (\$		) c.	Section - Committee		)	(
15. TYPE OF WORK	19. DESCRIPT	ION OF WORK TO E	BE DONE			d.	30000	(	)	(*
a. NEW FACILITY	Renew w	good doors,	trim and	hardware. Renew	certain	21. SUPPORTIN	G FACILITIES			\$
b. ADDITION	metal w	indows and	window si	11s. New concrete	e floor slab	a.	-		THE PARTY OF THE P	(
c. ALTERATION	in G.I.	can washro	oom. Rener	w loose and broken	n plaster.	b.				(
d. CONVERSION	New woo	d bumpers	in corrido	rs. Paint all in	terior.	c.				(
OTHER (Specify)	Renew c	ondensate	return lin	es and related va	lves and	d.				(
Repair	fitting	s. Renew	heating co	il in attic servi	ng galley.	e				(
16. REPLACEMENT	Renew r	efrigeration	on cooling	condensers and e	vaporators.	f.				(
17. TYPE OF DESIGN	Repair	insulation	in reefer	s. Provide vent	duct and	8.				(
b. SPECIAL DESIGN	roof ja	icks.				h				(
c. DRAWING NO.	+					i.				(
						J. gomes				(
				050	7101 4 21010 05		INE ITEM COST			\$ 150
3.	QUANTITATIVE	DATA		25 0500000000 500 0000	TION C - BASIS OF					
(U/M		)		The masonry one-	story messha	alls have	deteriorated from I f	ervice and	type of t	ise. Doo
a. TOTAL REQUIREMENT				are cracked and	split, door	casings a	nd jambs decayed and in har	dware worn	out in se	ervice an
. EXISTING SUBSTANDARD		1	)	must be replaced	. The metal	. plaster	lath has rusted causage ine	laster to c	rack and	come
EXISTING ADEQUATE				loose from the w	alls. This	allows mo	isture to get into the walls	from the in	side and	destroy
. FUNDED. NOT IN INVENTOR	RY			studding and oth	er vital par	ts of the	building. The mulling port	on or the W	Indow ir	ames have
. ADEQUATE ASSETS (c+d)				rusted causing w	indow panes	to crack.	Glass has to be removed, m	illion clean	ed and pa	ala baya
		AUTHORIZED	FUNDED	glass bedded in	glazing comp	ound and	reglazed. Various electrica	SWILCHES a	and volue	tod walva
. UNFUNDED PRIOR AUTHORIZ	ZATION			worn out in serv	ice and must	be repla	ced. The steam condensate re	coil cervin	or the ga	lley and
. INCLUDED IN FY	PROGRAM	М		and fittings hav	e deterioral	ed and mu	st be replaced. The heating	must be ren	laced	Deferment
. DEFICIENCY (a-e-f-g)				the cooling coil	s serving th	ne reerer	have worn out in service and	ment of the	facilit	ies in-
4. RELATED LINE ITEMS				volved is not pl	anned and th	ne functio	higher repair costs. Replac n of the facilities cannot b	e eliminated	, consol	idated
				or transferred.	The entire	interior	and exterior requires painti	ng. (Cont'd	)	



18 Dec 1970 1971 MILITARY CONSTRUCTION LINE ITEM DATA
(Continued)

MILITARY CONSTRUCTION LINE ITEM DATA
NAVY

MARINE CORPS BASE, CAMP LEJEUNE


6. LINE ITEM TITLE

RENOVATE MESSHALL NOS. 107 & 206

- 25. Requirement for Line Item (Continued)
  - a. Year Built: 2 1942 and 1 1943
  - b. Total Cost of Construction: \$360,147
  - c. It is proposed to accomplish this work by contract.
  - d. This project has no relationship to other projects programmed or planned.

DD 1 JUL 62 1391c


BOOK NO. \_\_\_\_\_ PAGE NO. \_\_\_\_




					3	DEPARTMENT	4. INSTALLATION	The same of the state of the same of		The state of	
18 DEC 1970	1971			TRUCTION LINE ITER Y FACILITIES P	M DATA ROJECT	NAVY	MARINE CORPS BASE,	CAMP LEJE	UNE		
5. PROPOSED AUTHORIZATION		6. PRIOR AU		7. CATEGORY CODE NUMBE	R 8. PROGRAM EL	EMENT NUMBER	9. STATE/COUNTRY			1.00	
\$ 138,500		P.L.		841			NORTH CAROLINA				
10. PROPOSED APPROPRIATION	The Excision		11. BUDGET ACCOUNT NU	MBER	12. LINE ITEM NUMBER	Superior a tributant day of the	13. LINE ITEM TITLE				regis
\$ 138,500							REPLACE FIVE RAW WAT	CER WELLS	, NOS. 60	5, 618, T	T-28,
		SECTION A	- DESCRIPTION OF LI	NE ITEM			SECTION B	- COST ESTIM	ATES		
14. TYPE OF CONSTRUCTION	18.	PUVC	ICAL CUADACTER IS			20. PRIMARY FAC		U/M	QUANTITY	UNIT COST	COST (\$000
			TCAL CHARACTERIS	TICS OF PRIMARY F	ACILITY	WELLS		EA	5	27700.00	
a. PERMANENT	a. NO. OF BLDO	GS.	b. NO. OF STORES	c. LENGTH	d. WIDTH	a,					(
b. SEMI-PERMANENT	e. DESIGN CA	APACITY		f. GROSS AREA		ь.		(		)	
. TEMPORARY	g. COOLING		CAP.	.cc	OST (\$	) c. ***********************************		(		)	(
15. TYPE OF WORK			RK TO BE DONE			d.		(		)	
. NEW FACILITY					e with houses,	21. SUPPORTIN	G FACILITIES				
ADDITION					ping from each	a.	-				
. ALTERATION					r line. Demol						
. CONVERSION  OTHER (Specify)				the wells to	be replaced and	c.			o's many state of		100
Repair	cap the	replac	ed wells.			d.					
6. REPLACEMENT											
7. TYPE OF DESIGN	May 2					ļ,.					
. STANDARD DESIGN						g.					
. SPECIAL DESIGN											
. DRAWING NO.						i.					
						22 TOTAL L	INE ITEM COST				138.5
		The Samuel			SECTION C - BASIS		TIE TIEN COOL			1 13	130.3
3.	QUANTITATIVE	DATA		25. REQUIREMENT FOR L	INE ITEM						
(U/M	<u>•</u>		_)	Five existi	ng water wells	, two servin	g the Hadnot Point Wate	er Treatm	ent Plant	and thre	e furnis
. TOTAL REQUIREMENT				ing water f	or the Tarawa '	Terrace Wate	r Treatment Plant have	failed t	otally be	yond hope	of
. EXISTING SUBSTANDARD	)	(		rehabilitat	ion. This pro	ject propose	s the replacement of the	hese five	wells con	mplete wi	th pump
. EXISTING ADEQUATE		34.55		houses, pum	ping equipment	, and interc	onnecting piping between	en the we	11s and e	xisting r	aw water
. FUNDED, NOT IN INVEN	TORY		and the second	lines. Rep	lacement is ne	cessary in o	rder to restore the ray	w water s	upply to	these tre	atment
ADEQUATE ASSETS (c+	d)	AUTHOR	1750 50000	plants. Th	is item will no	ot cause add	itional water or air po	ollution.			
LINELINDED PRIOR AUTH	PIZATION	MOTHOR	IZED FUNDED								
. INCLUDED IN FY	PROGRA	м									
. DEFICIENCY (a-e-f-g)											
4. RELATED LINE ITEMS	State Control			+						and the second second	
The Title											

BOOK NO.\_\_

PAGE NO.\_




1. DATE   2.	FISCAL YEAR			A CARLON CONTRACTOR		3. DEPARTMENT	4. INSTALLATION			Section 1985	
			ITION CONCE			J. DEFARIMENT	4. INSTALLATION				
18 DEC 1970	1971			RUCTION LINE ITEM		NAVY					
5. PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZA	L PROPERTY	FACILITIES PH	The state of the s	ELEMENT NUMBER	MARINE CORPS BASE, CA	MP LEJ	EUNE		277736
					G. TROSKAM	CCEMENT NUMBER	9. STATE/COUNTRY		The state of the s		
\$106,000		P.L		214			NORTH CAROLINA				
10. PROPOSED APPROPRIATION		11. BU	DGET ACCOUNT NUME	ER .	12. LINE ITEM NUMBER		13. LINE ITEM TITLE	100			
11106 000					1000 CT						
106,000							REPLACE WINDOWS, BLDG	S. 150	2 & 1601		4.7.
		SECTION A - DESC	RIPTION OF LIN	E ITEM			SECTION B - (	COST ESTI	MATES	7.49	
14. TYPE OF CONSTRUCTION	18.					20. PRIMARY FAC		U/M	QUANTITY	UNIT COST	COST (\$000)
THE OF CONSTRUCTION		PHYSICAL	CHARACTERIST	ICS OF PRIMARY FA	CILITY	MAINTENA	NCE - AUTOMOTIVE	SF	20,600		\$ 106
a. PERMANENT	a. NO. OF BLDO	35. 2 b. No. 0	F STORES	c. LENGTH	d. WIDTH	α,		20	20,000	1 3.13	100
b. SEMI-PERMANENT	. DESIGN CA	APACITY	and the second of	f. GROSS AREA		6.			( San	1	ì
c. TEMPCRARY	g. COOLING		CAP.	cos	T (\$	) é.			(		(
15. TYPE OF WORK	19. DESCRIPT	TION OF WORK TO	BE DONE		C. L. S. W. T. Z.	d.	The state of the s		(	)	(
a. NEW FACILITY	Remove	existing w	indows. P	rovide project	ed industria	1 21. SUPPORTING	G FACILITIES				\$
b. ADDITION	40 per	cent vented	l steel wi	ndows.	2113400114	a.	-				(
c. ALTERATION						b.		-	A Charles	David N	(
d. CONVERSION						c					(
e. OTHER (Specify)						d.					(
Repair						e				The state of the state of	(
16. REPLACEMENT						f.					( )
17. TYPE OF DESIGN						g.					(
a. STAMBARD DESIGN						h					(
b. SPECIAL DESIGN						í.					(
c. DRAWING NO.						j.					(
			2000	ALL HARDE BEING		22. TOTAL LI	NE ITEM COST				\$ 106
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					IS OF REQUIREMENT					
				25. REQUIREMENT FOR LIN		1	1 6				
							el framed windows. The				
a. TOTAL REQUIREMENT		-   ,					ft. Attempts to repair				
b. EXISTING SUBSTANDARD c. EXISTING ADEQUATE		-   '					proven unsuccessful for				
THE RESERVE OF THE PERSON OF T	.00%						ld a new piece into the				
d. FUNDED, NOT IN INVENT							ing. Further, it has be				
e. AULUUATE ASSETS (e + d		AUTHORIZED	FUNDED				without breakage because cement of the entire sas				
f. UNFUNDED PRIOR AUTHOR	L ZATION	AGTHORTZED	TONDED	project, ther	erore, propo	ses the repra	cement of the entire sas	n and a	grass with	i new win	dows.
8. INCLUDED IN FY	PROGRA	м									
h. DEFICIENCY (a-e-f-g)		7.27									
24. RELATED LINE ITEMS											
2.22		Barrier State		La responde data in 199							
		12 - 12 - 12 - 12 - 12 - 12 - 12 - 12 -		CONTROL OF THE PARTY OF THE PAR							
				Access to the							
22.											A Action Several




1. DATE 2	. FISCAL YEAR				1	3. DEPARTMENT	4. INSTALLATION	- 14			
an afficiency agreement		MIL	ITARY CONSTR	UCTION LINE ITEM	DATA						
18 DEC 1970	1971			FACILITIES PR		NAVY	MARINE CORRE RACE CAN	m TET	THE PARTY OF THE P		
S. PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZAT		7. CATEGORY CODE NUMBER	The Part of the Pa	LEMENT NUMBER	MARINE CORPS BASE, CAM	TE LEJ	EUNE		
\$106 000		0.1	9,600	2.1							
\$106,000		P.L.		214			NORTH CAROLINA				
10. PROPOSED APPROPRIATION	•	11. BU	DGET ACCOUNT NUMB	ER .	12. LINE ITEM NUMBER		13. LINE ITEM TITLE				THE THE CANE
\$106,000							REPLACE WINDOWS, BLDGS	. 150	2 & 1601		
		SECTION A - DESC	RIPTION OF LINE	ITEM			SECTION B - C	OST ESTI	MATES		
14. TYPE OF CONSTRUCTION	18.			Agricultural and Agricultural		20. PRIMARY FAC		U/M	QUANTITY	UNIT COST	COST (\$000)
		PHYSICAL	CHARACTERIST	ICS OF PRIMARY FA	CILITY	MAINTENA	NCE - AUTOMOTIVE	SF	20,600		\$ 106
a. PERMANENT	a. NO. OF BLC	GS. 2 b. NO. 0	F STORES	c. LENGTH	d. WIDTH	a		O.F.	20,000	1 45.15	(
6. SEMI-PERMANENT	e. DESIGN C	APACITY		f. GROSS AREA		b.	See Table 1		·	)	(
c. TEMPORARY	g. COOLING		CAP.	cos	T (\$	) c.			(	)	(
15. TYPE OF WORK	19. DESCRIP	TION OF WORK TO E	E DONE			d.			(	)	(
a. NEW FACILITY	Remove	existing wi	ndows. P	rovide project	ed industria	1 21. SUPPORTIN	G FACILITIES				\$
b. ADDITION	40 per	cent vented	steel wi	ndows.	, od Indabella	a.					(
c. ALTERATION						6.					(
d. CONVERSION						c.					(
e. OTHER (Specify)						d.			1949 C. T. S. S. S.		(
Repair						·.					· ·
16. REPLACEMENT						f.					( '
17. TYPE OF DESIGN						g.					
a. STANDARD DESIGN						h					(
b. SPECIAL DESIGN						i.		1			(
c. DRAWING NO.						j				Marie Control	(
						22. TOTAL LI	NE ITEM COST				\$ 106
		Market Market and M		二、1000年	SECTION C - BASI	S OF REQUIREMENT					1 (2)
23.	QUANTITATIVE	DATA		25. REQUIREMENT FOR LIN			The state of the s				
(U/M	1	)					el framed windows. The w				
a. TOTAL REQUIREMENT							ft. Attempts to repair t				
6. EXISTING SUBSTANDAR	D	(	) ( )				proven unsuccessful for				
e. EXISTING ADEQUATE							ld a new piece into the e				
d. FUNDED. NOT IN INVE	NTORY						ing. Further, it has bee				
e. ADEQUATE ASSETS (c+	d)						without breakage because				
		AUTHORIZED	FUNDED		efore, propos	ses the repla	cement of the entire sash	and	glass with	new win	dows.
f. UNFUNDED PRIOR AUTHO											
g. INCLUDED IN FY	PROGRA	AM									
A. DEFICIENCY (a-e-f-g)				Service.						4.0	
24. RELATED LINE ITEMS			with the field of the	2 1/2 (2003) 500 (2003)							
			car et seller inn arch	The state of the s							
				ay ay Sharing							
		the State of the S						1 1 2 1 2			

BOOK NO. \_\_\_\_ PAGE NO.\_\_\_\_



Renew wood doors, trim and hardware. Renew certain  Metal Windows and window sills. New concrete floor slab in G.I. can washroom. Renew loose and broken plaster. New wood bumpers in corridors. Paint all interior. Repair Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley. Renew refrigeration cooling condensers and evaporators. STANDARO DESIGN STANDARO DESIGN OUNTITATIVE DATA  STANDARO DESIGN CUMM			4. INSTALLATION	PARTMENT	3. DI				2. FISCAL YEAR	1. DATE
REAL PROPERTY PACIFITY PACIF					ITEM DATA	RUCTION LINE ITEM	LITARY CONSTR	MII		
1 150,000  P.L. 1. 1. Reset Accoust where 2 1. CATLORY CORE whose 2 1. CATLORY CORE whose 3 1. CATLORY WAS 1. CATLORY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES \$ 6 4, 146  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY TROOP HOUSING - DETACHED FACILITIES TO THE PRIMARY FACILITY AND THE PRIMARY FACILITY AND THE PRIMARY FACILITY AND THE PROPERTY FACILITY AND THE PRIMARY FACILITY STATES TO		LEJEHNE	MARTNE CORPS BASE, CAMP	NAVY					1971	18 Dec 1970
SECTION A - BESCRIPTION OF LINE TIEM  TROOP HOUSING - DETACHED FACILITIES SF 46,146  S. DESTROMANY  S. DEST				T NUMBER				at the finding and the second section of the section of the second section of the section of the second section of the section of	N 6	5. PROPOSED AUTHORIZATION
150,000   100									P	
** SECTION A - DESCRIPTION OF LINE HIM*  ** SECTION A - DESCRIPTION OF LINE HIM*  ** SECTION A - DESCRIPTION OF LINE HIM*  ** PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  ** PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  ** PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  ** DO OFFICES OF LAND OF SECTION OF LINE HIM*  ** PERSONALLY  ** COOLING			NORTH CAROLINA			723				
SECTION A - DESCRIPTION OF LINE HEM  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  *** PERMANNELL**  *** NO. OF RELOYS.**  *** NEW WOOD dumpers in corridors.**  *** NEW WOOD dumpers in corridors.**  *** New Wood bumpers in corridors.**  *** Repair insulation in reefers.**  *** Provide went duct and interior.**  *** No. OF RELOYS.**  *** No. OF RELOYS			13. LINE ITEM TITLE		12. LINE ITEM NUMBER	ER ,	JDGET ACCOUNT NUMB	11. BU	ON	10. PROPOSED APPROPRIATION
SECTION A - DESCRIPTION OF LINE   SECTION B - COST SET   PRIMARY FACILITY   TROOP HOUSING - DETACHED FACILITIES SP 46, 146										\$ 150 000
PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  PREMANNY		107 & 206	RENOVATE MESSHALL NOS. 1	Tarring 1						150,000
PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  PROMPHEWORNSING - DETACHED FACILITIES SF 46,146  PREMARY  PROMPHEWORNSING - DETACHED FACILITIES SF 46,146  PROMPHEWORNSING - DESIGN CAPACITY  PROMPHEWORNSING - DETACHED FACILITIES SF 46,146  PROMPHEWORNSING - DETACHED FACILITIES		ESTIMATES				E ITEM	CRIPTION OF LINE	ECTION A - DESC	S S	14
. DESIGNATION OF MORE TO BE DONE  S. SOM - PERMANENT  TEMPORANY  T. TEMP					RY FACILITY	ICS OF PRIMARY FA			Part Control	
**COLING CAP. COST (\$ ) **.  15. TYPE OF MORK  16. ALLIER TYPE OF MORK  17. ALLIER TYPE OF MORK  18. ALLIER TYPE OF		( )		a.	d. WIDTH	c. LENGTH	OF STORES 1	s. 2 b. No. 0	a. NO. OF BLDGS	a. PERMANENT
15. NOTE OF MORK  19. DESCRIPTION OF WORK TO BE DONE  Renew wood doors, trim and hardware. Renew certain metal windows and window sills. New concrete floor slab in G.I. can washroom. Renew loose and broken plaster. New wood bumpers in corridors. Paint all interior. New wood bumpers in corridors. Paint all interior. Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley. Renew refrigeration cooling condensers and evaporators. STRUMARD DESIGN STRUMARD DESIGN TOO F DESIGN STRUMARD DESIGN OUANITATIVE DATA (U/M	) (	(1		b.	46,146 SF	f. GROSS AREA 46		PACITY	e. DESIGN CAP	6. SEMI-PERMANENT
Renew wood doors, trim and hardware. Renew certain  A. ADDITION  ALCEARIGE  A. COVERSION  A. OTHER (Specify)  Repair  16. BY CENSIN  STANDARD OBSIGN  1. SPECIAL DESIGN  STANDARD OBSIGN  A. TOTAL RECURRENT  A. COVERT  A. COVERT  A. COVERT  A. COVERT  A. OTHER RECURRENT  A. COVERT  A. ACCOUNDAMY FOR LIMIT  A. ACCOUNT FOR LIMIT  A. ACCOUNT FOR LIMIT  A. AC		(		) c.	COST (\$	cos	CAP.		g. COOLING	c. TEMPORARY
Metal windows and window sills. New concrete floor slab in G.I. can washroom. Renew loose and broken plaster. New wood bumpers in corridors. Paint all interior. Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley. Renew refrigeration cooling condensers and evaporators. STANDARD DESIGN STANDARD DESIGN OFFICIENCY OF DESIGN TOTAL DESIGN TOTAL DESIGN TOTAL DESIGN SECTION C - BASIS OF REQUIREMENT	( )	(1)		d.			BE DONE	ON OF WORK TO E	19. DESCRIPTI	
**ALTERATION in G.I. can washroom. Renew loose and broken plaster.  **CONTER (General) Repair  16. GIT. can washroom. Renew loose and broken plaster.  **OTHER (General) Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  **Renew condensate return lines and related valves and fittings. Renew refrigeration cooling condensers and evaporators.  **Renew refrigeration cooling condensers and evaporators.  **Repair insulation in reefers. Provide vent duct and roof jacks.  **SECTION C - BASIS OF REQUIREMENT  **ORAMING NO.**  **ORAMING NO.**  **OUTHING SUBSTANCAND (U/M)  **REMINION ADECUATE  **ADFOURTE ASSISTS (1.*4)  **ADFOURTE ASSIST	<b>\$</b>		FACILITIES	21. SUPPORTING	Renew certain	hardware. Re	trim and	ood doors,	Renew wo	
In G.I. can Washroom. Renew loose and broken plaster.				) a.	concrete floor slal	11s. New con-	window si	indows and	metal wi	
Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  Renew refrigeration cooling condensers and evaporators.  STAMMARD DESIGN STAMMARD	(			ь.						
Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  Renew refrigeration cooling condensers and evaporators.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  SECTION C - BASIS OF REQUIREMENT  SECTION C - BASIS										
Renew refrigeration cooling condensers and evaporators.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  SECTION C - BASIS OF REQUIREMENT  COUNTINIES DESTINANTS  (U/M	(			d.						
Repair insulation in reefers. Provide vent duct and roof jacks.    STANDARD DESIGN   SPECIAL DESIGN   CORAWING NO.   Repair insulation in reefers. Provide vent duct and roof jacks.   SECTION C - BASIS OF REQUIREMENT   SECTION	(			٠.						
Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks. Reconsiders in the reference of reconstruction of the section of the facilities cannot be eliminated.  Reconsidered in reconstruction of the facilities cannot be eliminated.  Reconsidered in glazing compound and reglazed. Various electrical switches and fittings have deteriorated and must be replaced. The heating coil serving the reefer have worn out in service and fittings have deteriorated and must be replaced. The heating coil serving the reefer have worn out in service and fittings have deteriorated and must be replaced. The heating coil serving the reefer have worn out in service and fittings have deteriorated and must be replaced. The heating coil serving the reefer have worn out in service and fittings have deteriorated and must be replaced. The heating coil serving the reefer have worn out in service and fittings have deteriorated and must be replaced. The heating coil serving the reefer have worn out in service and fittings have deteriorated and must be replaced. The heating coil serving	(			f.						
SECTION C - BASIS OF REQUIREMENT  The masonry one-story messhalls have deteriorated from length of service and are cracked and split, door casings and jambs decayed and door hardware worn must be replaced. The metal plaster lath has rusted causing the plaster to compare the substantian of the studding and other vital parts of the building. The mullion portion of the rusted causing window panes to crack. Glass has to be removed, mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion clear studding and other vital parts of the building. The mullion portion of the studding and other vital parts of the building. The mullion portion of the studding and other vital parts of the building. The mullion portion of the studding and other vital parts of the building. The mullion portion of the studding and other vital parts of the building. The mullion parts of the building and other vital parts of the building. The mullion parts of the building at the parts of the	(			g.	le vent duct and	s. Provide v	in reefer			
SECTION C - BASIS OF REQUIREMENT  CU//N	(			h				cks.	roof jac	
SECTION C - BASIS OF REQUIREMENT  (U/M				1.						
SECTION C - BASIS OF REQUIREMENT  (U/M			NE TTEN COCT.	)						
25. REQUIREMENT The masonry one-story messhalls have deteriorated from length of service and are cracked and split, door casings and jambs decayed and door hardware worn must be replaced. The metal plaster lath has rusted causing the plaster to come from the walls. This allows moisture to get into the walls from the instead causing window panes to crack. Glass has to be removed, mullion clear glass bedded in glazing compound and reglazed. Various electrical switches and fittings have deteriorated and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. Related Line items  25. REQUIREMENT FOR LINE ITEM  The masonry one-story messhalls have deteriorated from length of service and must be replaced. The worn door hardware worn must be replaced. The multion portion of the value causing window panes to crack. Glass has to be removed, multion clear glass bedded in glazing compound and reglazed. Various electrical switches and fittings have deteriorated and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the reefer have worn out in service and must be replaced. The pair will result into eventual higher repair costs. Replacement of the volved is not planned and the function of the facilities cannot be eliminated.	\$ 15		TE TIER COST		OCCITION O PAGE OF					
are cracked and split, door casings and jambs decayed and door hardware worn must be replaced. The metal plaster lath has rusted causing the plaster to compare the function of the walls. This allows moisture to get into the walls from the instance of the building. The mullion portion of the walls and other vital parts of the building. The mullion portion of the walls are cracked and split, door casings and jambs decayed and door hardware worn must be replaced. The must be replaced to get into the walls from the instance of the building. The mullion portion of the walls are cracked and split, door casings and jambs decayed and door hardware worn must be replaced. The must be replaced. The must be removed, must be replaced and must be removed, mullion clear and fittings have deteriorated and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced.					500 1 1115 1 7514	25. REQUIREMENT FOR LI		ATA	QUANTITATIVE D	23.
must be replaced. The metal plaster lath has rusted causing the plaster to compose from the walls. This allows moisture to get into the walls from the instance of the building. The mullion portion of the value of the building. The mullion portion of the value of the building and other vital parts of the building. The mullion portion of the value of the building and other vital parts of the building. The mullion portion of the value of the building and other vital parts of the building. The mullion portion of the value of the value of the building and other vital parts of the building. The mullion portion of the value of the value of the value of the value of the building and other vital parts of the building. The mullion portion of the value of the	nd type of use.	service and ty	eteriorated from length of	alls have d	ry one-story messh	The masonry		)	'M	(U/N
loose from the walls. This allows moisture to get into the walls from the instance of the building. The mullion portion of the valuate ASSETS (c+d)  AUTHORIZED FUNDED PRIOR AUTHORIZATION and fittings have deteriorated and must be replaced. The steam condensate return lines and fittings have deteriorated and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. Replacement of the volved is not planned and the function of the facilities cannot be eliminated.	rn out in service	ardware worn or	d jambs decayed and door ha	casings an	ced and split, door	are cracked				a. TOTAL REQUIREMENT
studding and other vital parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the building. The mullion portion of the visal parts of the visal parts of the building. The mullion portion of the visal parts of the visal parts of the visal parts of the building. The mullion portion of the visal parts	o crack and come	plaster to cr	ath has rusted causing the	l plaster 1	eplaced. The meta	must be repl	)	(	RD	b. EXISTING SUBSTANDAR
rusted causing window panes to crack. Glass has to be removed, mullion clear glass bedded in glazing compound and reglazed. Various electrical switches a glass bedded in glazing compound and reglazed. The steam condensate return lines and fittings have deteriorated and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced.	inside and descr	s from the ins.	sture to get into the walls	allows moi	om the walls. This	loose from t	Karaman and			c. EXISTING ADEQUATE
glass bedded in glazing compound and reglazed. Various electrical switches a worn out in service and must be replaced. The steam condensate return lines and fittings have deteriorated and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the reefer have worn out in service and must be replaced. The heating coil serving the reefer have worn out in service and must be replaced. The heating coil serving the reefer have worn out in service and must be replaced. The heating coil serving the reefer have worn out in service and must be replaced.	e window frames in	tion of the win	building. The mullion port	rts of the	and other vital pa	studding and			ENTORY	d. FUNDED. NOT IN INVE
worn out in service and must be replaced. The steam condensate return lines and fittings have deteriorated and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The steam condensate return lines and fittings have deteriorated and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The steam condensate return lines and fittings have deteriorated and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced.	eaned and painted	al arritable and	Glass has to be removed, in	to crack.	dusing window panes	rusted causi	aut By the 15		+ d)	e. ADEQUATE ASSETS (a +
and fittings have deteriorated and must be replaced. The heating coil serving the cooling coils serving the reefer have worn out in service and must be replaced.  the cooling coils serving the reefer have worn out in service and must be replacement of the cooling coils serving the reefer have worn out in service and must be replacement of the volved is not planned and the function of the facilities cannot be eliminated.	s and controls na	at switches and	eglazed. Various electrica	pound and r	ided in glazing com	glass bedded	FUNDED	AUTHORIZED		
the cooling coils serving the reefer have worn out in service and must be repair.  24. RELATED LINE ITEMS  the cooling coils serving the reefer have worn out in service and must be repair.  of repairs will result into eventual higher repair costs. Replacement of the volved is not planned and the function of the facilities cannot be eliminated.	ving the called a	a coil carving	ted. The steam condensate i	be replac	in service and mus	worn out in			HORIZATION	f. UNFUNDED PRIOR AUTHO
of repairs will result into eventual higher repair costs. Replacement of the volved is not planned and the function of the facilities cannot be eliminated	replaced. Deferm	d must be renl	and worm out in service and	ted and mus	ings have deteriora	and fittings				
volved is not planned and the function of the facilities cannot be eliminated	the facilities in	cement of the	sigher repair costs Replac	ne reerer n	ing colls serving t	the cooling				
or transferred. The entire interior and exterior requires painting. (Cont	ated. consolidated	be eliminated.	of the facilities cannot h	eventual n	rs will result into	or repairs w			S	24. RELATED LINE ITEMS
or transferred. The entire interior and exterior requires parmering.	it'd)	ing. (Cont'd)	and exterior requires painti	interior	s not planned and t	volved is no	S 20 107 C			
			and exterior requires parmer	THEFT OF A	terred. The entire	or transferr				
	Reserved to the second			No.						



1. DATE	2. FISCAL YEAR	MILLIARY CONCEDUCTION AND A TOP OF	3. DEPARTMENT	4. INSTALLATION
31 Dec 1969	1970	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	NAVY	Marine Corps Base, Camp Lejeune
. LINE ITEM NUMBER		6. LINE ITEM TITLE		
5		(3) TROOP HOUSING - DETACHED FACILITIES Interior & Exterior Painting, Structure		and Mechanical

19. Description of Work to be done (Continued)

repairs. Remove window panes, clean and prim window frames, replace window panes and reglaze. Paint interior of all buildings complete and exterior of one building. Paint new wood three coats, new plaster two coats and all other two coats.


- 25. Requirement for Line Item (Continued)
  - a. Year Built: 1 1942 and 1 1943
  - b. Total Cost of Construction: \$239,671
  - c. It is proposed to accomplish this work by contract.
  - d. This project has no relationship to other projects programmed or planned.

DD 1 JUL 62 1391c

13 Dec 19 1971	1. DATE 2. FISC	AL YEAR					3. DEPARTM	ENT	4. INSTALLATION			
130,000  14. THE PROPERTY OF THE TYPE PROJECT OF THE TYPE PROJECT OF THE TYPE PROJECT OF THE TYPE OF T			**	HITLEY COUCY	NOTION LINE ATEN	DATE						
150,000  SUCTION A - SUSCEPTION OF UNION THE PROPERTY FACILITY  PROVINCE UNION THE PROPERTY FACILITY  PROPERTY FACILITY FACILITY  PROVINCE UNION THE PROPERTY FACILITY FACILIT	18 Dec 1970 19	971						NAVY	MARTNE CORRE BASE CAMP IN	E TIPETNEZ		
1.50,000  1. PROBLEM ALL PROBLEM PROBLEM  1.50,000  1. PROBLEM ALL PROBLEM PROBLEM  1.50,000  1. PROBLEM ALL PROBLEM  1. PROBLEM  1. PROBLEM ALL PROBLEM  1. PROBLEM  1. PROBLEM ALL PROBLEM  1. PRO	The transfer of the contract o	0	METERS CONTROL OF AN A. LABOR OF THE ALL PROPERTY OF THE		Marie Control of the		ROGRAM ELEMENT NUM	ER		101103612		
\$ 150,000    SECTION A - DESCRIPTION OF THE TIME   SECTION A - DESCRIPTION OF THE TIME   PRINCE OF THE TIME   TROOP HOUSE INFORMATION   TROOP HOUSE		1										
150,000    1. SOCIETY L - DESCRIPTION OF LINE ITEM   SECTION L - DESCRIPTION OF LINE ITEM   PROPER CHARACTERISTICS OF PRIMERY FACILITY   TROOP HOUSING - DETACHED PACILITY   SF   46,146 ; 3.25 i 150	150,000	P	d,	1 20 20 20	723				NORTH CAROLINA			
150,000	10. PROFOSED AFPROPRIATION		11.	BUDGET ACCOUNT NUMB	ER	12. LINE ITEM N	NUMBER					
*** PROVIDED BY DESCRIPTION OF LINE 1100  *** PROVIDED BY A DESCRIPTION OF LINE 1100  *** COURS OF LIN				Section of the second								
*** PROVIDED BY DESCRIPTION OF LINE 1100  *** PROVIDED BY A DESCRIPTION OF LINE 1100  *** COURS OF LIN	150,000					機能は強いする			RENOVATE MESSHALL NOS, 107	7 & 206		
THE WASSESSE OF PRIMERY FACILITY  PROSESSES 2 No. OF SIDES 1 LEGITH   NOTE TO DETACHED FACILITIES SF 46,146 3 3.25; 150 150 150 150 150 150 150 150 150 150		91	ECTION A - DE	SCRIPTION OF LIN	E LTCU				1			
TROOP HOUSING - DETACHED FACILITIES SP 46,146 \$ 3.2.5 to 1980		18.	3170H A 32	CONTITION OF CIN	CTICH		20.	PRIMARY FACI	1177		T	
S. CORRECTOR   S. CONTINUES   S. C	TYPE OF CONSTITUTION		PHYS1CAL	. CHARACTERIST	ICS OF PRIMARY FA	CILITY	A 150 CT		U/N			
*** OSSIGN CAMBLETY**   7. GROSS AREA 46,146 SF   1.   1   1   1   1   1   1   1   1	d. PERMANENT	a. NO, OF BLDGS	. 2 lb. NO	. OF STORES 1	I ENCTH	L WIDTH		toor noo	SING - DETACHED FACILITIES SE	40,140	\$ 3.23	\$ 1.50
CORNING CARE.  19. DESCRIPTION OF WORK TO BE COME  19. DESCRIPTION			THE COURSE SHOW AS A SECOND				a.				, , , , , , ,	
15. THE GRANK  15. NEW FACILITY  15. ACOUTION  16. ACOUTION  16. ACOUTION  17. ACOUTION  16. ACOUTION  17. ACOUTION  17. ACOUTION  18. ACOUTION  19. ACOUTION  19. ACOUTION  10. ACOUTIO	c. TEMPCRARY			CAP			0.				)	
Renew wood doors, trim and hardware. Renew certain metal windows and window sills. New concrete floor slab in G.I. can washroom. Renew loose and broken plaster. A convension in G.I. can washroom. Renew loose and broken plaster. New wood bumpers in corridors. Paint all interior.  Repair Renew wood doors, trim and hardware. Renew certain metal windows sills. New concrete floor slab in G.I. can washroom. Renew loose and broken plaster. New wood bumpers in corridors. Paint all interior.  Repair Renew hating coil in attic serving galley.  Renew refrigeration cooling condensers and evaporators. If the mass of the serving reserved in the mass of the serving salley.  Repair insulation in refers. Provide vent duct and roof jacks.  SECTION C - SASIS of ACQUIRDMAN  RECOMMENDATE ASSETS (c. c.)  REPAIR OF HARMON OF HA	The same of the sa		ON OF WORK TO		COS		. / [			1		('
metal windows and window sills. New concrete floor slab .  ALTERATION IN GRAPH CONCRETED  TO THE CONCR					hardware Po	now certa	in 21	CLIDDODTING	EACH ITIES	1		A
in G.I. can washroom. Renew loose and broken plaster.  ***Convession**  ***Convession**  ***Convession**  ***Renew wood bumpers in corridors. Paint all interior.  ***Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  ***Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  ***Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  ***Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  ***Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  ***Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  ***Renew condensate return lines and related valves and service and type of usa.  ***Renew condensate return lines and related valves and service and destroy as the plaster to crack and split, door casings and jambs decayed and door hardware worn out in service and must be replaced. The metal plaster lath has rusted causing the plaster to crack and some and condensate return lines and related valves and controls have worn out in service and must be replaced. The steam condensate return lines and related valves and colling coils serving the galley and the cooling coils serving the galley and the cooling coils serving the refer have worn out in service and must be replaced. Deferment of the facilities cannot be eliminated, consolidated.	8. ADDITION							3011 01111110	TACICITICS			,
New wood bumpers in corridors. Paint all interior.  Repair Repair Repair Repair Repair Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley. Renew refrigeration cooling condensers and evaporators. Repair insulation in reefers. Provide vent duct and roof jacks.  SECTION C - DASH OF INC.  SECTION C - DASH OF INC.  SECTION C - DASH OF INC.  Repair insulation in reefers. Provide vent duct and roof jacks.  SECTION C - DASH OF INC.  SECTION C - DASH OF REQUIREMENT  The masonry one-story messhalls have deteriorated from length of service and type of use. Doors are cracked and split, door casings and jambs decayed and door hardware worn out in service and service. And come loose from the walls. This allows moisture to get into the window from shave yellow places to crack. Glass has to be removed, multion cleaned and painted, shave deteriorated and must be replaced. The heating coil serving the gales and fittings have deteriorated and must be replaced. The heating coil serving the galey and the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment volved is not planned and the function of the facilities cannot be eliminated, consolidated	c. ALTERATION										700	(
Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  16. RFTH ACDARNY 17. THE OF DESIGN 18. STANDARD STORD 19. STANDARD STORD 18. STANDARD STORD 19.	d. CONVERSION							1 1			Cast to the cast of the cast o	
Repair	e. OTHER (Specify)											,
Renew refrigeration cooling condensers and evaporators.  Repair insulation in reefers. Provide vent duct and software or stewn from the responsibility of jacks.  Repair insulation in reefers. Provide vent duct and software vent d	Repair											(
Provide vent duct and   Proof piston   Proof jacks.   Provide vent duct and   Proof jacks.   Provide vent duct and   Proof jacks.   Provide vent duct and   Proof jacks.   Proof jacks.   Proof jacks.   Provide vent duct and   Proof jacks.   Provide vent duct and   Proof jacks.   Proof jack	16. REPLACEMENT											,
** SECTION C - BASIS OF REQUIREMENT  ** ORAWING NO.  ** OUANTHATIVE DATA  ** OUANTHATIVE DATA	17, TYPE OF DESIGN											(
COANTITATIVE DATA  SECTION C - BASIS OF REQUIREMENT  (U/M	a. STANDARD DESIGN			n in reerer	s. Flovide v	ene duce	h.	4.6.74				(
SECTION C - BASIS OF REQUIREMENT  The masonry one-story messhalls have deteriorated from length of service and type of use. Doors are cracked and split, door casings and jambs decayed and door hardware worn out in service and must be replaced. The metal plaster lath has rusted causing the plaster to crack and come loose from the walls. This allows moisture to get into the walls from the inside and destroy studding and other vital parts of the building. The multion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, multion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated	6. SPECHAL DESIGN	roor Jac	KS.				i.					(
SECTION C - BASIS OF REQUIREMENT  (UM	e. DRAWING NO.						j.					
SECTION C - BASIS OF REQUIREMENT  (UM							22	TOTAL LI	NE ITEM COST			150
The masonry one-story messhalls have deteriorated from length of service and type of use. Doors are cracked and split, door casings and jambs decayed and door hardware worn out in sarrice and must be replaced. The metal plaster lath has rusted causing the plaster to crack and come loose from the walls. This allows moisture to get into the walls from the inside and destroy studding and other vital parts of the building. The mullion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities in volved is not planned and the function of the facilities cannot be eliminated, consolidated		TO THE AT DOMESTIC OF WHITE THE WASHINGTON				SECTION C -			The state of the s			
are cracked and split, door casings and jambs decayed and door hardware worn out in service and must be replaced. The metal plaster lath has rusted causing the plaster to crack and come loose from the walls. This allows moisture to get into the walls from the inside and destroy studding and other vital parts of the building. The mullion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The heating coil serving the galley and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated	23. Q	UANTITATIVE DA	ATA		25. REQUIREMENT FOR LI				1 2 1 2			Do com
must be replaced. The metal plaster lath has rusted causing the plaster to crack and come  c. EXISTING ADECLATE  d. FUNDED. NOT IN INVENTORY  c. ADECUATE ASSETS (c · d)  AUTHORIZED  FUNDED  f. UNFUNDED PRIOR AUTHORIZATION  s. INCLUDED IN FYPROGRAM  h. DEFICIENCY (c · · · f · s)  24. RELATED LINE ITEMS  must be replaced. The metal plaster lath has rusted causing the plaster to crack and come  loose from the walls. This allows moisture to get into the walls from the inside and destroy  studding and other vital parts of the building. The mullion portion of the window frames have  rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted,  glass bedded in glazing compound and reglazed. Various electrical switches and controls have  worn out in service and must be replaced. The heating coil serving the galley and  the cooling coils serving the reefer have worn out in service and must be replaced. Deferment  of repairs will result into eventual higher repair costs. Replacement of the facilities in-  volved is not planned and the function of the facilities cannot be eliminated, consolidated	(U/M				The masonry	one-story	messhalls	have d	eteriorated from length of se	ervice and t	ype or u	ise. Doors
LOSE from the walls. This allows moisture to get into the walls from the inside and destroy studding and other vital parts of the building. The mullion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities in volved is not planned and the function of the facilities cannot be eliminated, consolidated	a, TOTAL - CUIREMENT		A Section		are cracked	and split	, door cas	sings an	d jambs decayed and door hard	ware worn o	out in se	TAICE and
studding and other vital parts of the building. The mullion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated	8. EXISTING QUESTANDARD		(	- Par 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	must be repl	aced. Th	ne metal pl	Laster 1	ath has rusted causing the p.	Laster to cr	ack and	doatan
rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities in volved is not planned and the function of the facilities cannot be eliminated, consolidated	c. EXISTING ADEQUATE				loose from t	he walls.	. This all	lows moi	sture to get into the walls	rrom the ins	ide and	descroy
glass bedded in glazing compound and reglazed. Various electrical switches and controls have  worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities in- volved is not planned and the function of the facilities cannot be eliminated, consolidated	d. FUNDED, NOT IN INVENTORY				studding and	other vi	ital parts	of the	building. The mullion portion	on or the wi	Lindow ira	intes have
worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities in volved is not planned and the function of the facilities cannot be eliminated, consolidated	e ADEQUATE ASSETS (e + d)				rusted causi	ng window	panes to	crack.	Glass has to be removed, mu	illon cleane	ed ann pa	la have
and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities in volved is not planned and the function of the facilities cannot be eliminated, consolidated			AUTHORIZED	FUNDED	glass bedded	l in glazi	ing compour	nd and r	eglazed. Various electrical	switches at	and roles	ed value
the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities in volved is not planned and the function of the facilities cannot be eliminated, consolidated	f. UNFUNDED PRIOR AUTHORIZA	TION			worn out in	service a	and must be	e replac	ed. The steam condensate re	curn times a	the gal	low and
of repairs will result into eventual higher repair costs. Replacement of the facilities in volved is not planned and the function of the facilities cannot be eliminated, consolidated	g. INCLUDED IN FY	PROGRAM			and fittings	have det	teriorated	and mus	t be replaced. The heating	corr serving	locad r	les and
volved is not planned and the function of the facilities cannot be eliminated, consolidated	h. DEFICIENCY (a-e-f-g)				the cooling	coils ser	rving the	reeter h	lave worn out in service and the	ment of the	faciliti	les in-
volved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)	24. RELATED LINE ITEMS				of repairs w	ill resul	It into eve	entual h	igner repair costs. Keplace	oliminated	copen1i	dated
or transferred. The entire interior and exterior requires painting. (Cont d)					volved is no	t planned	and the	tunction	or the racilities cannot be	a (Contid)	, CORSULT	Luatea
				A Section Control of the Control of	or transferr	red. The	entire in	terior a	and exterior requires painting	g. (conc a,		
			AND THE STATE OF									
		H. 16			The state of the s		Application of the second					

DD 1 FORM 1391

BOOK NO. \_\_\_\_ PAGE NO.




1. DATE	2. FISCAL YEAR		3. DEPARTMENT	4. INSTALLATION
	1970	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	NAVY	Marine Corps Base, Camp Lejeune
31 Dec 1969 5. LINE ITEM NUMBER 5		(3) TROOP HOUSING - DETACHED FACILITIES Interior & Exterior Painting, Structure		

19. Description of Work to be done (Continued)


repairs. Remove window panes, clean and prim window frames, replace window panes and reglaze. Paint interior of all buildings complete and exterior of one building. Paint new wood three coats, new plaster two coats and all other two coats.

- 25. Requirement for Line Item (Continued)
  - a. Year Built: 1 1942 and 1 1943
  - b. Total Cost of Construction: \$239,671
  - c. It is proposed to accomplish this work by contract.
  - d. This project has no relationship to other projects programmed or planned.




1. DATE 2.	FISCAL YEAR	•		and the state of the state of		3. DEF	ARTMENT	4. INSTALLATION					
18 DEC 1970	1971				ON LINE ITEM DATA CILITIES PROJECT		NAVY	MARINE CORPS BASE, CAMP LEJEUNE					
5. PROPOSED AUTHORIZATION	6. PRIOR AUTHORIZATION		7. CATEGORY CODE NUMBER 8. PROGRAM ELEMEN		NUMBER	9. STATE/COUNTRY				2.40			
\$ 138,500 P.L.				841			NORTH CAROLINA						
10. PROPOSED APPROPRIATION		11. 8	UDGET ACCOUNT NUMB	BER 12. LINE ITEM NUMBER				13. LINE ITEM TITLE					
\$ 138,500								REPLACE FIVE RAW WATER WELLS, NOS. 605, 618, TT-28, TT-45 & TT-55					
	118.	SECTION A - DES	CRIPTION OF LIN	E ITEM				SECTION B - C	OST ESTIN	MATES			
TYPE OF CONSTRUCTION	CS OF PRIMARY FACILITY			WELLS	CILITY	U/M EA	QUANTITY 5	UNIT COST	COST (\$000)				
a. PERMANENT	a. NO. OF BLDG	ss. b. No.	OF STORES	c. LENGTH	d. WIDTH		a.		EA	( )	27700.00	138.5	
b. SEMI-PERMANENT	e. DESIGN CA	PACITY		f. GROSS AREA	100		b.			( )		1	
c. TEMPORARY	g. COOLING		CAP.		COST (\$	)	c.			(			
15. TYPE OF WORK		ION OF WORK TO					d.			( )		(	
a. NEW FACILITY				vells complete with houses, connecting piping from each			21. SUPPORTIN	. SUPPORTING FACILITIES				\$	
b. ADDITION							a.	A STATE OF THE STA			and the state of t	(	
	well to the respective exist						6.					(	
d. CONVERSION  e. OTHER (Specify)				the wells to be replaced and			c.				1 3 3	(	
Repair	cap the	replaced w	vells.				d.		4			(	
16. REPLACEMENT							f.				5		
17. TYPE OF DESIGN							g					1 1 1 1 1 1 1	
a. STANDARD DESIGN				h	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								
b. SPECIAL DESIGN c. DRAWING NO.							í					The second	
e. DRAWING NO.							j.				AN 1		
		The state of the s					22. TOTAL LI	INE ITEM COST			1	138.5	
23	QUANTITATIVE (	DATA				C - BASIS OF	REQUIREMENT					The same	
(U/M_		DAIA		25. REQUIREMENT FOR	ING TRATOR	rvolla t	no cornin	g the Hadnot Point Water	Treatm	ent Plant	and thre	e furnis	
a. TOTAL REQUIREMENT				ing water	for the T	arawa Tor	race Water	r Treatment Plant have fa	iled t	otally bey	and hope	of	
b. EXISTING SUBSTANDARD		1		rehabilita	tion Thi	is projec	t propose	s the replacement of thes	e five	wells com	polete wi	th pump	
EXISTING ADEQUATE			· · · · · · · · · · · · · · · · · · ·	houses nu	mning equi	inment. a	nd interc	onnecting piping between	the we	ells and ex	isting r	aw water	
A. FUNDED, NOT IN INVENT	CRY			houses, pumping equipment, and interconnecting piping between the wells and existing raw water lines. Replacement is necessary in order to restore the raw water supply to these treatment									
. ADEQUATE ASSETS (c + d				plants. T	his item v	will not	cause add	itional water or air poll	ution.				
		AUTHORIZED	FUNDED										
. UNFUNDED PRIOR AUTHORIZATION													
. INCLUDED IN FY	PROGRAM	1		and the same									
. DEFICIENCY (a-e-f-g)													
24. RELATED LINE ITEMS													
		The second		esperie de la company									
	entrage three for through 30 year												
			4-2-3-4										
		100000000000000000000000000000000000000	100 100 100										
DD 1 JUL 62 1391	the same of the sa				gelos sectionalista (	Se 600 (1940)	E.爱			BOOK NO.			
					and the second second					BOOK NO.	PAGE	NO	

BOOK NO.\_




\$ 138,500  10. PROPOSED AUTHORIZATION  \$ 138,500  14. TYPE OF CONSTRUCTION  4. PERMANENT  6. SEMI-PERMANENT  6. TEMPORARY  15. TYPE OF WORK  1 NEW FACILITY  6. ADDITION  6. ALTERATION  8. CONVERSION	a. NO. OF BLDGS c. DESIGN CAP g. COOLING 19. DESCRIPTI Construct	ECTION A - DESC	DOGET ACCOUNT NUMB		BATA ROJECT 8. PROGRAM EL 12. LINE PTEM NUMBER	NAVY				5 618 T					
\$ 138,500  10. PROPOSED APPROPRIATION  \$ 138,500  14. TYPE OF CONSTRUCTION  4. PERMANENT  6. SEMI-PERMANENT  6. TEMPORARY  15. TYPE OF WORK  14. NEW FACILITY  15. ADDITION  16. ADDITION  17. ALTERATION  18. CONVERSION	a. NO. OF BLDGS c. DESIGN CAP g. COOLING 19. DESCRIPTI Construct	ECTION A - DESC  PHYSICAL  b. No. (	DOGET ACCOUNT NUMB CRIPTION OF LINE CHARACTERIST	841 E ITEM		EMENT NUMBER	NORTH CAROLINA  13. LINE ITEM TITLE REPLACE FIVE RAW WA	TER WELLS	. NOS 60	5 618 T					
\$ 138,500  14. TYPE OF CONSTRUCTION  a. PERMANENT b. SEMI-PERMANENT c. TEMPORARY 15. TYPE OF WORK a. NEW FACILITY b. ADDITION c. ALTERATION d. CONVERSION	a. NO. OF BLDGS c. DESIGN CAP g. COOLING 19. DESCRIPTI Construct	PHYSICAL  b. No. (	CRIPTION OF LINE	E ITEM	12. LINE PYEM NUMBER		REPLACE FIVE RAW WA	TER WELLS	NOS 60	5 618 T					
\$ 138,500  Type of construction  a. PERMANENT b. SEMI-PERMANENT c. TEMPORARY  15. TYPE OF WORK a. NEW FACILITY b. ADDITION c. ALTERATION d. CONVERSION	a. NO. OF BLDGS c. DESIGN CAP g. COOLING 19. DESCRIPTI Construct	PHYSICAL	CRIPTION OF LINE	E ITEM	12. LINE PTEM NUMBER		REPLACE FIVE RAW WA	TER WELLS	NOS 60	5 618 T	4 4 4 4 4 4 4				
TYPE OF CONSTRUCTION  a. PERMANENT b. SEMI-PERMANENT c. TEMPORARY 15. TYPE OF WORK 1. NEW FACILITY b. ADDITION c. ALTERATION d. CONVERSION	a. NO. OF BLDGS c. DESIGN CAP g. COOLING 19. DESCRIPTI Construct	PHYSICAL	CHARACTERIST	+ consists on the second				TER WELLS	NOS 60	5 618 T					
TYPE OF CONSTRUCTION  a. PERMANENT b. SEMI-PERMANENT c. TEMPORARY 15. TYPE OF WORK 1. NEW FACILITY b. ADDITION c. ALTERATION d. CONVERSION	a. NO. OF BLDGS c. DESIGN CAP g. COOLING 19. DESCRIPTI Construct	PHYSICAL	CHARACTERIST	+ consists on the second		A STATE OF THE STA	LIL AD CETTON	REPLACE FIVE RAW WATER WELLS, NOS. 605, 618, TT-28, TT-45 & TT-55							
TYPE OF CONSTRUCTION  a. PERMANENT b. SEMI-PERMANENT c. TEMPORARY 15. TYPE OF WORK 1. NEW FACILITY b. ADDITION c. ALTERATION d. CONVERSION	a. NO. OF BLDGS e. DESIGN CAP g. COOLING 19. DESCRIPTI Construct	. b. No.		ICS OF PRIMARY FA		ITEM SECTION					N B - COST ESTIMATES				
6. SEMI-PERMANENT 6. TEMPORARY 8. SEMI-PERMANENT 8. TYPE OF WORK 9. NEW FACILITY 9. ADDITION 9. ALTERATION 9. CONVERSION	e. DESIGN CAP  g. COOLING  19. DESCRIPTI  Construct	. b. No.		ICS OF PRIMARY FA	CS OF PRIMARY STOLLARY		20. PRIMARY FACILITY U/M QUANTITY UN				IT COST COST (\$000				
6. SEMI-PERMANENT 6. TEMPORARY 8. SEMI-PERMANENT 8. TYPE OF WORK 9. NEW FACILITY 9. ADDITION 9. ALTERATION 9. CONVERSION	e. DESIGN CAP  g. COOLING  19. DESCRIPTI  Construct		OF STORES			WELLS		EA	5	27700.00					
c. TEMPORARY  15. TYPE OF WORK  1 NEW FACILITY  6. ADDITION  c. ALTERATION  1. CONVERSION	g. COOLING  19. DESCRIPTI  Construct	ACITY		c. LENGTH	d. WIDTH .	a.		(		)	(				
15. TYPE OF WORK  a. NEW FACILITY  b. ADDITION c. ALTERATION d. CONVERSION	19. DESCRIPTI			f. GROSS AREA		b.		(		)	(				
a. NEW FACILITY b. ADDITION c. ALTERATION d. CONVERSION	Construct		CAP.	Cos	ST (\$	) c.				)	(				
6. ADDITION c. ALTERATION d. CONVERSION						d.			STEEL	)	(				
. ALTERATION	numning 4			wells complete with houses, connecting piping from each		21. SUPPORTI	21. SUPPORTING FACILITIES								
. CONVERSION											(				
A. CONVERSION					line. Demol:										
				the wells to b	e replaced and	l • c.		S 120		1					
Repair	cap the	replaced w	ells.			d.		-							
						e.		Exist.		1					
16. REPLACEMENT					``	f.				# (					
17. TYPE OF DESIGN						g.				(					
s. STANDARD DESIGN						h.				(					
DRAWING NO.						i.				(					
						j.		12 34 1- (		(					
							INE ITEM COST			\$	138.5				
3. QU	UANTITATIVE DA	ATA		25. REQUIREMENT FOR LIN	SECTION C - BASIS	OF REQUIREMENT									
(U/M *		,				two servin	g the Hadnot Point Wat	er Treatme	ent Plant	and thre	e furnis				
. TOTAL REQUIREMENT		T		ing water fo	r the Tarawa	Terrace Wate	r Treatment Plant have	failed to	stally be	vond hope	of				
. EXISTING SUBSTANDARD		1	Telephone 1	ing water for the Tarawa Terrace Water Treatment Plant have failed totally beyond hope of rehabilitation. This project proposes the replacement of these five wells complete with pump											
. EXISTING ADEQUATE		<u> </u>		houses, pumping equipment, and interconnecting piping between the wells and existing raw water lines. Replacement is necessary in order to restore the raw water supply to these treatment											
. FUNDED. NOT IN INVENTORY	2 ,2300														
. ADEQUATE ASSETS (c + d)		CONTRACTOR A		plants Thi	s item will no	ot cause add	itional water or air p	ollution.							
AUTHORIZED FUNDED		Pranco. Int	o recui will in	or caabe ade											
. UNFUNDED PRIOR AUTHORIZATION															
. INCLUDED IN FY PROGRAM															
. DEFICIENCY (a-e-f-g)	No. of the last of														
4. RELATED LINE ITEMS															
			No. of Participants												
	and the second of the second		Accessed to												
		The second second													
D 1 JUL 62 1391															


BOOK NO.




1. DATE	2. FISCAL YEAR	T									A CONTRACT		
		\$ 15 H				3. DEPARTMENT	4. INSTALLATION						
18 DEC 1970	1971				RUCTION LINE ITEM DATA								
	Kral Pr		REAL PROPERT	RTY FACILITIES PROJECT		- Committee of the second	MARINE CORPS BASE, CAM	P LEJ	EUNE				
5. PROPOSED AUTHORIZATION 6. PRIOR AUTHORIZATION				7. CATEGORY CODE NUMBER	CATEGORY CODE NUMBER 8. PROGRAM ELEMENT N		9. STATE/COUNTRY						
\$106,000		P.L.		214									
10. PROPOSED APPROPRIATIO	N .		11. BUDGET ACCOUNT NO				NORTH CAROLINA						
			11. BODGET ACCOUNT NO	Jure K	12. LINE ITEM NUMBE	ER.	13. LINE ITEM TITLE						
\$106,000			September 17				REPLACE WINDOWS, BLDGS. 1502 & 1601						
14.	118.	SECTION A	- DESCRIPTION OF L										
TYPE OF CONSTRUCTIO	N .	PHYS	ICAL CHARACTERIS	STICS OF PRIMARY FAC	CILITY	20. PRIMARY FAC		U/M	QUANTITY	UNIT COST	COST (\$000)		
a. PERMANENT	a. NO. OF BL		b. NO. OF STORES			MAINTENA	MAINTENANCE - AUTOMOTIVE			\$5.15	\$ 106		
b. SEMI-PERMANENT			. NO. OF STORES	c. LENGTH	d. WIDTH	α.	α.		(	)	(		
c. TEMPORARY	g. COOLING			f. GROSS AREA		b.	6. ( )						
15. TYPE OF WORK			CAP.	cosī	(\$	(	)	(					
a. NEW FACILITY						$\frac{d}{d}$			(	)	(		
b. ADDITION	Kemove	existin	ng Windows.	Provide project	ed industri	al, 21. SUPPORTING	G FACILITIES		•	THE PROPERTY OF THE PROPERTY O	\$		
c. ALTERATION	+ 40 per	cent ve	ented steel w	vindows.		a.					(		
d. CONVERSION						b.					(		
e. OTHER (Specify)	<del>'</del>				•			-	9202004.00000		(		
Repair						d.		-			( )		
16. REPLACEMENT						· ·		-			(		
17. TYPE OF DESIGN						J.		-			(		
a. STANDARD DESIGN	I .					g.		-		7			
6. SPECIAL DESIGN						1		-			(		
c. DRAWING NO.											(		
						22 TOTAL LI	NE ITEM COST				106		
		Markey Mark			SECTION C DI	SIS OF REQUIREMENT	NE TIEN COST				\$ 106		
23.		DATA		25. REQUIREMENT FOR LINE		313 OF KEQUIKEMENT							
(0	¥		_)			have large ste	el framed windows. The w	indow	frames ha	ve ruste	d so hadly		
a. TOTAL REQUIREMENT		1,39%		that in place	s no frame	material is le	ft. Attempts to repair t	hese	windows by	welding	in new		
6. EXISTING SUBSTANDAR	. EXISTING SUBSTANDARD ( )			portions of framing and reglazing have proven unsuccessful for several reasons. It has been									
c. EXISTING ADEQUATE							ld a new piece into the e						
d. FUNDED, NOT IN INVE	NTORY	e de la companya de l	Same in the	accuracy to permit satisfactory reglazing. Further, it has been found almost impossible to									
. ADEQUATE ASSETS (c+d)				remove existing glass from the frames without breakage because the old putty is so hard. This									
		AUTHOR	IZED FUNDED				cement of the entire sash						
f. UNFUNDED PRIOR AUTH	IORIZATION												
g. INCLUCED IN FY	PROGR	AM											
h. DEFICIENCY (a-e-f-g	)		in,										
4. HELATED LINE ITEMS													
		y commencer of the control of the co				the second se							
				•									




1. DATE 2.	FISCAL YEAR	I				3. DEPARTMENT	4. INSTALLATION				
		N	HILITARY CONST	RUCTION LINE ITEM	DATA						
18 DEC 1970	1971			Y FACILITIES P		NAVY		Z CAMO TET	TIVENTI		
S. PROPOSED AUTHORIZATION		6. PRIOR AUTHORI		7. CATEGORY CODE NUMBER	The second secon	ROGRAM ELEMENT NUMBER	MARINE CORPS BASI	S, CAMP LEJ	EUNE		
\$106.000											
\$106,000		P.L.		214			NORTH CAROLINA				
10. PROPOSED APPROPRIATION		11.	BUDGET ACCOUNT NUM	BER	12. LINE ITEM	NUMBER	13. LINE ITEM TITLE				
\$106,000			and the first								
*100,000							REPLACE WINDOWS,	BLDGS. 150	2 & 1601		
		SECTION A - DE	SCRIPTION OF LI	ME ITEM			SECTI	ON B - COST ESTI	MATES		100
14.  TYPE OF CONSTRUCTION	18.	PHYSICAL	CHARACTERIS	TICS OF PRIMARY FA		20. PRIMA	RY FACILITY	U/M	QUANTITY	UNIT COST	COST (\$000
				TICS OF PRIMARY FA	CILITY	MAIN	TENANCE - AUTOMOTIVE	SF	20,600	\$5.15	And the second second second second second
a. PERMANENT		DGS. 2 6. NO	O. OF STORES	c. LENGTH	d. WIDTH	a.			(	)	(
b. SEMI-PERMANENT	e. DESIGN		Separation Conf.	f. GROSS AREA		b.			(	)	(
c. TEMPORARY	g. COOLING		CAP.	COS	Ť (\$	) c.			(	)	(
15. TYPE OF WORK		PTION OF WORK TO				d.			(	)	(
a. NEW FACILITY	Remove	existing	windows.	Provide project	ted indus	trial, 21. SUPP	ORTING FACILITIES				\$
b. ADDITION	40 per	cent vent	ed steel w	indows.		a.					(
e. ALTERATION						b.					(
d. CONVERSION						c.		THE STATE OF THE S	1000		(
e. OTHER (Specify)			1976 1987			d.					
Repair											(
16. REPLACEMENT											,
17. TYPE OF DESIGN						g.					(
a. STANDARD DESIGN						h					(
b. SPECIAL DESIGN						i.				1	
c. DRAWING NO.						j.					(
						22. TOTA	AL LINE ITEM COST				106
			anget and	A STATE OF S	SECTION C	- BASIS OF REQUIREME					100
3.	QUANTITATIVE	EDATA		25. REQUIREMENT FOR LIN		DAGIO OF REVOTREME					A CONTRACTOR OF THE PROPERTY O
(U/M		)		Buildings 150	02 and 16	01 have large	steel framed windows.	The window	frames ha	eve ruste	d so bad!
. TOTAL REQUIREMENT				that in place	es no fra	me material is	left. Attempts to rep	pair these	windows by	welding	in new
. EXISTING SUBSTANDARD		(		portions of i	framing a	nd reglazing h	ave proven unsuccessful	for sever	al reasons	. It ha	s been
EXISTING ADEQUATE				found to be	extremelv	difficult to	weld a new piece into	the existing	ng frames	with suf	ficient
. FUNDED. NOT IN INVEN	TORY						clazing. Further, it has				
. ADEQUATE ASSETS (c+		1.7 d 5 7 156 july 1					es without breakage bed				
1-	-	AUTHORIZED	FUNDED				placement of the entire				
. UNFUNDED PRIOR AUTHO	RIZATION			, ,	, ,			July and	5		
. INCLUDED IN FY	PROGR	RAM									
. DEFICIENCY (a-e-f-g)											
4. RELATED LINE ITEMS		Walter State		The state of the s						W -37 -	
The second second			ASSESS OF BUILDING	Company Laboratory							
			THE STATE OF THE STATE OF	are a distinguishment of the							
4 - 2 - 2		Mary Services		· State of the state of							
				The second second							
= FORM ====							-		**		
DD 1 JUL 62 1391									BOOK NO	PAGE	NO



1. DATE 2.	FISCAL YEAR	1				3. DEPARTMENT	4. INSTALLATION				
		, ui	LITARY COURT	DUATION LINE LTC							
18 DEC 1970	1971			RUCTION LINE ITEM		NAVY					
5. PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZ	ATION	FACILITIES E	the same of the sa	RAM ELEMENT NUMBER	MARINE CORPS BASE, CA	MP LEJI	EUNE		
						The Eccuety Homock	s. STATEZOOGRAFI				
\$106,000		P.L.		214			NORTH CAROLINA				
10. PROPOSED APPROPRIATION		11. 8	BUDGET ACCOUNT NUM	BER	12. LINE ITEM NU	MBER	13. LINE ITEM TITLE		-		
\$100 000 ·											
\$106,000							REPLACE WINDOWS, BLDG	S. 1502	2 & 1601		
		SECTION A - DES	CRIPTION OF LIN	E ITEM			SECTION B - C	OST ESTIM	ATES		
14. TYPE OF CONSTRUCTION	18.	DIIVOLON				20. PRIMARY F		U/M	QUANTITY	UNIT COST	COST (\$000)
		PHYSICAL	CHARACTERIST	ICS OF PRIMARY F	ACILITY	MAINTEN	ANCE - AUTOMOTIVE	SF	20,600	\$5.15	\$ 106
a. PERMANENT	a. NO. OF BLD	GS. 2 b. NO.	OF STORES	c. LENGTH	d. WIDTH	a.			(	)	(
b. SEMI-PERMANENT	e. DESIGN C	APACITY		f. GROSS AREA		b.			(	)	(
c. TEMPORARY	g. COOLING		CAP.	co	st (\$	) c.			(	)	(
15. TYPE OF WORK	19. DESCRIP	TION OF WORK TO	BE DONE			d.			(	)	(
a. NEW FACILITY	Remove	existing w	indows. F	rovide projec	ted industr	rial. 21. SUPPORTI	NG FACILITIES				\$
b. ADDITION	40 per	cent vente	d steel wi	ndows.		a	-				(
c. ALTERATION						b.				Gent Control	(
d. CONVERSION						c.					(
e. OTHER (Specify)						d.					(
Repair						e				1 As	(
16. REPLACEMENT										4	(
17. TYPE OF DESIGN						g.					(
a. STANDARD DESIGN						h					(
b. SPECIAL DESIGN c. DRAWING NO.						i.					(
e. okanino no.						j.					(
						22. TOTAL L	INE ITEM COST				\$ 106
23.	QUANTITATIVE	DATA				BASIS OF REQUIREMENT					
		DATA		25. REQUIREMENT FOR L		l have laws at	and framed reindered The		C		
(U/M.							eel framed windows. The reft. Attempts to repair				
a. TOTAL REQUIREMENT		1									
b. EXISTING SUBSTANDARD							e proven unsuccessful for eld a new piece into the e				
d. FUNDED, NOT IN INVEN	TORY						zing. Further, it has bee				
e. ADEQUATE ASSETS (e+							without breakage because				
C. ADEGUATE MODELO (E+	4)	AUTHORIZED	FUNDED				acement of the entire sash				
f. UNFUNDED PRIOR AUTHOR	RIZATION	TORTZED	10.000	project, the	refore, pro	phoses the rebr	deement of the entire sasi	i and g	Stass MIC	it new will	dows.
g. INCLUDED IN FY	PROGRA	M									
h. DEFICIENCY (a-e-f-g)											
24. RELATED LINE ITEMS											
V 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	No. of Section 1	a-h 3a-h		an and the							
a was a second				and the second second							
		Emily of the state									
	in the second		1000								
DD FORM 1201			38 C. C. C. C. E.			Annual Control of the					
DD 1 JUL 62 1391				estative de la companya del companya del companya de la companya d			and the second s		BOOK NO	PAG	E NO




18   Dec 1970   1971   REAL PROPERTY PACIFICATION   L. FORM GENERAL MARKET   L. FORM GENERAL M	1. DATE	2. FISCAL YEAR			3. DEPARTMENT	4. INSTALLATION	The same of the sa					
18 Dec 1970   1971   REAL PROPERTY FACILITIES PROJECT   A CONCENSION   A CONCENSI			MILITARY CONS	TRUCTION LINE LYEN DATA								
150,000	18 Dec 1970	1971	REAL PROPERTY	FACTITETES DECTECT	NAVY	MADINE CODDS BASE CASS IF	TO TIND					
150,000  SECTION A - SECCUPTION OF LINE TITLE  PROVIDED TO SECTION A - SECCUPTION OF LINE TITLE  SECTION A - SECCUPTION OF LINE TITLE  PROVIDED TO SECTION A - SECCUPTION OF LINE TITLE  TROOP HOUSING - DETACLED FACILITY IN SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A - SECCUPTION OF MORE TO SECTION B - LOSS (1906)  TO SECTION A SECTION B - LOSS (1906)  TO SE					CRAM ELEMENT NUMBER		EUNE					
10 Moder Recommended   10 Moder Recommended   10 Lines Norwards				o. PROC	SKAM ELEMENT NUMBER	9. STATE/COUNTRY						
1. Department   1. Departmen	\$ 150,000		P.L. 🖘	723		Nongia Garot Tila						
REMOVATE MESSHALL NOS. 107 & 206  REMOVED MESSHALL NOS. 107		N	11. BUDGET ACCOUNT NO									
SECTION A - OSSCRIPTION OF LINE TIDE   New restrictions   New restri				12. LINE FIEM NO	MBER	13. LINE ITEM TITLE						
SECTION A - OSSCRIPTION OF LINE TIDE   New restrictions   New restri	\$ 150,000		Service of the service of			DENOVATE AGGGIALT NOC 107	\$ 206					
The presentation of the presentation of the standard stan	130,000					RENOVALE MESSHALL NOS. 107	& 20 <b>0</b>					
PRINCELLY INDUSTRIES OF PRIMARY FACILITY  TROOP HOUSING - DETACHED FACILITIES SF 66,146 § 3.25 § 150  COUNTY   CONSTRUCT   CON	14.	118	SECTION A - DESCRIPTION OF L	INE ITEM			MATES					
No. OF READS   No.	TYPE OF CONSTRUCTIO		PHYSICAL CHARACTERIS	TICS OF PRIMARY FACILITY		U/M						
COUNTRY   COUN					TROOP HO	USING - DETACHED FACILITIES SF	46,146 \$ 3.2	25   \$ 150				
CONTRACTOR OF MORE OF					a.		(	(				
15. TOPE OF WORK   19. DESCRIPTION OF WORK TO BE DONE   19. NOW FACULTY   19. DESCRIPTION OF WORK TO BE DONE   19. NOW FACULTY   19. DESCRIPTION OF WORK TO BE DONE   19. DESCRIPTION OF WORK TO B		7 7 2 4 2 3 3 3 3 3 3			b.		(	(				
Renew wood doors, trim and hardware. Renew certain metal windows and window sills. New concrete floor slab in G.I. can washroom. Renew loose and broken plaster.  New wood bumpers in corridors. Paint all interior. New wood does not all interior. New wood does not all interior. New wood does not bumpers in corridors. Paint paint all interior. New wood does not pai		77.75 70.5 177.75		COST (\$	. ) c.		(	Company of the second				
MATCHATICN  MITCHATICN  MITCHA					d.		(	(***				
In G. I. can washroom. Ranew loose and broken plaster.   New wood bumpers in corridors. Paint all interior.   New wood bumpers in corridors.   New wood in the corridors.   New wood bumpers in corridors.   New wood bumpers in corridors.   New wood bumpers in corridors.   New wood b						G FACILITIES		<b>4</b> - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -				
In G. CONVESSION  New Wood Dumpers in corridors. Paint all interior.  Repair  Repair  Repair (S. CONVESSION)  Repair (S. REPLECIENT  Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  Renew refrigeration cooling condensers and evaporators.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and received to the value of jacks.  Repair insulation in reefers. Provide vent duct and related valve of the sulfile received and split to the value of the sulfile received and split, door casings and jambs decayed and door hardware worn out in service and must be replaced. The multion portion of the window frames have rested causing window panes to crack. Class has to be removed, multion cleaned and palited, glass bedded in glazing compound and reglazed. The heating coil serving the galley and of the reefer have worn out in service and must be replaced. The heating coil serving the galley and fittings have deteriorated and must be replaced. The heating coil serving the cooling of the pality of the reefer have worn out in service and must be replaced. The heating coil serving th		metal	windows and window s	ills. New concrete floo	r slab .			(				
Repair Repair Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  Renew refrigeration cooling condensers and evaporators.  Repair Insulation in reefers. Provide vent duct and roof jacks.  Repair Insulation in reefers. Provide vent duct and roof jacks.  Repair Insulation in reefers. Provide vent duct and roof jacks.  Repair Insulation in reefers. Provide vent duct and roof jacks.  Repair Insulation in reefers. Provide vent duct and roof jacks.  Repair Insulation in reefers. Provide vent duct and roof jacks.  Repair Insulation in reefers. Provide vent duct and roof jacks.  Repair Insulation in reefers. Provide value and value and roof jacks.  Repair Insulation in reefers. Provide value and value and roof jacks.  Repair Insulation in reefers. Provide value and value and value and roof jacks.  Repair Insulation in reefers. Provide value and fittings have deteriorated from length of service and type of use. Do are cracked and split, door casings and jambs decayed and door hardware worn out in sorvice and value are reacked and split, door casings and jambs decayed and door hardware worn out in sorvice and value are reacked and split, door casings and jambs decayed and door hardware worn out in sorvice and value are reacked and split, door casings and jambs decayed and door hardware worn out in sorvice and value are reacked and split have deteriorated from length of service and type of use. Do are cracked and split have deteriorated from length of service and type of use. Do are cracked and split have deteriorated from length of service and type of use. Do are cracked and split have deteriorated from length of service and type of use. Do are cracked and split have deteriorated from length of service and value are reacked and split have deteriorated from length of service and value are reacked and split have deteriorated from		in G.I	L. can washroom. Ren	lew loose and broken plas	ter. b.			( )				
Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  7. THE OF DESIGN 10. THE OF DESIGN 10. SECURAL DESIGN 10.		New wo	ood bumpers in corrid	ors. Paint all interior	. c.			(				
Renew refrigeration cooling condensers and evaporators.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  SECTION C - BASIS OF REQUIREMENT  The masonry one-story messhalls have deteriorated from length of service and type of use. Doo are cracked and split, door casings and jambs decayed and door hardware worn out in service and use to replaced. The metal plaster lat has rusted causing the plaster to crack and come loose from the walls. This allows moisture to get into the walls from the inside and destroy studding and other vital parts of the building. The multion portion of the window frames have rusted causing window panes to crack. Class has to be removed, multion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valve and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities in volved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)		Renew	condensate return li	nes and related valves a	nd d.			(				
Renew refrigeration cooling condensers and evaporators.   The foreston   Repair insulation in reefers. Provide vent duct and roof jacks.	Repair	fittir	ngs. Renew heating o	oil in attic serving gal	ley.			(				
Repair insulation in reefers. Provide vent duct and standard proof jacks.  Repair insulation in reefers. Provide vent duct and standard proof jacks.  Repair insulation in reefers. Provide vent duct and standard proof jacks.  Repair insulation in reefers. Provide vent duct and standard proof jacks.  Repair insulation in reefers. Provide vent duct and standard proof jacks.  Repair insulation in reefers. Provide vent duct and standard proof jacks.  Repair insulation in reefers. Provide vent duct and standard proof jacks.  Repair insulation in reefers. Provide vent duct and standard proof jacks.  Repair insulation in reefers. Provide vent duct and standard proof jacks.  Repair insulation in reefers. Provide vent duct and standard proof jacks.  Repair insulation in reefers. Provide vent duct and standard proof jacks.  RECITOR C - BASIS OF REQUIREMENT  SECTION C - BASIS OF REQUIREMENT  The masonry one-story messhalls have deteriorated from length of service and type of use. Doo are cracked and split, door casings and jambs decayed and door hardware worn out in service and the service and must be replaced. The window frames have the window frames have the service and serving the substandard proof of the facilities of repairs will result into eventual higher repair costs. Replacement of the facilities in volved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)	16. REPLACEMENT							(				
SECTION C - BASIS OF REQUIREMENT  3. STATE LINE TIEN COST  3. SCHION C - BASIS OF REQUIREMENT  3. CONNITTATIVE DATA  (U/M )  5. EXISTING SUBSTANDARD  (U/M )  5. EXISTING SUBSTANDARD  (U/M )  6. EXISTING ADECOME  7. FUNDED, NOT IN INVENTORY  7. ADDIQUATE ASSETS (c - 4)  7. INCLUSED PRIOR AUTHORIZATION  7. INCLUSED IN FY _ PROGRAM  7. INCLUSED IN FY _ PROGRAM  7. INCLUSED IN FY _ PROGRAM  7. DEFICIENCY (	17. TYPE OF DESIGN											
SECTION C - BASIS OF REQUIREMENT  OUNTITATIVE DATA  (U/M	a. STANDARD DESIGN	CHARLESCOPE AND ADDRESS OF THE PARTY OF THE			h							
SECTION C - BASIS OF REQUIREMENT  SECTION C - BASIS OF REQUIREMENT  (U/M	b. SPECIAL DESIGN				i.			1				
SECTION C - BASIS OF REQUIREMENT  (U/N	c. DRAWING NO.				j.							
SECTION C - BASIS OF REQUIREMENT  (U/N					22. TOTAL LI	INE ITEM COST		\$ 150				
The masonry one-story messhalls have deteriorated from length of service and type of use. Doo are cracked and split, door casings and jambs decayed and door hardware worn out in service and service				SECTION C -	BASIS OF REQUIREMENT	True services and a		14 150				
are cracked and split, door casings and jambs decayed and door hardware worn out in service an must be replaced. The metal plaster lath has rusted causing the plaster to crack and come loose from the walls. This allows moisture to get into the walls from the inside and destroy studding and other vital parts of the building. The multion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, multion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The heating coil serving the galley and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)	23.	QUANTITATIVE	E DATA	25 DECULPENT FOR LINE LTCH				. D				
must be replaced. The metal plaster lath has rusted causing the plaster to crack and come loose from the walls. This allows moisture to get into the walls from the inside and destroy studding and other vital parts of the building. The mullion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valve and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)	(U/	М		The masonry one-story	messhalls have	deteriorated from length of ser	vice and type of	use. Door				
loose from the walls. This allows moisture to get into the walls from the inside and destroy studding and other vital parts of the building. The mullion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valve and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)	a. TOTAL REQUIREMENT		La Production A.	are cracked and split,	door casings a	nd jambs decayed and door hardw	are worn out in	service and				
studding and other vital parts of the building. The mullion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valve and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)	b. EXISTING SUBSTANDAR	D	(	must be replaced. The	metal plaster	lath has rusted causing the pla	ister to crack ar	nd come				
rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valve and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)	c. EXISTING ADEQUATE	Albertan Albert	THE STATE OF THE S	loose from the walls.	This allows mo	isture to get into the walls fr	om the inside ar	nd destroy				
glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valve and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)	d. FUNDED, NOT IN INVE	NTORY		studding and other vit	al parts of the	building. The mullion portion	of the window	rames have				
glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valve and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)	. ADEQUATE ASSETS (c	+ d)		rusted causing window	panes to crack.	Glass has to be removed, mull	ion cleaned and	painted,				
worn out in service and must be replaced. The steam condensate return lines and related valve and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)			AUTHORIZED FUNDED	glass bedded in glazir	ng compound and	reglazed. Various electrical s	switches and cont	crols have				
and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)	f. UNFUNDED PRIOR AUTH	ORIZATION		worn out in service ar	nd must be repla	ced. The steam condensate retu	irn lines and rel	lated valves				
the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)			RAM	and fittings have dete	eriorated and mu	st be replaced. The heating co	oil serving the g	galley and				
of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)				the cooling coils serving the reefer have worn out in service and must be replaced. Deferment								
volved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)				of repairs will result	into eventual	higher repair costs. Replaceme	ent of the facili	ities in-				
or transferred. The entire interior and exterior requires painting. (Cont'd)		The state of the s		volved is not planned	and the functio	n of the facilities cannot be e	eliminated, consc	lidated				
D . FORM 1391			and the second s	or transferred. The	entire interior	and exterior requires painting.	. (Cont'd)					
D 1 JUL 62 1391												
D 1 JUL 62 1391	3 3 4 5 4 5 5 4 5 6 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7	A STATE OF THE STATE OF	h garage and a second									
D 1 JUL 62 1391				•		and the second of the second of						
	DD 1 JUL 62 1391						BOOK NO	ACE NO				




18 Dec 1970	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT NAVY	4. INSTALLATION  MARINE CORPS BASE, CAMP LEJEUNE				
5. LINE ITEM NUMBER		RENOVATE MESSHALL NOS. 107 & 206	•					

- 25. Requirement for Line Item (Continued)
  - a. Year Built: 2 1942 and 1 1943
  - b. Total Cost of Construction: \$360,147
  - c. It is proposed to accomplish this work by contract.
  - d. This project has no relationship to other projects programmed or planned.




\$ 150,000  10. PROPOSED APPROPRIATION  \$ 150,000  SECONSTRUCTION  18.  TYPE OF CONSTRUCTION  a. PERMANENT  b. SEMI-PERMANENT  c. TEMPCRARY  15. TYPE OF WORK  19. DESCRIPTION  Renew WOOD  a. NEW FACILITY  b. ADDITION  c. ALTERATION  d. CONVERSION  c. OTHER (Specify)  Repair  16. DESCRIPTION  Renew CONTINUES OF THE CONTINUES OF T	REAL PROPERTY  PRIOR AUTHORIZATION  11. BUDGET ACCOUNT NUMBER  CTION A - DESCRIPTION OF LIN  PHYSICAL CHARACTERIST  2 6. NO. OF STORES 1	E ITEM		NAVY MENT NUMBER	MARINE CORPS BASE, CAMP  9. STATE/COUNTRY  NORTH CAROLINA  13. LINE ITEM TITLE	P LEJEUNE					
\$ 150,000  10. PROPOSED APPROPRIATION  \$ 150,000  SECONSTRUCTION  18.  TYPE OF CONSTRUCTION  a. PERMANENT  b. SEMI-PERMANENT  c. TEMPCRARY  c. TEMPCRARY  19. DESCRIPTION  Renew wood  metal wir  in G.I. of  New Wood  Repair  15. DESCRIPTION  Renew con  fittings.	CTION A - DESCRIPTION OF LIN  PHYSICAL CHARACTERIST  2   6. NO. OF STORES 1	723 E ITEM		MENT NUMBER	NORTH CAROLINA						
150,000  10. PROPOSED APPROPRIATION  \$ 150,000  SEC  14. TYPE OF CONSTRUCTION  a. PERMANENT  b. SEMI-PERMANENT  c. TEMPCRARY  f. COOLING  15. TYPE OF WORK  a. NEW FACILITY  b. ADDITION  c. ALTERATION  d. CONVERSION  c. OTHER (Specify)  Repair  16. SEMI-PROPRIATION  Renew Good  Renew Confittings.	CTION A - DESCRIPTION OF LIN  PHYSICAL CHARACTERIST  2   6. NO. OF STORES 1	E ITEM	12. LINE ITEM NUMBER								
\$ 150,000  SECONSTRUCTION  a. PERMANENT  b. SEMI-PERMANENT  c. TEMPCRARY  f. COOLING  15. TYPE OF WORK  a. NEW FACILITY  b. ADDITION  c. ALTERATION  d. CONVERSION  c. OTHER (Specify)  Repair  15. TYPE OF WORK  Renew WOOD  metal wir  in G.I. of  New Wood  Renew Cor  fittings.	CTION A - DESCRIPTION OF LIN  PHYSICAL CHARACTERIST  2 6. NO. OF STORES 1	E ITEM	12. LINE ITEM NUMBER		13. LINE ITEM TITLE						
TYPE OF CONSTRUCTION  a. PERMANENT  b. SEMI-PERMANENT  c. TEMPCRARY  f. COOLING  15. TYPE OF WORK  a. NEW FACILITY  b. ADDITION  c. ALTERATION  d. CONVERSION  c. OTHER (Specify)  Repair  Renew CONTINUES.	PHYSICAL CHARACTERIST  2 6. NO. OF STORES 1					13. LINE ITEM TITCE					
14.  TYPE OF CONSTRUCTION  a. PERMANENT  b. SEMI-PERMANENT  c. TEMPCRARY  f. COOLING  15. TYPE OF WORK  a. NEW FACILITY  b. ADDITION  c. ALTERATION  d. CONVERSION  c. OTHER (Specify)  Repair  18.  a. NO. OF BLDGS.  b. DESIGN CAPAGE  f. COOLING  19. DESCRIPTION  metal wir  in G.I. of  New wood  Renew confittings.	PHYSICAL CHARACTERIST  2 6. NO. OF STORES 1				RENOVATE MESSHALL NOS.	107 & 206					
TYPE OF CONSTRUCTION  a. PERMANENT  b. SEMI-PERMANENT  c. TEMPCRARY  c. TEMPCRARY  d. COOLING  19. DESCRIPTION  Renew WOOD  metal wir  in G.I. of  New Wood  Repair  c. ALTERATION  Repair  c. OTHER (Specify)  Repair	2   b. NO. OF STORES 1	ICS OF PRIMARY FAC			SECTION B - COS	T ESTIMATES					
b. SEMI-PERMANENT c. TEMPCRARY 6. COOLING 15. TYPE OF WORK 19. DESCRIPTION Renew WOO metal wir in G.I. of New Wood Repair  c. DESIGN CAPAC 6. COOLING 19. DESCRIPTION Renew Wood Metal wir in G.I. of New Wood Renew con fittings.	ACITY		CILITY	TROOP HO	CILITY USING - DETACHED FACILITIES	U/M QUANTI		COST (\$000)			
c. TEMPORARY  15. TYPE OF WORK  19. DESCRIPTION  A. NEW FACILITY  B. ADDITION  C. ALTERATION  C. OTHER (Specify)  Repair  C. TEMPORARY  8. COOLING  19. DESCRIPTION  metal wir  in G.I. C.  New wood  Renew con fittings.		c. LENGTH	d. WIDTH	a.	OUTING PHINGING TROUBLETING	(	3.25	1 130			
15. TYPE OF WORK  a. NEW FACILITY  b. ADDITION  c. ALTERATION  d. CONVERSION c. OTHER (Specify) Repair  19. DESCRIPTION  metal wir in G.I. of New wood Renew confittings.		f. GROSS AREA 46,		b.			)	(			
a. New FACILITY b. ADDITION c. ALTERATION d. CONVERSION c. OTHER (Specify) Repair Renew wood Renew confittings.	CAP.	COST	The second secon	) c.		(	)	(			
b. ADDITION c. ALTERATION d. CONVERSION c. OTHER (Specify) Repair Repair Renew confittings.	ON OF WORK TO BE DONE			d.		(	)	·			
b. ADDITION c. ALTERATION d. CONVERSION c. OTHER (Specify) Repair fittings.	od doors, trim and	hardware. Ren	ew certain	21. SUPPORTIN	NG FACILITIES			\$			
d. CONVERSION  e. OTHER (Specify) Repair  Repair  d. CONVERSION  New wood Renew confittings.	ndows and window si						MIII TOTAL T	(			
d. CONVERSION  e. OTHER (Specify) Repair  Repair  fittings.	can washroom. Rene	w loose and br	oken plaster.	ь.				(			
Repair fittings.	bumpers in corrido			c	and the second s			(			
is provided in the first ings.	ndensate return lin			d.		49.00		(			
	. Renew heating co	il in attic se	rving galley.	e.				(			
Renew rei	frigeration cooling							(			
17. TYPE OF DESIGN Repair in	nsulation in reefer			8.				(			
a. STANDARD DESIGN roof jack	ks.			h				(			
6. SPECIAL DESIGN c. DRAWING NO.				í.				(			
				j				(			
					INE ITEM COST			\$ 150			
QUANTITATIVE DAT		The province	SECTION C - BASIS	OF REQUIREMENT	ALC: THE PROPERTY OF THE PROPE						
(U/M		The masonry o	ne-story mess	halls have	deteriorated from length of	f service an	ad type of	use, Door			
		are cracked a	and split. doc	r casings a	and jambs decayed and door b	nardware won	en out in s	ervice and			
b. EXISTING SUBSTANDARD		must be repla	ced. The met	al plaster	lath has rusted causing the	e plaster to	o crack and	come			
c. EXISTING ADEQUATE		loose from th	e walls. Thi	s allows mo	isture to get into the wall	ls from the	inside and	destroy			
d. FUNDED, NOT IN INVENTORY		studding and	other vital	arts of the	building. The mullion por	rtion of the	e window fra	ames have			
e. ADEQUATE ASSETS (c+d)		rusted causin	ng window pane	s to crack.	Glass has to be removed,	mullion cle	eaned and pa	ainted,			
	AUTHORIZED FUNDED	glass bedded	in glazing co	mpound and	reglazed. Various electric	cal switches	s and contro	ols have			
f. UNFUNDED PRIOR AUTHORIZATION		worn out in s	service and mu	ist be repla	ced. The steam condensate	return line	es and rela	ted valves			
g. INCLUDED IN FYPROGRAM		and fittings	have deterior	rated and mu	ist be replaced. The heating	ng coil serv	ving the ga	lley and			
h. DEFICIENCY (a-e-f-g)		the cooling c	oils serving	the reefer	have worn out in service an	nd must be	replaced.	Dereiment			
24. RELATED LINE ITEMS		of renairs wi	111 result int	o eventual	higher repair costs. Repla	acement of	the facilit	ies in-			
	Self-Care Communication	volved is not	planned and	the functio	on of the facilities cannot	be elimina	ted, consol	idated			
A STATE OF THE SECOND STAT	And the second s	or transferre	ed. The entir	re interior	and exterior requires paint	ting. (Con	(D)				
	아니아 아이 아이를 들어 있다면 아이를 다 되었다.				and enterior requires position						
					and executor requires possi-						
DD 1 JUL 62 1391		week at the second			and excertor requires pass						




1. DATE 18 Dec 1970	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT	MARINE CORPS BASE, CAMP LEJEUNE	
5. LINE ITEM NUMBER		RENOVATE MESSHALL NOS. 107 & 206			

- 25. Requirement for Line Item (Continued)
  - a. Year Built: 2 1942 and 1 1943
  - b. Total Cost of Construction: \$360,147
  - c. It is proposed to accomplish this work by contract.
  - d. This project has no relationship to other projects programmed or planned.




1. DATE   2.	FISCAL YEAR	F				13. DEPARTMENT	Ta men	TALLATION	-	The later will be a substitute of the	and the second s	
18 Dec 1970	1971			RUCTION LINE ITEM FACILITIES PR		NAV	,	ARINE CORPS BASE, CAME	P LEJ	EUNE		
5. PROPOSED AUTHORIZATION		6. PRIOR AU	JTHOR I ZATION	7. CATEGORY CODE NUMBER	8. PRO	OGRAM ELEMENT NUMBER	9. STAT	TE/COUNTRY		4		
\$ 150,000		P.L. «		723			NO	ORTH CAROLINA				
10. PROPOSED APPROPRIATION			11. BUDGET ACCOUNT NUM	BER	12. LINE ITEM N	NUMBER	13. LIN	NE ITEM TITLE	77. m l			1490 10 100
\$ 150,000					7.75		RI	ENOVATE MESSHALL NOS.	107	& 20 <b>6</b>		
		SECTION A	- DESCRIPTION OF LI	IE ITEM		The state of the state of		SECTION B - COS	T ESTIM	AATES		
14. TYPE OF CONSTRUCTION	18.	PHYS	SICAL CHARACTERIS	ICS OF PRIMARY FA	CHITY		ARY FACILITY		U/M	QUANTITY	UNIT COST	COST (\$000)
a. PERMANENT	- NO OF 01 F			CAR STAN		TROOF	HOUSING	- DETACHED FACILITIES	SF	46,146	\$ 3.25	\$ 150
b. SEMI-PERMANENT	e. DESIGN C		6. NO. OF STORES 1	c. LENGTH	d. WIDTH	a.				(	1 -	<u>(</u>
c. TEMPORARY	g. COOLING	AFACITY	CID	f. GROSS AREA 46	The second of th	b.				(	)	(6)
15. TYPE OF WORK		TION OF WO	RK TO BE DONE	COS	ST (\$	. ) c.	•			(	)	(
a. NEW FACILITY				handman D		d.				(	)	
6. ADDITION	THE RESIDENCE OF THE PARTY OF T			hardware. Re		C. C	PORTING FACIL	ITIES	1			
c. ALTERATION				ills. New con					-	2100 A 2		
d. CONVERSION				ew loose and b								
e. OTHER (Specify)				ors. Paint al					-			Control of the contro
Repair									-			
16. REPLACEMENT				oil in attic s							1 A C - 18 T - 1	1
17. TYPE IS SV				g condensers a	The state of the s							1
a. STANE AND SN	DESCRIPTION OF THE PROPERTY OF		crou in reere	rs. Provide v	ent duct	h						1
6. SPECIAL TO THE	roof j	acks.			i.						(	
e. Dhia, dhe						j						(
						22. TOT	AL LINE ITE	EN COST				\$ 150
	Service and the service of				SECTION C -	- BASIS OF REQUIREM	ENT					
23.	QUANTITATIVE	DATA		25. REQUIREMENT FOR LIS	NE ITEM	1 -11 - 1	1.6	ionated from longth of	f cor	wice and	type of i	ise Doors
(U/M.			_)	The masonry	one-story	messnalls na	eve deter	iorated from length of mbs decayed and door l	hardu	are worn	out in so	ervice and
a. TOTAL FEMENT				are cracked	and split	, door casing	s and Jai	has rusted causing the	a nla	ster to e	rack and	come
6. EXISTING S. ESTANDARD		(		must be repl	aced. In	e metal plast	ler latil i	e to get into the wall	le fr	om the in	side and	destrov
c. EXISTING ADEQUATE		11000	Application of the second	100se from t	ne walls.	tal narta of	the built	ding. The mullion por	rtion	of the w	indow fra	ames have
d. FUNDED, NOT IN INVEN	TORY			studiating and	other vi	Tarparts or	che bulli	ss has to be removed,	m1111	ion clean	ed and pa	ainted.
. ADEQUATE ASSETS (c+	d)		The said	glace bodded	ing window	ng compound s	and regla	zed. Various electric	cal s	witches a	nd contro	ols have
A STATE OF THE STA		AUTHOR	RIZED FUNDED	grass bedded	i ili giazi	nd must be re	and region	The steam condensate	retu	rn lines	and rela	ted valves
f. UNFUNDED PRIOR AUTHOR				and fittings	have det	eriorated and	1 must be	replaced. The heating	ng co	il servin	g the ga	lley and
g. INCLUDED IN FY	PROGR	AM		the cooling	coile car	ving the ree	fer have	worn out in service an	nd mu	ist be rep	laced.	Deferment
h. DEFICIENCY (a-e-f-g)				of repairs w	ill resul	t into eventu	al highe	r repair costs. Repl	aceme	ent of the	facilit	ies in-
24. RELATED LINE ITEMS				volved is no	t planned	and the fund	ction of	the facilities cannot	be e	eliminated	, consol	idated
0		. 11		or transferr	red. The	entire inter	ior and e	xterior requires pain	ting.	(Cont'd	)	
				- Clanslell	.cu. Inc			The state of the s				
EODM		7			Service of the servic	7498		2500 2500				
DD 1 JUL 62 1391										BOOK NO	PAG	E NO




1. DATE 18 Dec 1970	2. FISCAL YEAR	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	3. DEPARTMENT NAVY	MARINE CORPS BASE, CAMP LEJEUNE
S. LINE ITEM NUMBER		RENOVATE MESSHALL NOS. 107 & 206		

- 25. Requirement for Line Item (Continued)
  - a. Year Built: 2 1942 and 1 1943
  - b. Total Cost of Construction: \$360,147
  - c. It is proposed to accomplish this work by contract.
  - d. This project has no relationship to other projects programmed or planned.




1. DATE 2	. FISCAL YEAR				3. DEPARTMENT	4. INSTALLATION				
		MILITARY CONS	STRUCTION LINE LTE			The state of the s				
18 DEC 1970  5. PROPOSED AUTHORIZATION	1971	REAL PROPERT	TRUCTION LINE ITELY FACILITIES P		NAVY	MARINE CORPS BASE, CA	MP LEJE	UNE		
		o. Tatok admontzation	7. CATEGORY CODE NUMBE	8. PROGRAM EI	LEMENT NUMBER	9. STATE/COUNTRY				
\$ 138,500		P.L.	841		A Charles	NORTH CAROLINA				
10. PROPOSED APPROPRIATION		11. BUDGET ACCOUNT N	UMBER	12. LINE I-TEM NUMBER	AND THE RESERVE TO SERVE THE PROPERTY OF THE P	13. LINE ITEM TITLE				
\$ 138,500		a ha bas and a say				REPLACE FIVE RAW WATE TT-45 & TT-55	R WELLS	, NOS. 60	5, 618, T	т-28,
		SECTION A - DESCRIPTION OF L	INE ITEM		Sey Market Services	SECTION B -	COST ESTIM	ATCO		
14. TYPE OF CONSTRUCTION	18.	DING LOW SULLAND	12.0.1 55.6		20. PRIMARY FAC		U/M	QUANTITY	UNIT COST	COST (ANAL)
		PHYSICAL CHARACTERI	STICS OF PRIMARY F	ACILITY	WELLS		EA	5	27700.00	138.5
a. PERMANENT	a. NO. OF BL	DGS. b. NO. OF STORES	c. LENGTH	d. WIDTH	a.		1		)	, 130.3
6. SEMI-PERMANENT	e. DESIGN	CAPACITY	f. GROSS AREA		b.				1 1	
. TEMPORARY	g. COOLING	CAP.	. cc	OST (\$	) c.		1			2-25 %
15. TYPE OF WORK		PTION OF WORK TO BE DONE			d.		1		)	The control of
a. NEW FACILITY		act five replacement	[HT 1875 - 1981 - 1981 - 1982 - 1981 - 1981 - 1981 - 1981 - 1981 - 1981 - 1981 - 1981 - 1981 - 1981 - 1981 - 1		EL. SOLICITIE	G FACILITIES				
b. ADDITION	pumping	g equipment and inte	rconnecting pi	ping from each	a.				1	
c. ALTERATION	well to	the respective exi	sting raw wate	r line. Demol	ish b.		239			
d. CONVERSION	and ren	move the houses over	the wells to	be replaced an	d   c.				1	
Repair		e replaced wells.			d.					
								A0104		
16. REPLACEMENT	(1) 48 L (1) 10 Sec. 11				f.			100	1	
17. TYPE OF DESIGN					g.		7855 a se sua			
a. STANDARD DESIGN					h.				1	
6. SPECIAL DESIGN					i.				1	
c. DRAWING NO.					j.		F - A			7
					22. TOTAL L	INE ITEM COST			\$	138.5
		Symple Salar		SECTION C - BASIS	OF REQUIREMENT				·	
3.	QUANTITATIVE	EDATA	25. REQUIREMENT FOR L		A Comment		m	n Dlank	al. +ha	. Guanial
(U/M			Five existi	ng water wells	, two servin	g the Hadnot Point Water	Treatm	ent Plant	and thre	e furnisi
a. TOTAL REQUIREMENT			ing water f	or the Tarawa	Terrace Wate	r Treatment Plant have f	alled to	ocally be	yona nope	th numb
. EXISTING SUBSTANDAR	)		rehabilitat	ion. This pro	ject propose	s the replacement of the	se rive	werrs co	mprece wi	or richar
EXISTING ADEQUATE			houses, pum	ping equipment	, and interc	onnecting piping between	the we	is and e	xisting r	aw water
I. FUNDED, NOT IN INVEN			lines. Rep	lacement is ne	cessary in o	rder to restore the raw	water s	abbra co	these tre	acinent
. ADEQUATE ASSETS (c+	d)	AUTHORIZED FUNDED	plants. Th	is item will n	ot cause add	itional water or air pol	lution.			
. UNFUNDED PRIOR AUTHO	DRIZATION	TONDED TONDED								
. INCLUDED IN FY	PROGR	AM								
. DEFICIENCY (a-e-f-g)										
4. RELATED LINE ITEMS		A CONTRACTOR OF THE STATE OF TH								
FORM TOTAL								1/8/1/20		1 1 2 1 1
D 1 JUL 62 1391								BOOK NO.	PAGE	NO

PAGE NO.\_



1. DATE   2.	FISCAL YEAR					3. 0	EPARTMENT	4. INSTALLATION				******************
10 ppg 1070	1071	MILITARY	CONSTR	UCTION LINE ITEN FACILITIES P	M DATA	comprehense to	NAVY	The state of the s				
18 DEC 1970	1971		-		Charles and the		NAVY	MARINE CORPS BASE, CA	MP LEJE	UNE		
5. PROPOSED AUTHORIZATION	6.	PRIOR AUTHORIZATION		7. CATEGORY CODE NUMBE	R	8. PROGRAM ELEME	NT NUMBER	9. STATE/COUNTRY		18 30 4		
\$ 138,500	Ρ.	l. 🤫		841				NORTH CAROLINA				
10. PROPOSED APPROPRIATION		11. BUDGET AC	COUNT NUMBE	ER '	12. LINE	I TEM NUMBER		13. LINE ITEM TITLE	-			
\$ 138,500								REPLACE FIVE RAW WATE	ER WELLS	, NOS. 60	5, 618, T	T-28,
	SE	CTION A - DESCRIPTION	N OF LINE	ITEM				SECTION B -	COST ESTIM	ATES		
14. TYPE OF CONSTRUCTION	18.	DING LOLL	100	S. 67, 541		August 1994	20. PRIMARY FAC		U/M	QUANTITY	UNIT COST	COST (\$000)
		PHYSICAL CHARA	CTERISTI	ICS OF PRIMARY F	ACILITY		WELLS		EA	5	27700.00	
a. PERMANENT	a. NO. OF BLDGS.	b. NO. OF STORE	S	c. LENGTH	d. WIDT	ГН	a.		1 (		1	130.3
b. SEMI-PERMANENT	e. DESIGN CAPA	ACITY		f. GROSS AREA			b.					
c. TEMPORARY	g. COOLING	1	CAP.	.co	ST (\$		) c.					
15. TYPE OF WORK		ON OF WORK TO BE DONE					d.				)	Negative of Sec.
a. NEW FACILITY		: five replace					21. SUPPORTIN	G FACILITIES				
b. ADDITION	pumping e	quipment and	interc	onnecting pi	ping fr	om each	a.					
c. ALTERATION	well to t	he respective	exist	ing raw water	r line.	Demolis	h b.					
d. CONVERSION	and remov	e the houses	over t	he wells to 1	be repl	aced and	c.					
Repair		eplaced wells					d.		8. 2			
										- 10 To 10 T		
16. REPLACEMENT									0.00			
17. TYPE OF DESIGN							g.					
a. STANDARD DESIGN							h.		56		1	
b. SPECIAL DESIGN c. DRAWING NO.							í.					The state of
c. bixarrio no.							j.		7 12		(	
							22. TOTAL LI	NE ITEM COST			3	138.5
23.	QUANTITATIVE DA	TA	100			N C - BASIS OF	F REQUIREMENT					
		IA.		25. REQUIREMENT FOR L	INE ITEM	11.	tria acmiini	g the Hadnot Point Water	Treatm	ent Plant	and thre	e furnis
(U/M_		)		ing richar 6	ng wate	Toward,	two serving	r Treatment Plant have f	Failed +	otally be	vond hone	of
a. TOTAL REQUIREMENT		,	1	ing water i	ion the	larawa 16	illace wate	s the replacement of the	ca five	wells co	mplete wi	th pump
b. EXISTING SUBSTANDARD		(	)	renabilitat	ion. T	mis proje	ect propose	onnecting piping between	the we	11s and a	visting r	aw water
EXISTING ADEQUATE				nouses, pum	ping eq	uipment,	and interc	rder to restore the raw	water e	upply to	these tre	atment
A. FUNDED, NOT IN INVENTO				lines. Kep	racemen	ic is nece	essary In o	itional water or air act	littion	appry co		
e. ADEQUATE ASSETS (e+d)	)	AUTUODITES		plants. Th	is item	will not	. cause add	itional water or air pol	LIUCIOII.			
		AUTHORIZED FU	NDED									
. UNFUNDED PRIOR AUTHOR												
. INCLUDED IN FY	PROGRAM		The state of the s									
. DEFICIENCY (a-e-f-8)												
4. RELATED LINE ITEMS			10000									
Kara a Capacita A and a												
D 1 JUL 62 1391	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	STATE AND AND ASSESSED.	Reserved to the second		period agree o	green Burger						A STATE OF STATE
1 705 05 1011	the same of the same									BOOK NO.	PAGE	NO.


PAGE NO.




18 DEC 1970  5. PROPOSED AUTHORIZATION	1971	P-2-3	MILLTIDY CONC.				[1] [12] [1] [1] [1] [1] [1] [1] [1] [1] [1] [1				
			REAL PROPERTY	RUCTION LINE ITEM FACILITIES PE	DATA ROJECT	NAVY	MARINE CORPS BASE, (	CAMP LEJE	UNE		
1 120 500		6. PRIOR AUT	THORIZATION	7. CATEGORY CODE NUMBER	8. PROGRA	M ELEMENT NUMBER	9. STATE/COUNTRY				
\$ 138,500		P.L.		841			NORTH CAROLINA				
10. PROPOSED APPROPRIATION			11. BUDGET ACCOUNT NUM	IBER .	12. LINE ITEM NUMB	R	13. LINE ITEM TITLE				2005 / No.
\$ 138,500							REPLACE FIVE RAW WAT	ER WELLS	, NOS. 60	5, 618, T	T-28,
		SECTION A	- DESCRIPTION OF LI	NE ITEM				- COST ESTIMA	ATES		
14.  TYPE OF CONSTRUCTION	18,	Dulya				20. PRIMARY F		U/M	QUANTITY	UNIT COST	COST (2000)
ENTER THE TAX		PHYS	ICAL CHARACTERIS	TICS OF PRIMARY FA	CILITY	WELLS		EA	5	27700.00	COST (\$000) \$ 138.5
a. PERMANENT	a. NO. OF BLE	ogs. b	. NO. OF STORES	c. LENGTH	d. WIDTH	a.		1 1		)	( 130.3
6. SEMI-PERMANENT	e. DESIGN C	APACITY		f. GROSS AREA		b.		- (		)	(
e. TEMPORARY	g. COOLING	a villalle de.	CAP.	cos	ST (\$	) c.		(		1	( y 18 15 mm)
15. TYPE OF WORK			K TO BE DONE			d.		(		)	(
a. NEW FACILITY	THE RESERVE AND THE PARTY AND			wells complete		L. I. COLLCIA	ING FACILITIES				100
b. ADDITION				connecting pip			-	-			
c. ALTERATION	The second of th		BENEFIT TO THE STATE OF THE STA	ting raw water		AND THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF TH					
d. CONVERSION e. OTHER (Specify)				the wells to b	e replaced	and c.				234 - 3	(
Repair	cap the	replace	ed wells.			d.					
16. REPLACEMENT						f.				(	
17. TYPE OF DESIGN						g.					
a. STANDARD DESIGN						h.				(	
DRAWING NO.						i.				(	
	Section 1					j				(	
						22. TOTAL I	LINE ITEM COST			\$	138.5
3.	QUANTITATIVE	DATA		T		SIS OF REQUIREMENT		Togation of the same of the sa			
(U/M				25. REQUIREMENT FOR LIN		le two servi	ng the Hadnot Point Wate	r Treatme	ent Plant	and thre	e furnish
. TOTAL REQUIREMENT		7	.,	ing water fo	or the Taraw	a Terrace Wat	er Treatment Plant have	failed to	otally be	vond hope	of
. EXISTING SUBSTANDARD	)	1	To Albana	rehabilitati	on. This n	roject propos	es the replacement of the	nese five	wells co	mplete wi	th pump
. EXISTING ADEQUATE		1		houses numr	ing equipme	nt. and inter	connecting piping between	en the we	lls and e	xisting r	aw water
. FUNDED, NOT IN INVEN	TORY		•	lines. Renl	acement is	necessary in	order to restore the raw	water s	upply to	these tre	atment
. ADEQUATE ASSETS (c+				plants. Thi	s item will	not cause ad	ditional water or air po	ollution.			
		AUTHOR	IZED FUNDED								
. UNFUNDED PRIOR AUTHO	RIZATION	W									
. INCLUDED IN FY	PROGRA	AM MA									
. DEFICIENCY (a-e-f-g)											
4. RELATED LINE ITEMS											
· · · · · · · · · · · · · · · · · · ·			Out for Vision				and the state of t				
A CONTRACTOR OF THE PARTY OF TH	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1										

BOOK NO.\_\_\_

PAGE NO.




1. DATE 2.	FISCAL YEAR	T				3. DEPARTMENT	4. INSTALLATION				
			LTIDY COURT			3. DEFARIMENT	4. INSTALLATION				
18 DEC 1970	1971			RUCTION LINE ITEM		NAVY					
5. PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZA	LPROPERTY	FACILITIES PR			MARINE CORPS BASE, CAM	P LEJ	EUNE		
				7. CATEGORY CODE NUMBER	8. PROGRA	M ELEMENT NUMBER	9. STATE/COUNTRY				
\$106,000		P.L. 🚓		214			NODELL CAROLINA				
10. PROPOSED APPROPRIATION		11. BL	DGET ACCOUNT NUMB	BER	12. LINE ITEM NUMB	FR	NORTH CAROLINA				
							13. Ellie Heal Hills				
\$106,000					21744		REPLACE WINDOWS, BLDGS	. 150	2 & 1601		
		SECTION A - DESC	RIPTION OF LIN	E ITEM			SECTION B - CO	ST ESTIN	MITES		
14.	18.					20. PRIMARY FA		11		I	
TYPE OF CONSTRUCTION		PHYSICAL	CHARACTERIST	ICS OF PRIMARY FAC	CILITY	MATNTEN	ANCE - AUTOMOTIVE	SF	QUANTITY 20 600	UNIT COST	COST (\$000)
a. PERMANENT	a. NO. OF BLE	ogs. 2 6. No. 0	OF STORES	c. LENGTH	d. WIDTH	a.	1010101111	Sr	20,600	\$5.15	\$ 106
6. SEMI-PERMANENT	e. DESIGN C	APACITY		f. GROSS AREA		b.		1	(	30	1
c. TEMPORARY	g. COOLING		CAP.	COST	т (\$	)   c.			(		(
15. TYPE OF WORK	19. DESCRIP	TION OF WORK TO	BE DONE			d.		1	(		(
a. NEW FACILITY	Remove	existing w	indows. P	rovide project	ed industr	ial 21. SUPPORTI	NG FACILITIES				4
b. ADDITION	40 per	cent vented	i steel wi	ndows.	industr.	a.		1			( )
c. ALTERATION						b.					( )
d. CONVERSION						c.					( )
e. OTHER (Specify)						d.				- 計	( )
Repair						٠.					( )
16. REPLACEMENT						f.		(Asterna			( )
17. TYPE OF DESIGN						g.				2	( )
a. STANDARD DESIGN	_					h					( )
b. SPECIAL DESIGN c. DRAWING NO.						í.		3			( )
e. branno no.						j.		1			( )
				100	William Charles		INE ITEM COST				\$ 106
23.	QUANTITATIVE	DATA		To-		ASIS OF REQUIREMENT				1 35	a transfer of the co
	- CANTITATIVE	,		Buildings 150		have large at	eel framed windows. The wa				1 1-11-
				that in place	es no frame	material is le	eft. Attempts to repair the	Lucca hogo	and the	e ruste	d so badly
a. TOTAL REQUIREMENT b. EXISTING SUBSTANDARD							proven unsuccessful for s				
c. EXISTING ADEQUATE			,				eld a new piece into the ex				
d. FUNDED, NOT IN INVEN	TORY						zing. Further, it has been				
. ADEQUATE ASSETS (c+							without breakage because t				
	-/	AUTHORIZED	FUNDED				acement of the entire sash				
f. UNFUNDED PRIOR AUTHO	RIZATION			Frageet, eller	croic, prop	coes the repre	accompane of the entire sasi	and )	STAGE WICH	TICM WIII	dows.
g. INCLUDED IN FY	PROGR	AM									
h. DEFICIENCY (a-e-f-8)			C. C. William C.								
24. RELATED LINE ITEMS		and the second								•	
	aypement										
		- the wild the state of the state		The state of the s							100
		all the state of t	A STATE OF THE STA								
	x pare! Not 200 200 200 200 200 200 200 200 200 20				Sec.						
10 K											A CONTRACTOR OF THE PARTY OF TH



1. DATE 2.	FISCAL YEAR					3. DEPARTMENT	4. INSTALLATION				
		MILI	TARY CONSTI	RUCTION LINE ITEM DATA		NAMA					
18 Dec 1970	1971			RTY FACILITIES PROJECT			MARINE CORPS BASE, CAMP LEJEUNE				
5. PROPOSED AUTHORIZATION				7. CATEGORY CODE NUMBER	THE PARTY OF THE P		9. STATE/COUNTRY				
\$ 150,000 P.L.											
\$ 150,00 <b>0</b>				723			NORTH CAROLINA				
10. PROPOSED APPROPRIATION		11. BUDG	ET ACCOUNT NUME	BER .	12. LINE ITEM NUMBE	R	13. LINE ITEM TITLE				
\$ 150,000							RENOVATE MESSHALL NOS. 107	7 8 206			
130,000		SECTION A - DESCRI	OTION OF LIN	C LTCU						1000	
14.	18.	SECTION A - DESCRI	FITON OF LIN	E ITEM		20. PRIMARY FA	SECTION B - COST ES				
TYPE OF CONSTRUCTION		PHYSICAL CH	ARACTERIST	CLENGTH 4. WIDTH			DUSING - DETACHED FACILITIES SI		\$ 3.25 S	COST (\$000)	
a. PERMANENT	a. NO. OF BL	DGS. 2   b. NO. OF S	STORES 1			a.	OSING - DELACHED FACILITIES SI	40,140	\$ 3.23	130	
b. SEMI-PERMANENT	e. DESIGN			f. GROSS AREA 46,		b.		- 1	<u> </u>		
c. TEMPORARY	g. COOLING		CAP.		(\$	)   c.			,		
15. TYPE OF WORK	19. DESCRI	TION OF WORK TO BE				d.		1	1		
a. NEW FACILITY	Renew	wood doors, t	rim and	hardware. Ren	ew certain	21. SUPPORTI	NG FACILITIES	1			
b. ADDITION					lls. New concrete floor slab				(		
c. ALTERATION				w loose and br		1882 C 1882			1		
d. CONVERSION				rs. Paint I		c.			1		
e. OTHER (Specify)				es and related		d.			1		
Repair				il in att							
16. REPLACEMENT				condenses					(		
17. TYPE OF DESIGN				s. Provide					(		
a. STANDARD DESIGN	roof j					h			(		
6. SPECIAL DESIGN						i.			(		
c. DRAWING NO.						j.			(		
						. 22. TOTAL L	INE ITEM COST		3	150	
	1				SECTION C - BA	SIS OF REQUIREMENT			- horasina and an analysis		
23.	QUANTITATIVE	DATA		The The	e item	echalle have	deteriorated from length of se	ervice and t	vpe of us	se. Door	
	<u> </u>	)		are cree	and enlit	loor cacinge a	and jambs decayed and door hard	dware worn	out in ser	rvice and	
a. TOTAL REQUIREMENT				must he	cod The	netal plaster	lath has rusted causing the D	laster to co	cack and o	come	
6. EXISTING SUBSTANDARD ( )			must be replaced. The metal plaster lath has rusted causing the plaster to crack and come loose from the walls. This allows moisture to get into the walls from the inside and destroy								
c. EXISTING ADEQUATE				studding and other vital parts of the building. The mullion portion of the window frames have							
d. FUNDED, NOT IN INVENTORY			rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted,								
e. ADEQUATE ASSETS (e+d)			glass bedded in glazing compound and reglazed. Various electrical switches and controls have								
AUTHORIZED FUNDED			Worn out in	service and	must be renla	iced. The steam condensate re	turn lines	and relate	ed valves		
f. UNFUNDED PRIOR AUTHORIZATION g. INCLUDED IN FY			and fittings	have deter	iorated and mu	ist be replaced. The heating	coil serving	g the gal	ley and		
	A. DEFICIENCY (a-e-f-g)			the cooling	coils servi	ng the reefer	have worn out in service and	must be rep	laced. D	eferment	
24. RELATED LINE ITEMS			of repairs w	ill result	into eventual	higher repair costs. Replace	ment of the	faciliti	es in-		
AT, RELATED CINE HEMS			volved is not	t planned a	nd the function	on of the facilities cannot be	eliminated	, consoli	dated		
			volved is not planned and the function of the facilities cannot be eliminated, consolidated or transferred. The entire interior and exterior requires painting. (Cont'd)								
5404											

DD 1 JUL 62 1391

BOOK NO. PAGE NO.




1. DATE 2. FISCAL YEAR 3 3. DEPARTMENT 4. INSTALLATION	
MILITARY CONSTRUCTION LINE ITEM DATA	
110 2 1070 1 1071	
18 Dec 1970 1971 MARINE CORPS BASE, CAMP LEJ	EUNE
5. LINE ITEM NUMBER 6. LINE ITEM TITLE	

25. Requirement for Line Item (Continued)

- a. Year Built: 2 1942 and 1 1943
- b. Total Cost of Construction: \$360,147
- c. It is proposed to accomplish this work by contract.
- d. This project has no relationship to other projects programmed or planned.


RENOVATE MESSHALL NOS. 107 & 206

DD 1 JUL 62 1391c



1. DATE 2	. FISCAL YEAR	•			3. DEPARTMENT	4. INSTALLATION		•				
18 DEC 1970	1971	MILITARY CO REAL PROPE	M DATA ROJECT	NAVY	MARINE CORPS BASE, CAMP LEJEUNE							
5. PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBE	7. CATEGORY CODE NUMBER 8. PROGRAM ELEMENT NUMBER		9. STATE/COUNTRY						
\$ 138,500		P.L.	841	841		NORTH CAROLINA						
10. PROPOSED APPROPRIATION		11. BUDGET ACCOUN	NUMBER '	IBER 12. LINE ITEM NUMBER		13. LINE ITEM TITLE						
\$ 138,500						REPLACE FIVE RAW WATE	R WELLS	, NOS. 609	5, 618, T	T-28,		
		SECTION A - DESCRIPTION OF	LINE ITEM	250 4250 000	SECTION B - COST ESTIMATES				725			
TYPE OF CONSTRUCTION	18.	PHYSICAL CHARACTE	RISTICS OF PRIMARY F	ICS OF PRIMARY FACILITY  WELL		CILITY	U/M	QUANTITY	UNIT COST	COST (\$000		
a. PERMANENT	a. NO. OF BLU	DGS. 6. NO. OF STORES	c. LENGTH	c. LENGTH d. WIDTH			EA	5	27700.00	\$ 138.5		
6. SEMI-PERMANENT	e. DESIGN C		f. GROSS AREA	14. 110111	b.							
. TEMPORARY	g. COOLING	c	Company of the second	OST (\$	) c.							
15. TYPE OF WORK	19. DESCRIP	PTION OF WORK TO BE DONE		1	d.							
a. NEW FACILITY		ict five replacemen	t wells complet	e with houses	21. SUPPORTIN	G FACILITIES						
b. ADDITION				connecting piping from each ting raw water line. Demolish		S MOTERINES				(		
e. ALTERATION	well to	the respective ex	isting raw wate									
d. CONVERSION		nove the houses over										
Repair		e replaced wells.			d.		-					
16. REPLACEMENT					f.							
17. TYPE OF DESIGN												
a. STANDARD DESIGN					h.							
b. SPECIAL DESIGN					1.							
c. DRAWING NO.												
					22. TOTAL L	INE ITEM COST			1	138.5		
				SECTION C - BAS	IS OF REQUIREMENT				1 13	130.3		
23.	QUANTITATIVE	DATA	25. REQUIREMENT FOR L	INE ITEM	A. I WAS TO SELECT		-					
(U/M	•	)	Five existi	ng water well	s, two servin	g the Hadnot Point Water	Treatm	ent Plant	and thre	e furnis		
. TOTAL REQUIREMENT			ing water f	ing water for the Tarawa Terrace Water Treatment Plant have failed totally beyond hope of rehabilitation. This project proposes the replacement of these five wells complete with pump								
. EXISTING SUBSTANDARD		(	rehabilitat									
EXISTING ADEQUATE			houses, pum	houses, pumping equipment, and interconnecting piping between the wells and existing raw water lines. Replacement is necessary in order to restore the raw water supply to these treatment								
. FUNDED, NOT IN INVEN	TORY		lines. Rep									
. ADEQUATE ASSETS (c + d)			plants. Th	is item will	not cause add	itional water or air pol	lution.					
AUTHORIZED FUNDED												
. UNFUNDED PRIOR AUTHO	RIZATION											
. INCLUDED IN FY	PROGR/	AM										
. DEFICIENCY (a-e-f-g)												
4. RELATED LINE ITEMS		7.2.0 No. 20 No. 10										
FORM				L. Carlos en								
D 1 JUL 62 1391								BOOK NO.	PAGE	NO		


PAGE NO ..



1. DATE 2.	FISCAL YEAR			13.	DEPARTMENT	4. INSTALLATION					
18 DEC 1970	MILITARY CONSTRUCTION LINE ITEM DATA				NAVY						
5. PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZATION	Y FACILITIES PROJECT 7. CATEGORY CODE NUMBER 8. PROGRAM ELEMEN			MARINE CORPS BASE, CA	MP LEJ	EUNE			
		7. CATEGORY CODE NUMBER 8. PROGRA				9. STATE/COUNTRY					
\$106,000		P.L.	214	214		MODELL GAROLTMA					
10. PROPOSED APPROPRIATION		11. BUDGET ACCOUNT NO	IBER 12. LINE ITEM NUMBER			NORTH CAROLINA					
\$106,000						REPLACE WINDOWS, BLDGS. 1502 & 1601					
		SECTION A - DESCRIPTION OF L	INF ITEM			SECTION B - COST ESTIMATES					
14.	18.			TICS OF PRIMARY FACILITY		ILITY	U/M		T		
TYPE OF CONSTRUCTION		PHYSICAL CHARACTERI	STICS OF PRIMARY FA			MAINTENANCE - AUTOMOTIVE		QUANTITY	UNIT COST		
a. PERMANENT	a. NO. OF BL	DGS. 2 6. NO. OF STORES	c. LENGTH	d. WIDTH	a.	TOTOLOTIVE	SF	20,600	\$5.15	\$ 106	
b. SEMI-PERMANENT	e. DESIGN	CAPACITY	f. GROSS AREA		6.			(			
c. TEMPORARY	g. COOLING	CAP.		T (\$	) c.	Total Control of the				(	
15. TYPE OF WORK	19. DESCRI	PTION OF WORK TO BE DONE			d.			(		(	
a. NEW FACILITY	Remove	existing windows.	Provide project	ovide projected industrial,		ORTING FACILITIES		,		4	
b. ADDITION	40 per	cent vented steel w	indows	ed Industrial	) a.					1	
c. ALTERATION			Titdows.		b.	to the Act of the State of the					
d. CONVERSION					c.					,	
e. OTHER (Specify)					d.					1	
Repair				e.						(	
16. REPLACEMENT					f.					•	
17. TYPE OF DESIGN					g.					C.	
a. STANDARD DESIGN					h					·	
b. SPECIAL DESIGN					i.					· ·	
c. DRAWING NO.					j.					(	
						L LINE ITEM COST			102.17	\$ 106	
and the second second	San			SECTION C - BASIS	OF REQUIREMENT						
23.	QUANTITATIVE	DATA	25. REQUIREMENT FOR LIN								
(U/M_		)	Buildings 150	2 and 1601 hav	ve large ste	el framed windows. The	window	frames hav	ve ruste	d so badly	
a. TOTAL REQUIREMENT			that in place	es no frame ma	terial is le	ft. Attempts to repair	these	windows by	welding	in new	
6. EXISTING SUBSTANDARD		(	portions of framing and reglazing have proven unsuccessful for several reasons. It has been								
. EXISTING ADEQUATE						ld a new piece into the					
I. FUNDED, NOT IN INVENTORY			accuracy to permit satisfactory reglazing. Further, it has been found almost impossible to remove existing glass from the frames without breakage because the old putty is so hard. This project, therefore, proposes the replacement of the entire sash and glass with new windows.								
. ADEQUATE ASSETS (c+d)											
AUTHORIZED FUNDED											
f. UNFUNDED PRIOR AUTHOR											
g. INCLUDED IN FY	PROGR	RAM	Approximation of the second								
h. DEFICIENCY (a-e-f-g)											
4. RELATED LINE ITEMS											
	Deliver and										
							1,000				

DD 1 JUL 62 1391


BOOK NO. \_\_\_\_ PAGE NO.\_\_\_\_



18. Dec 1970 1971 REAL PROPERTY FACILITIES PROPERTY APPOPERTY FACILITYS PROPERTY FACILITY	1. DATE 2. 1	FISCAL YEAR	,			3. 0	DEPARTMENT	4. INSTALLATION		15/80/245	****	
150,000  24. of 723  NORTH CARGLINA  150,000  SECTION A - GERRAPTION OF USE TITM  PRESIDENT AGENCY TO MAKE A SECTION AGENCY TO	18 Pag 1970					NAVY						
150,000  10. FARMANDE MYSCHAINS	Name of the last o										1/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2/2	
1. PROPRIED A PROBLEM   1. DOUGH A PROBLEM   1. D			of thron action	ZATTON	7. CATEGORY CODE NUMBER	8. PROGRAM ELEME	NT NUMBER	9. STATE/COUNTRY				
# TROOP HOUSING - DETACHED FACILITY SECTION A - DESCRIPTION OF LINE TICK  **PRESSIDENT CONTROL OF THE TOWN OF THE		130,000				723		NORTH CAROLINA				
PRESIDENT   SECTION A SECRETION OF LINE   TEMPORARY FACILITY   Section 8 - COST ESTIMATE	10. PROPOSED APPROPRIATION		11.	BUDGET ACCOUNT NUMB	ER .	12. LINE ITEM NUMBER		13. LINE ITEM TITLE				100000000000000000000000000000000000000
PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  PRODE HOUSING - DETACHED FACILITIES  FOR 46,146 \$ 3.22 \$ 150  CONTROL CARREST   1.0005 MEA 46,146 \$F   1.0005 MEA	\$ 150,000		7					RENOVATE MESSHALL NOS.	107 &	206		
PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  ***PREMAMENT*** ***PREMAMENT*** ****PREMAMENT*** ****PREMAMENT**** ****PREMAMENT*** ****PREMAMENT*** ****PREMAMENT*** ****PREMAMEN			SECTION A - DE	SCRIPTION OF LIN	E ITEM .			SECTION B - CO	ST ESTIMAT	TES		
No. OF STOCKS   No. OF STOCK		18.	PHYSICAL	L CHARACTERIST	CS OF PRIMARY FACILITY		20. PRIMARY FACILITY UNIT CO					
DESIGN CAMPAILY   FROGERA IN PROPERTY   FROGERA	a. PERMANENT	a. NO. OF BLD	3s. 2 b. NO	o. of stores 1			I ROOF HOE	DELACIED FACILITIE	J Jr	40,140	\$ 3.23	\$ 100
# COULDE CAP. COST 15	6. SEMI-PERMANENT						- L				- A	
15. THE OF MONK  . NEW FACILITY  Renew wood doors, trim and hardware. Renew certain and the description of wath to be cone.  AMONITION  metal windows and window sills. New concrete floor slab . ALERATION  in G.I. can washroom. Renew loose and broken plaster OTHER (Specify)  Repair  Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley OTHER (Specify)  Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley OTHER (Specify)  Renew refrigeration cooling condensers and evaporators THE PROPERTY OF CUSION . SECTION C - SASIS OF REQUIREDEST  TO BUSINESSION  . ORANING NO.  CUANTITATIVE DATA  (UN	c. TEMPORARY			CAP.								
Renew wood doors, trim and hardware. Renew certain metal windows and window sills. New concrete floor slab in G.I. can washroom. Renew loose and broken plaster.  **CONVERSION** Repair**    CONVERSION**   Repair**   CONVERSION**   Repair**   CONVERSION**   Repair**   CONVERSION**   Repair**   CONVERSION**	15. TYPE OF WORK		TION OF WORK TO		COS		/ c.				y	C
metal windows and window sills. New concrete floor slab in G.I. can washroom. Renew loose and broken plaster.  **CONVERSION** **CONVERSION** **New wood bumpers in corridors. Paint all interior. **Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley. **TAMORDED DISIGN	a. NEW FACILITY				hardware Rer	new certain	21 SUPPORTING	C EACH LITIES	1			
in G.I. can washroom. Renew loose and broken plaster.  **Conversion**  **Conversion**  **Conversion**  **Repair**  16. REPLACEMENT   Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.  **STANDARD DESIGN**  **STANDARD DESIGN**  **COMMINITATIVE DATA**  **(UNN	b. ADDITION						1	9 FACILITIES	i i			,
New wood bumpers in corridors. Paint all interior. Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.    Renew refrigeration cooling condensers and evaporators. Renew refrigeration cooling condensers and evaporators. Repair insulation in reefers. Provide vent duct and roof jacks.    SECTION C - BASIS OF REQUIREMENT   SECTION C - BASIS OF REQ	c. ALTERATION								-		1	
Repair    Renew condensate return lines and related valves and fittings. Renew heating coil in attic serving galley.	d. CONVERSION											
Fittings. Renew heating coil in attic serving galley. Renew refrigeration cooling condensers and evaporators. If the provide very duct and spirit insulation in reefers. Provide vent duct and roof jacks.    STANDARD DESIGN   S. STANDARD DESIGN   S. SPECIAL DESIGN   S. SPECIAL DESIGN   SPECIAL	e. OTHER (Specify)								- 12 - Maria	+		
Renew refrigeration cooling condensers and evaporators.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers.  R	Repair											
Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and roof jacks.  Repair insulation in reefers. Provide vent duct and reflect to the valls from the insulation of the masonry one-story messhalls have deteriorated from length of service and type of use. Door are cracked and split, door casings and jambs decayed and door hardware worn out in service and must be replaced. The multion portion of the window frames have studding and other vital parts of the building. The multion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, multion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and the	16. REPLACEMENT		179 / No. # 5, 242 / State Ball (1975) Mars						-			Z .
** STANDARD DESIGN   FOOF jacks.  ** SPECIAL DESIGN	17. TYPE OF DESIGN						2.				-	i.
SECTION C - BASIS OF REQUIREMENT  S. PROUNTEMENT FOR LIMITED  AUTHORIZED  FUNDED  AUTHORIZED  FUNDED  AUTHORIZED  FUNDED  A. RELATED LINE ITEM  C. DRAWING NO.  SECTION C - BASIS OF REQUIREMENT  S. RECUIREMENT  SECTION C - BASIS OF REQUIREMENT  S. RECUIREMENT  S. RECUIREMENT FOR LIMITED  The masonry one-story messhalls have deteriorated from length of service and type of use. Door are cracked and split, door casings and jambs decayed and door hardware worn out in service and must be replaced. The metal plaster lath has rusted causing the plaster to crack and come loose from the walls. This allows moisture to get into the walls from the inside and destroy studding and other vital parts of the building. The mullion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated	- CTANDADA DECICNI						h					,
SECTION C - SASIS OF REQUIREMENT  22. TOTAL LINE ITEM COST  (U/N	8. SPECIAL DESIGN	1001 ]	icks.				i.					1
SECTION C - BASIS OF REQUIREMENT  (U/M	c. DRAWING NO.						j.				-	(
SECTION C - BASIS OF REQUIREMENT  (U/M							22. TOTAL LI	NE ITEM COST		Agrada e se se		150
25. RECUIREMENT ONC LINE ITEM  (U/M						SECTION C - BASIS O					11	1.30
are cracked and split, door casings and jambs decayed and door hardware worn out in service and must be replaced. The metal plaster lath has rusted causing the plaster to crack and come loose from the walls. This allows moisture to get into the walls from the inside and destroy studding and other vital parts of the building. The mullion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated					25. REQUIREMENT FOR LIN	F 1751		leteriorated from length o	of serv	ice and t	vpe of u	ise. Doors
must be replaced. The metal plaster lath has rusted causing the plaster to crack and come  c. EXISTING ADEQUATE  d. FUNDED, NOT IN INVENTORY c. ADEQUATE ASSETS (c+d)  AUTHORIZED  FUNDED  J. UNFUNDED PRIOR AUTHORIZATION c. INCLUDED IN FYPROGRAM  A. DEFICIENCY (c-c-f-g)  24. RELATED LINE ITEMS  must be replaced. The metal plaster lath has rusted causing the plaster to crack and come  loose from the walls. This allows moisture to get into the walls from the inside and destroy  studding and other vital parts of the building. The mullion portion of the window frames have  rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted,  glass bedded in glazing compound and reglazed. Various electrical switches and controls have  worn out in service and must be replaced. The steam condensate return lines and related valves  and fittings have deteriorated and must be replaced. The heating coil serving the galley and  the cooling coils serving the reefer have worn out in service and must be replaced. Deferment  of repairs will result into eventual higher repair costs. Replacement of the facilities in-  volved is not planned and the function of the facilities cannot be eliminated, consolidated			)		are aracked	and split door	cacinge a	ad jambs decayed and door	hardwa	re worn o	ut in se	rvice and
LOSSE from the walls. This allows moisture to get into the walls from the inside and destroy studding and other vital parts of the building. The mullion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated					must be replaced. The metal plaster lath has rusted causing the plaster to crack and come loose from the walls. This allows moisture to get into the walls from the inside and destroy							
studding and other vital parts of the building. The mullion portion of the window frames have rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated			-	)								
rusted causing window panes to crack. Glass has to be removed, mullion cleaned and painted, glass bedded in glazing compound and reglazed. Various electrical switches and controls have worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities in- volved is not planned and the function of the facilities cannot be eliminated, consolidated												
glass bedded in glazing compound and reglazed. Various electrical switches and controls have  worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities in- volved is not planned and the function of the facilities cannot be eliminated, consolidated					rested assessing window parce to crack. Class has to be removed mullion cleaned and painted.							inted,
worn out in service and must be replaced. The steam condensate return lines and related valves and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated				glace hodded	in alagina con	anound and	reglazed. Various electri	ical sw	itches ar	d contro	ols have	
and fittings have deteriorated and must be replaced. The heating coil serving the galley and the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities in- volved is not planned and the function of the facilities cannot be eliminated, consolidated				grass bedded	and grazing con	t he renla	red The steam condensate	retur	n lines a	nd relai	ed valves	
the cooling coils serving the reefer have worn out in service and must be replaced. Deferment of repairs will result into eventual higher repair costs. Replacement of the facilities involved is not planned and the function of the facilities cannot be eliminated, consolidated				and fittings	have deteriors	ated and mus	et be replaced. The heati	ing coi	1 serving	the gal	ley and	
of repairs will result into eventual higher repair costs. Replacement of the facilities in-		PROGRA	M		the cooling	coile carving t	he reefer 1	have worn out in service a	and mus	t be repl	aced. I	Deferment
volved is not planned and the function of the facilities cannot be eliminated, consolidated			45, 178,446		of repairs	ill regult into	eventual 1	higher repair costs. Renl	Lacemen	t of the	facilit	ies in-
or transferred. The entire interior and exterior requires painting. (Cont'd)	24. RELATED LINE ITEMS				volved is no	t planned and t	he function	n of the facilities cannot	be el	iminated,	consol:	idated
of transferred. The cheffe factor and the					or transferr	ed. The entire	interior	and exterior requires pain	nting.	(Cont'd)		
	and the second second second second	And the second			or cranstell	ca. The cheffe	, interior ,		J			
그는 이 마다는 이 마다는 그는				38 St. 19 St.								
FORM 1001	FORM			•						93		

DD 1 JUL 62 1391

BOOK NO. \_\_\_\_ PAGE NO. \_\_\_\_



18 Dec 1970 1971 MILITARY CONSTRUCTION LINE ITEM DATA

(Continued)


NAVY

MARINE CORPS BASE, CAMP LEJEUNE

RENOVATE MESSHALL NOS. 107 & 206


25. Requirement for Line Item (Continued)

- a. Year Built: 2 1942 and 1 1943
- b. Total Cost of Construction: \$360,147
- c. It is proposed to accomplish this work by contract.
- d. This project has no relationship to other projects programmed or planned.




IN THE CORPT AND A STATE CORPTION OF LIVE ITEM AND A PROCESS NAMED AND A STATE ADMINISTRATES AND	1. DATE 2. F	ISCAL YEAR	ø				3. DEPARTMENT	4. INSTALLATION				-
138,500   PAL   SOLITION NOT COMMENT   SAIL   NO. OFFICE CASE ASSESSMENT   SOLITION NOT COMMENT   SOLITION NOT C		1971	MI REAJ	LITARY CONSTR L PROPERTY	RUCTION LINE ITEM FACILITIES PE	DATA ROJECT	NAVY	MARINE CORPS BASE,	CAMP LEJE	JNE		
1 133,500  SECTION A - DESCRIPTION OF LINE ITEM  AND ADDRESS A - LEADING A - L	5. PROPOSED AUTHORIZATION	6	6. PRIOR AUTHORIZA	ATION	7. CATEGORY CODE NUMBER	8. PROGR	AM ELEMENT NUMBER	9. STATE/COUNTRY	6	-		
REPLACE FIVE RAN WATER WELLS, NOS. 605, 618, TT-28, TT-45 & TT-55  REPLACE FIVE RAN WATER WELLS, NOS. 605, 618, TT-28, TT-48 & TT-45 & TT-55  REPLACE FIVE RAN WATER WELLS, NOS. 605, 618, TT-28, TT-48 & TT-45 & TT-55  REPLACE FIVE RAN WATER WELLS, NOS. 605, 618, TT-28, TT-48, TT-48 & TT-48 & TT-48  REPLACE FIVE RAN WATER WELLS, NOS. 605, 618, TT-28, TT-48, T		P	P.L. **		841		· Section of the sect	NORTH CAROLINA				
SECTION A - DESCRIPTION OF LINE TIPM  SECTION A - DESCRIPTION OF LINE TIPM  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  WELLS  PART	10. PROPOSED APPROPRIATION		11. B	UDGET ACCOUNT NUMB	ER '	12. LINE ITEM NUM	BER .	13. LINE ITEM TITLE				
PHYSICAL CHMRACTERISTICS OF PRIMARY FACILITY  PHYSICAL CHMRACTERISTICS OF PRIMARY FACILITY  WELLS  DAW QUARTITY  WELLS  A S 27700.05 136.5  5. NO.078.00	\$ 138,500					7.8			ATER WELLS	, NOS. 60	05, 618,	TT-28,
PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  PHYSICAL CHARACTERISTICS OF PRIMARY FACILITY  PUBLIS  RA 5 27700.0   38.5.  RA 5 27700			ECTION A - DES	CRIPTION OF LIN	ETEM			SECTION	B - COST ESTIM	TES		Late Late
** PROMONEY ** . 50.0 FRICE ** . 1.000 CARRES ** . 1.000 ME ** . 1.000 M		18.	PHYSICAL	CHARACTERIST	ICS OF PRIMARY FA	ACILITY		LLITY				
L. SOUL-PREMARKEN L. SOURCE PROMOBING L. SOURC	a. PERMANENT	a. NO. OF BLDGS	s. b. No.	OF STORES	c. LENGTH	d. WIDTH			EA	)	2//00.0	1 138.5
** COUNTING WORK TO BE DOCK.  ** NEW FACILITY   CONTINUE OF THE PROPERTY    ** PREVIOUS PROP AUTHORIZATION    ** PREVIOUS PROP AUTHORIZATION    ** PROCEED PROP AUTHORIZATION    ** PROCESSED PROCESSED    ** PROCESSED PROCESSED    ** COUNTING WORK TO BE DOCK.  ** NAME FACILITY    ** COUNTING WORK TO BE DOCK.  ** AND THEN BOOK MARK TO BE DOCK.  ** THE PROCESSED	6. SEMI-PERMANENT	e. DESIGN CAP	PACITY		f. GROSS AREA	Angel 1					7	1902
15. DECOMPTION OF MORE TO BE DOAS  N. NOW FORLITY  N. PROPERTIES  N. MODITION  N. MILEATION  L. MILE	c. TEMPORARY	8. COOLING		CAP.	Market Patrick Projection	ST (\$					1	
M. MIRATION   Dumping equipment and interconnecting piping from each well to the respective existing raw water line. Demolish and remove the houses over the wells to be replaced and cap the replaced wells.    CONNER (SPECIF)   REPAIR   CONNER (SPECIF)   CONNER (	15. TYPE OF WORK						d.				)	(
well to the respective existing raw water line. Demolish and remove the houses over the wells to be replaced and cap the replaced wells.  Repair cap the replaced wells the replaced wells and the repair cap the replaced wells and the replaced wells.  Repair cap the replaced wells.  Repa	a. NEW FACILITY							G FACILITIES			Western Conference of the Conf	
A TOTAL BEGUIRMENT  EXISTING ACCOUNT EXISTING ACCOUNT  EXISTING ACCOUNT EXISTING ACCOUNT  EXISTING ACCOUNT EXISTING  ADDITION OF THE MEDICAL PROPERTY  AUTHORITOR	b. ADDITION										1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
A COUNT STATE CONTROL NOT IN INVESTIGAL ACTIONS TO THE PROGRAM ALTHORIZED FUNCTOR ALTHORI	c. ALTERATION											f .
Repair    Cap the replaced wells.					he wells to b	e replaced	and c.					1
17. TYPE OF DESIGN  . STANDARD DESIGN  . STANDARD DESIGN  . STANDARD DESIGN  . DRAWING NO.  SECTION C - BASIS OF REQUIREMENT  12. TOTAL LINE ITEM COST  1 138.5  SECTION C - BASIS OF REQUIREMENT  (U/N'  . TOTAL REQUIREMENT  15. REQUIREMENT FOR LINE ITEM  Five existing water wells, two serving the Hadnot Point Water Treatment Plant and three furnishing water for the Tarawa Terrace Water Treatment Plant have failed totally beyond hope of rehabilitation. This project proposes the replacement of these five wells complete with pump houses, pumping equipment, and interconnecting plping between the wells and existing raw water lines. Replacement is necessary in order to restore the raw water supply to these treatment plants. This item will not cause additional water or air pollution.  DD FEGURA 1391		cap the	replaced w	ells.			d.	Control of the Contro		1,000		
17. TYPE OF DESIGN   1. STANDARD   1. DESTINANCE   1. DESTINANC	16. REPLACEMENT						f.					
SECTION C - BASIS OF REQUIREMENT  OUANTITATIVE DATA  (UN' )  ** TOTAL REQUIREMENT  ** TOTAL REQUIREMENT  ** ADTIONATE ASSETS (* * *)  ** AUTHORIZED  AUTHORIZED  FUNDED  AUTHORIZED  FUNDED  ** PROGRAM  ** DESCRIPTION C - BASIS OF REQUIREMENT  ** Tive existing water wells, two serving the Hadnot Point Water Treatment Plant and three furnishing water for the Tarawa Terrace Water Treatment Plant have failed totally beyond hope of rehabilitation. This project proposes the replacement of these five wells complete with pump houses, pumping equipment, and interconnecting piping between the wells and existing raw water lines. Replacement is necessary in order to restore the raw water supply to these treatment  **J. PUNDED OF PRIOR AUTHORIZATION  **J. NULLUDED IN FY PROGRAM  **J. DEFICIENCY (****-****	17. TYPE OF DESIGN						,			2 357		
SECTION C - BASIS OF REQUIREMENT  S. OUANTITATIVE DATA  (U/M'	a. STANDARD DESIGN			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			h.					1
SECTION C - BASIS OF REQUIREMENT  (UML	8. SPECIAL DESIGN						i,					1
SECTION C - BASIS OF REQUIREMENT  (U/M'	c. DRAWING NO.						j.		1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1			1
SECTION C - BASIS OF REQUIREMENT  (U/M )  **I TOTAL REQUIREMENT    **EXISTING ADEQUARE  **EXISTING ADEQUARE  **ADEQUARE ASSETS (**4)  **ADEQUARE ASSETS (**4)  **ADECUARE ASSETS (**4)  **AUTHORIZED FUNCED  **AUT	The subsection of						22. TOTAL LI	INE ITEM COST				138 5
** OUANTITATIVE DATA  (U/M'					ear Esperie to Ever	SECTION C - B	ASIS OF REQUIREMENT					. 130.3
** TOTAL REQUIREMENT  ** EXISTING SUBSTANDARD  ( ) call the substandard	23.		ATA		25. REQUIREMENT FOR LIF	NE ITEM	The second second second		no list	. 71		c
** EXISTING SUBSTANDARD ( ) rehabilitation. This project proposes the replacement of these five wells complete with pump houses, pumping equipment, and interconnecting piping between the wells and existing raw water lines. Replacement is necessary in order to restore the raw water supply to these treatment plants. This item will not cause additional water or air pollution.    NOTING ADEQUATE ASSETS (**4)	(U/M *		)									
houses, pumping equipment, and interconnecting piping between the wells and existing raw water  funded, Not in inventory  ADECUATE ASSETS (c+d)  AUTHORIZED FUNDED  FUNDED  FUNDED PRIOR AUTHORIZATION  INCLUDED IN FY PROGRAM  A. DEFICIENCY (a-c-f-g)	a. TOTAL REQUIREMENT				ing water fo	or the Tarav	a Terrace Wate	r Treatment Plant have	e failed to	stally be	eyond hop	eor
Lines   Replacement is necessary in order to restore the raw water supply to these treatment			(	).	rehabilitati	ion. This p	project propose	s the replacement of t	these five	wells co	omplete w	ith pump
plants. This item will not cause additional water or air pollution.  J. UNFUNDED PRIOR AUTHORIZATION  J. INCLUDED IN FY PROGRAM  A. DEFICIENCY (a-e-f-6)  24. RELATED LINE ITEMS  DD 1 FORM 1391		<u> Andreas de Maria</u>	A 145	The Property	houses, pump	oing equipme	ent, and interc	onnecting piping between	en the we	lis and o	existing	raw water
AUTHORIZED FUNDED  f. UNFUNDED PRIOR AUTHORIZATION  g. INCLUDED IN FY PROGRAM  A. DEFICIENCY (a-c-f-g)  24. RELATED LINE ITEMS  DD 1 FORM 21391				taring of the	lines. Repl	lacement is	necessary in o	rder to restore the ra	aw water si	ibbih co	these tr	eatment
f. UNFUNDED PRIOR AUTHORIZATION  g. INCLUDED IN FY PROGRAM  A. DEFICIENCY (a-e-f-g)  24. RELATED LINE ITEMS  DD 1 FORM 21391	e. ADEQUATE ASSETS (c+d)				plants. Thi	is item will	l not cause add	itional water or air	pollution.			
8. INCLUDED IN FY			AUTHORIZED	FUNDED								
A. DEFICIENCY (a-e-f-g)  24. RELATED LINE ITEMS  DD 1 FORM 1391												
24. RELATED LINE ITEMS  DD 1 FORM 1391		PROGRAM		2000 300 000								
D) 1 60RM 1391												
D) 1 FORM 1391	24. RELATED LINE TIEMS											
D) 1 FORM 1391			100									
DD 1 FORM 1391												
DD 1 JUL 62 1391 BOOK NO. PAGE NO.			S. W. T. S.									
DD 1 JUL 62 1391	FORM TO T			10 To 10 To 10	estrem a la l							
	DD 1 JUL 62 1391						A STATE OF THE STA			BOOK NO.	PAG	F NO.

BOOK NO.\_




1. DATE 2.	FISCAL YEAR					3. DEPARTMENT	4. INSTALLATION			-	
		MI	LITARY CONST	RUCTION LINE ITEM	DATA						
18 DEC 1970	1971			FACILITIES PI		NAVY	MARTINE CORPOR PAGE CASE				
5. PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZA	TION	7. CATEGORY CODE NUMBER	AND ADDRESS OF THE PERSON NAMED AND POST OF THE PERSON NAMED AND PARTY OF THE PERSON NAMED AND P	ELEMENT NUMBER	MARINE CORPS BASE, CAM	F FE1	EUNE		
1106 000											
\$106,000		P.L.		214			NORTH CAROLINA				
10. PROPOSED APPROPRIATION		11. 80	JDGET ACCOUNT NUM	BER	12. LINE ITEM NUMBE	R	13. LINE ITEM TITLE				
\$106,000							REPLACE WINDOWS, BLDGS	. 150	2 & 1601		
		SECTION A - DESC	CRIPTION OF LI	IE LTEM	<u> </u>		SECTION B - CO	er ceri	WATER		an Asil Angles (1)
14.	18.					20. PRIMARY FAC		T		1	
TYPE OF CONSTRUCTION		PHYSICAL	CHARACTERIST	ICS OF PRIMARY FA	CILITY		ANCE - AUTOMOTIVE	U/M	QUANTITY	UNIT COST	COST (\$000)
a. PERMANENT	a. NO. OF BLD	GS. 2 6. NO.	OF STORES	c. LENGTH	d. WIDTH	THILITINE	MOLOTOTIVE	SF	20,600	\$5.15	\$ 106
6. SEMI-PERMANENT	e. DESIGN C	APACITY		f. GROSS AREA	14. "15111	- 1		-	,		
c. TEMPORARY	g. COOLING		CAP.		Ť (\$	)   c.		+	,		(
15. TYPE OF WORK		TION OF WORK TO		003		, c.			(	1	1
a. NEW FACILITY				envide		al 21. SUPPORTIN	C FACILITIES			)	
b. ADDITION	40 per	cent venter	d atool	rovide project	ted industri	al, 21. 3017 ORTH	S PACIEITIES				3
c. ALTERATION	- 40 per	cent venter	r steer Mi	.ndows.						-	
d. CONVERSION						••					(
e. OTHER (Specify)						c.					(
Repair						a.					(
16. REPLACEMENT						·.					(
17. TYPE OF DESIGN						1.				-	(
a. STANDARD DESIGN						g.				-	(
b. SPECIAL DESIGN						,					(
c. DRAWING NO.						1.					(
						J					
							INE ITEM COST				\$ 106
23.	QUANTITATIVE	DATA		25. REQUIREMENT FOR LIN	The second second second second second	SIS OF REQUIREMENT					
		,				have large sto	el framed windows. The wi	indor	framos ha	vo ruata	d oo bodi
a. TOTAL REQUIREMENT	100			that in place	s no frame	material is le	ft. Attempts to repair th	THOOM	rindore be-	ve ruste	u so badi
b. EXISTING SUBSTANDARD		1		portions of f	raming and	material is re	proven unsuccessful for a	lese	windows by	werding	in new
. EXISTING ADEQUATE		1		found to be a	raming and	fegrazing nave	11 c rose since into the	sever	al reasons	. It ha	s been
	TODY		•				ld a new piece into the ex				
d. FUNDED, NOT IN INVEN				accuracy to p	ermit satis	ractory regraz	ing. Further, it has been	n rou	nd almost	ımpossıb	le to
e. ADEQUATE ASSETS (c+	d)	AUTUODIZES	Funcia				without breakage because t				
4		AUTHORIZED	FUNDED	project, ther	erore, prop	oses the repla	cement of the entire sash	and	glass with	new win	dows.
F. UNFUNDED PRIOR AUTHO											
. INCLUDED IN FY	PROGRA	AM	GAT Self Line 198								
DEFICIENCY (a-e-f-g)										11.	
24. RELATED LINE ITEMS											
A Company of the Comp	ter in 1 3s		awat a same	\$ 1.00 Market	F.						



1. DATE 2.	FISCAL YEAR				3. DEPARTMENT	4. INSTALLATION
		MILITARY CONS	TRUCTION LINE ITEM	DATA	MANY	
18 Dec 1970	1971	선물에 가는 것 같아 하나 하나는 그 가게 얼굴하다면 되었다면 사람들이 얼굴하는 때문에 살았다면 하다.	FACILITIES PRO	CONTRACTOR OF THE RESIDENCE OF THE PROPERTY OF	NAVY	MARINE CORPS BASE, CAMP LEJEUNE
5. PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM E	LEMENT NUMBER	9. STATE/COUNTRY
\$ 150 000		P.L. 43'				
\$ 150,000			723			NORTH CAROLINA
10. PROPOSED APPROPRIATION		11. BUDGET ACCOUNT NU	ABER .	12. LINE ITEM NUMBER		13. LINE ITEM TITLE
\$ 150,000			epet in the last affect of a			RENOVATE MESSHALL NOS. 107 & 206
250,000		SECTION A - DESCRIPTION OF L	NE ITCH			
14.	18.	SECTION A - SECONTITION OF E	AC TIEM		20. PRIMARY FAC	SECTION B - COST ESTIMATES
TYPE OF CONSTRUCTION		PHYSICAL CHARACTERIS	TICS OF PRIMARY FAC	CILITY		OUSING - DETACHED FACILITIES SF 46,146 \$ 3.25 \$ 150
a. PERMANENT	a. NO. OF BL	DGS. 2 6. NO. OF STORES 1	e. LENGTH	d. WIDTH	a.	OSING - DETACHED PACIFITIES SP 40,140 \$ 3.23 \$ 130
SEMI-PERMANENT	e. DESIGN (		f. GROSS AREA 46,		b.	
TEMPCRARY	g. COOLING	CAP.	COST		) c.	
5. TYPE OF WORK	19. DESCRIF	PTION OF WORK TO BE DONE			d.	
. NEW FACILITY	Renew	wood doors, trim and	hardware. Ren	new certain	21. SUPPORTIN	NG FACILITIES
. ADDITION		windows and window s			lab .	-
. ALTERATION		. can washroom. Ren			The second secon	
. CONVERS IN		od bumpers in corrid			c.	
. OTHER	STREET, STREET	condensate return li			d.	
Repair		gs. Renew heating c				
16. PEP_1 No.	Ballion School Control	refrigeration coolir			A SECURITY OF THE PROPERTY OF	
17. Tr== 34		insulation in reefe			g.	
. STANCER TO GN	roof j				h	
6. SPEC - 1 14 14 1					i.	(
c. CR4 * YE WAS AND THE					j	
					22. TOTAL LI	INE ITEM COST: \$ 150
				SECTION C - BASI	S OF REQUIREMENT	
•	QUANTITATIVE	DATA	The masonry of	e ITEM	shalls have	deteriorated from length of service and type of use. Do
(U/M	·		are cracked	and split do	or casings a	and jambs decayed and door hardware worn out in service
. TOTAL RESERVENT			must be repla	and spile, do	tal plaster	lath has rusted causing the plaster to crack and come
. EXIST A DESTANDARD			loose from th	ne walls Th	is allows mo	isture to get into the walls from the inside and destroy
. EXISTING SCEDUATE			studding and	other vital	parts of the	building. The mullion portion of the window frames have
FUNDED, NET IN INVEN			rusted causin	ng window pan	es to crack.	Glass has to be removed, mullion cleaned and painted,
. ADEQUATE ASSETS (c+	d)	AUTHORIZED FUNDED	glass bedded	in glazing c	compound and	reglazed. Various electrical switches and controls have
UNEUNDED DOLOG METIC	DIZATION:	AUTHORIZED FUNDED	worn out in	service and m	nust be repla	nced. The steam condensate return lines and related val
. INCLUDED IN FY	PROGR	014	and fittings	have deterio	rated and mu	ast be replaced. The heating coil serving the galley and
. DEFICIENCY (a-e-f-g)			the cooling of	coils serving	the reefer	have worn out in service and must be replaced. Before
4. RELATED LINE ITEMS			of repairs w	ill result in	to eventual	higher repair costs. Replacement of the facilities in-
2800c1715			volved is not	t planned and	the functio	on of the facilities cannot be eliminated, consolidated
			or transferre	ed. The enti	re interior	and exterior requires painting. (Cont'd)
					2 million of	
			1			

DD 1 JUL 62 1391


BOOK NO. \_\_\_\_ PAGE NO.



1. DATE	2. FISCAL YEAR		3. DEPARTMENT	4. INSTALLATION
18 Dec 1970	1971	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	NAVY	MARINE CORPS BASE, CAMP LEJEUNE
5. LINE ITEM NUMBER		6. LINE ITEM TITLE		

25. Requirement for Line Item (Continued)


- a. Year Built: 2 1942 and 1 1943
- b. Total Cost of Construction: \$360,147
- c. It is proposed to accomplish this work by contract.
- d. This project has no relationship to other projects programmed or planned.



1. DATE 2	FISCAL YEAR	Ι,				3. DEPARTMENT	4. INSTALLATION	100	4000000		
			MILITARY COURT	OUGTION LINE LTEN						•	
18 DEC 1970  5. PROPOSED AUTHORIZATION	1971	6. PRIOR AU		RUCTION LINE ITEM FACILITIES PI		NAVY	MARINE CORPS BASE, (	CAMP LEJE	UNE .		
or the second noncenterment		6. PRIOR AU	THORIZATION	7. CATEGORY CODE NUMBER	8. PROGRAM	M ELEMENT NUMBER	9. STATE/COUNTRY				
\$ 138,500		P.L.		841			NORTH CAROLINA				
10. PROPOSED APPROPRIATION			11. BUDGET ACCOUNT NUM	BER	12. LINE ITEM NUMBE	R	13. LINE ITEM TITLE	- 81	7.0	agit yes to	
\$ 138,500					A Charles		REPLACE FIVE RAW WAT	TER WELLS	, NOS. 60	5, 618, 1	T-28,
		SECTION A	- DESCRIPTION OF LI	NE ITEM			SECTION B	- COST ESTIM	ATES		
14. TYPE OF CONSTRUCTION	18.	DUVO				20. PRIMARY FA		U/M	QUANTITY	UNIT COST	COST (\$000)
14 May 1 May		PHYS	ICAL CHARACTERIS	TICS OF PRIMARY F	ACILITY	WELLS		EA	5 S	27700.00	Contract of the Contract of th
a. PERMANENT	a. NO. OF BL	DGS.	b. NO. OF STORES	c. LENGTH	d. WIDTH	a.		1111		1	(
b. SEMI-PERMANENT	e. DESIGN	CAPACITY		f. GROSS AREA		b.				1	
c. TEMPORARY	g. COOLING		CAP.	COS	ST (\$	) c.				)	(
15. TYPE OF WORK			RK TO BE DONE			d.				)	(
a. NEW FACILITY	Constru	ct five	replacement	wells complete	with houses	S, 21. SUPPORTI	VG FACILITIES			,	•
b. ADDITION	pumping	g equipm	ent and inter	connecting pip	oing from each						,
c. ALTERATION	well to	the re	spective exis	ting raw water	line. Deme	olish b.					(
d. CONVERSION	and rem	nove the	houses over	the wells to b	e replaced	and c.					,
Repair	The second secon		ed wells.			d.					(
16. REPLACEMENT						٠.	Property of the state of the st		- 1,000sc P46s		(
17. TYPE OF DESIGN	(1) de					f-					(
a. STANDARD DESIGN						g.					(
b. SPECIAL DESIGN						14-					
c. DRAWING NO.											(
	ensore to the					I+					(
							INE ITEM COST				138.5
23.	QUANTITATIVE	DATA		25. REQUIREMENT FOR LI		SIS OF REDUTEMENT	AT TOPPED A				Mary Cause No.
(U/M				Five existing	ng water wel	1s two servin	g the Hadnot Point Wate	er Treatm	ent Plant	and thre	e furnish
a. TOTAL REQUIREMENT			- I was a street was	ing water for	or the Taraw	a Terrace Wate	r Treatment Plant have	failed t	otally be	vond hope	of
b. EXISTING SUBSTANDARD		1		robabilitati	ion This n	roject propose	s the replacement of the	hese five	wells co	mplete wi	th pump
c. EXISTING ADEQUATE				houses num	ning oquipme	nt and interc	connecting piping between	en the we	11s and e	xisting n	aw water
d. FUNDED. NOT IN INVEN	TORY		1 4 500 900	lines Pan	lacoment ic	nocessary in c	order to restore the ray	water s	upply to	these tre	eatment
				nlanta Th	is item rill	not cause add	litional water or air po	ollution.			
e. ADEQUATE ASSETS (c+	d)	AUTHOR	11750 5111050	- prants. In.	is item will	not cause add	reconal water of air po	offactom.			
4 UNFUNDED PRIOR AUTUS	DIZATION:	AUTHOR	PIZED FUNDED								
f. UNFUNDED PRIOR AUTHO 8. INCLUDED IN FY	PROGR	A14									
		AM									
h. DEFICIENCY (a-e-f-g)		1999									
24. RELATED LINE ITEMS				and the second							
		line.		and the section of the section of							
				The Property of		* 100 March 1970					
DD 1 JUL 62 1391								( )	BOOK NO.	PAGE	NO

BOOK NO.

PAGE NO.



2. FI	SCAL YEAR	1			3. DEPARTMENT	4. INSTALLATION				
18 DEC 1970	1971	[일본 ] 사용[[[전문]] [[[[[[[]]] [[[]] [[[]] [[[]] [[[]] [[]] [[]] [[]] [[[]] [[]] [[]] [[]] [[]] [[[]] [[]] [[]] [[]	STRUCTION LINE ITEM	ROJECT	NAVY	MARINE CORPS BASE, C	CAMP LEJE	EUNE		
PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZATION	7. CATEGORY CODE NUMBER	R 8. PROGRA	AM ELEMENT NUMBER	9. STATE/COUNTRY				
106,000		P.L.	214			NORTH CAROLINA			Transfer Lines	12.75
PROPOSED APPROPRIATION		11. BUDGET ACCOUNT	NUMBER	12. LINE LTEM NUM	BER	13. LINE ITEM TITLE				
106,000						REPLACE WINDOWS, BLI			No. 2011 P. Conde	
		SECTION A - DESCRIPTION OF	LINE ITEM			SECTION B	- COST ESTIN	ATES		
TYPE OF CONSTRUCTION	18.		ISTICS OF PRIMARY F	ACILITY	MAINTEN	ANCE - AUTOMOTIVE	SF	20,600	\$5.15	\$ 106
. PERMANENT	a. NO, OF BL	LDGS. 2 6. NO. OF STORES	c. LENGTH	d. WIDTH	a.			(	)	(
SEMI-PERMANENT	e. DESIGN	THE STATE OF THE S	f. GROSS AREA		b.			(	)	(
TEMPORARY	g. COOLING		P. CC	ST (\$	) c.			(	)	(
5. TYPE OF WORK	-	IPTION OF WORK TO BE DONE			d.			(		( ) - ( ) ( ) ( ) ( ) ( )
NEW FACILITY		e existing windows.	Provide projec	ted industr	ial, 21. SUPPORT	NG FACILITIES				1
ADDITION		r cent vented steel			a,					1
ALTERATION	7 10 pc.				b.					1
CONVERSION					c.					,
OTHER (Specify)					d.					1
Repair					f					,
REPLACEMENT					1.			A STATE OF THE STA		(
7 TYPE OF DESIGN					g.					(
STANDARD DESIGN					n.			170		(
. SPECIAL DESIGN					1.			(i)		(
DRAWING NO.					22. TOTAL	LINE ITEN COST				\$ 106
				- 2 MOLTORS	BASIS OF REQUIREMENT					
	QUANTITATI	VE DATA	25. REQUIREMENT FOR						ka a diredo	
(U/M_	QUARTITIATI		Pudldings 1	502 and 1601	l have large st	eel framed windows. Th	e window	frames h	ave ruste	ed so ba
1			that in ala	cos no frame	a material is	eft. Attempts to repai	r these	WINDOWS D	y weruring	3 III HEW
. TOTAL REQUIREMENT  EXISTING SUBSTANDARD			entions of	framing and	d reglazing has	re proven unsuccessful f	or sever	al reason	s. It me	18 DEEH
EXISTING ADEQUATE		and the same and t	for all he ha		difficult to t	reld a new piece into th	ie existi	ng liames	WILLI SU	LICICIA
FUNDED, NOT IN INVENT	ORY				infantame worl	ging Further it has	been rou	ind almost	TITTEROPPET	TE CO
ADEQUATE ASSETS (c+d				+4ma alaga :	from the frame	without breakage becau	ise the c	old pully	IS SO Ha	
		AUTHORIZED FUNDE	project, th	erefore, pr	oposes the rep	lacement of the entire s	asn and	grass wit	II HEW WI	idono.
UNFUNDED PRIOR AUTHOR	IZATION	New microsum								
INCLUDED IN FY		GRAM								
DEFICIENCY (a-e-f-g)	Manager 1									
24. RELATED LINE ITEMS					Company of the Compan					
					1					
and the Material Control		Saphalate and a	A SECTION OF							
	and the second					THE PROPERTY OF THE PROPERTY O				









	1971		STRUCTION LINE ITEM TY FACILITIES PRO		S. DEPARTMENT	MARINE CORPS BASE, CAMP LEJEUNE
\$ 150,000		6. PRIOR AUTHORIZATION P.L.	7. CATEGORY CODE NUMBER	8. PROGRAM E	LEMENT NUMBER	NORTH CAROLINA
150,000		11. BUDGET ACCOUNT	NUMBER	12. LINE ITEM NUMBER		RENOVATE MESSHALL NOS. 107 & 206
		SECTION A - DESCRIPTION OF	LINE ITEM			SECTION B - COST ESTIMATES
TYPE OF CONSTRUCTION	18.		ISTICS OF PRIMARY FA	CILITY	TROOP HO	
. PERMANENT	a. NO. OF BL	DGS. 2 6. NO. OF STORES	L c. LENGTH	d. WIDTH		
. SEMI-PERMANENT	e. DESIGN	CAPACITY	f. GROSS AREA 46	,146 SF	6.	
. TEMPORARY	g. COOLING	CA		T (\$	) c.	
5. TYPE OF WORK	19. DESCRI	PTION OF WORK TO BE DONE			d.	
. NEW FACILITY	Renew	wood doors, trim a	nd hardware. Ren	new certain	21. SUPPORT	ING FACHLITIES
. ADDITION	metal	windows and window	sills. New cond	crete floor s	lab .	
. ALTERATION		. can washroom. R				
. CONVERSION		od bumpers in corr			c.	
. OTHER (Specify)		condensate return			d.	
Repair		ngs. Renew heating			7	
6. REPLACEMENT		refrigeration cool				
7. TYPE OF DESIGN		insulation in ree			4.	
. STANDARD DESIGN	roof				h.	
. SPECIAL DESIGN	1001	Jacks.			t.	
e. DRAWING NO.					j.	
					22. TOTAL	LINE ITEN COST \$ 150
					S OF REQUIREMENT	
(U/M_	QUANTITATIVE	E DATA )	The masonry	one-story men	sshalls have	deteriorated from length of service and type of use. Do
. TOTAL REQUIREMENT			are cracked	and split, do	or casings	and jambs decayed and door hardware worn out in service
. EXISTING SUBSTANDARD	**	(	must be repl	aced. The me	etal plaster	lath has rusted causing the plaster to crack and come
. EXISTING ADEQUATE			loose from t	he walls. The	his allows m	oisture to get into the walls from the inside and destroy
. FUNDED, NOT IN INVENT	ORY		studding and	other vital	parts of the	e building. The mullion portion of the window frames have
. ADEQUATE ASSETS (c+d	)		rusted causi	ng window par	nes to crack	Glass has to be removed, mullion cleaned and painted,
		AUTHORIZED FUNDED	glass bedded	in glazing	compound and	reglazed. Various electrical switches and controls have
. UNFUNDED PRIOR AUTHOR	IZATION		worn out in	service and	must be repl	aced. The steam condensate return lines and related values and related values are the salley and the salley and the salley are
. INCLUDED IN FY	PROGR		and fittings	have deteri	orated and m	nust be replaced. The heating coil serving the galley and
DEFICIENCY (a-e-f-g)			the cooling	coils serving	g the reefer	have worn out in service and must be replaced. Deferment
4. RELATED LINE ITEMS			volved is no	t planned an	d the functi	higher repair costs. Replacement of the facilities in- on of the facilities cannot be eliminated, consolidated and exterior requires painting. (Cont'd)















18 Dec 1970 1971 MILITARY CONSTRUCTION LINE ITEM DATA
(Gontinued)


S. LINE ITEM NUMBER

6. LINE ITEM TITLE

RENOVATE MESSHALL NOS. 107 & 206

25. Requirement for Line Item (Continued)


- a. Year Built: 2 1942 and 1 1943
- b. Total Cost of Construction: \$360,147
- c. It is proposed to accomplish this work by contract.
- d. This project has no relationship to other projects programmed or planned.




1. DATE 2.	FISCAL YEAR					3. DEPARTMENT	4. INSTALLATION				
18 DEC 1970	1971	REAL P	ARY CONSTRU ROPERTY	UCTION LINE ITEM FACILITIES PR	DATA OJECT	NAVY	MARINE CORPS BASE, CA	MP LEJEU	INE		
5. PROPOSED AUTHORIZATION		6. PRIOR AUTHORIZATION		7. CATEGORY CODE NUMBER	8. PROGRA	M ELEMENT NUMBER	9. STATE/COUNTRY				
\$ 138,500		P.L.		841			NORTH CAROLINA				
10. PROPOSED APPROPRIATION		11. BUDGET	ACCOUNT NUMBE	:R	12. LINE ITEM NUMB	ER	13. LINE ITEM TITLE				
\$ 138,500							REPLACE FIVE RAW WATE TT-45 & TT-55	R WELLS,	NOS. 60	5, 618, T	r-28,
		SECTION A - DESCRIP	TION OF LINE	ITEM	V. and S. Stand		SECTION B -	COST ESTIMA	TES		
14. TYPE OF CONSTRUCTION	18.	PHYSICAL CHA	ARACTERISTI	ICS OF PRIMARY FA	CILITY	20. PRIMARY FA	CILITY	U/M EA	QUANTITY 5	27700.00	COST (\$000)
a. PERMANENT	a. NO. OF BL	DGS. b. NO. OF ST	TORES	c. LENGTH	d. WIDTH	a.		(		) (	
b. SEMI-PERMANENT	e. DESIGN	CAPACITY		f. GROSS AREA		b.		(		)	
c. TEMPORARY	g. COOLING		CAP.	cos	т (\$	) c.		(		) (	
15. TYPE OF WORK		PTION OF WORK TO BE D				d.		(	N	) (	
a. NEW FACILITY	Constru	act five replace	cement w	ells complete	with house	S, 21. SUPPORTI	NG FACILITIES			. ;	
b. ADDITION	pumping	g equipment and	d interc	onnecting pip	ing from ea	ich .				(	
c. ALTERATION	well to	the respecti	ve exist	ing raw water	line. Dem	olish 6.				(	
d. CONVERSION	and res	nove the house	s over t	he wells to b	e replaced	and c.			N.	(	
Repair		e replac <b>ed wel</b>				d.					
16. REPLACEMENT					1 14 1 12 14 16	f.				(	
17. TYPE OF DESIGN						8.				(	
a. STANDARD DESIGN	7					h.			17	(	
8. SPECIAL DESIGN						i.				(	
c. DRAWING NO.						j.				(	
						22. TOTAL L	INE ITEN COST		14.24	\$	138.5
	a in t				SECTION C - B	ASIS OF REQUIREMENT			1		
<b>3</b> 3.	QUANTITATIV	E DATA		25. REQUIREMENT FOR LIN	NE ITEM			Toontoo	nt Plant	and thre	e furnish
(U/M.		)		Five existin	g water we	lls, two servin	ng the Hadnot Point Water	Treatme	tally be	and three	of
. TOTAL REQUIREMENT		Year of the state		ing water fo	r the Tara	va Terrace Wate	er Treatment Plant have f	alled to	reality be	mplete wi	th numn
b. EXISTING SUBSTANDARD		(	)	rehabilitati	on. This	project propos	es the replacement of the	se live	le and a	victing r	aw water
EXISTING ADEQUATE				houses, pump	ing equipme	ent, and inter	connecting piping between	tile we	inply to	these tre	atment
d. FUNDED, NOT IN INVEN	TORY	1000000		lines. Repl	acement is	necessary in	order to restore the raw	lution	apprij co	Chese cre	
. ADEQUATE ASSETS (c+	d) .			plants. Thi	s item wil	l not cause ad	ditional water or air pol	Tucton.			
		AUTHORIZED	FUNDED								
1. UNFUNDED PRIOR AUTHO	RIZATION										
. INCLUDED IN FY	PROG	RAM									
*. DEFICIENCY (a-e-f-g)											
24. RELATED LINE ITEMS	1/2-1										
				and another transfer of the							
				Control of the second	The second second						

DD 1 JUL 62 1391


BOOK NO. \_\_\_\_\_PAGE NO.\_\_\_\_



1. DATE 2 18 DEC 1970 5. PROPOSED AUTHORIZATION	1971		RY CONSTRUCTION LINE	S PROJECT		NAVY	MARINE CORPS BASE, (	CAMP LEJ	EUNE		
<b>\$106,000</b>		P.L.	7. CATEGORY CODE N	IUMBER 8. I	PROGRAM ELEMENT	NUMBER	NORTH CAROLINA				
\$106,000		11. BUDGET A	CCOUNT NUMBER	12. LINE ITEM	M NUMBER		REPLACE WINDOWS, BLI	OGS. 150	2 & 1601		
		SECTION A - DESCRIPTI	ON OF LINE LITEM								
14. TYPE OF CONSTRUCTION	18.		ACTERISTICS OF PRIMAR	Y FACILITY		20. PRIMARY FAC		- COST ESTI	QUANTITY	UNIT COST	
a. PERMANENT	a. NO. OF BLI	DGS. 2 6. NO. OF STOR	RES C. LENGTH	d. WIDTH			MCE - AUTOMOTIVE	SF	20,600	\$5.15	\$ 106
6. SEMI-PERMANENT	. DESIGN (		f. GROSS AREA	la. WIDIH					(	)	(
e. TEMPORARY	g. COOLING		CAP.	COST 18		6.			(	)	(
15. TYPE OF WORK		PTION OF WORK TO BE DON		COST (\$		c.			(.	)	(
a. NEW FACILITY						d.			(	)	(
b. ADDITION	//O nom	existing windo	ws. Provide pro	jected indus	strial,	21. SUPPORTIN	G FACILITIES				\$
c. ALTERATION	40 per	cent vented st	eel windows.			•.					(
d. CONVERSION						6.					(
. OTHER (Specify)						c.					(
Repair						d.					( +
16. REPLACEMENT						e.					(
17. TYPE OF DESIGN						f.					(
	_					8.					(
STANDARD DESIGN						h.					(
DRAWING NO.						1.					(
. Diamino no.						j.					1
					1 200	22. TOTAL L	NE ITEM COST				\$ 106
			2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SECTION C	- BASIS OF	REQUIREMENT					
· (U/M	QUANTITATIVE	DATA	Buildings	1502 and 16	501 have	large ste	el framed windows. The	window	frames ha	ve ruste	ed so badl
. TOTAL REQUIREMENT			that in pl	laces no fra	ame mater	rial is le	ft. Attempts to repair	these v	vindows by	welding	in new
EXISTING SUBSTANDARD	)	(	) portions	of framing a	and regla	zing have	proven unsuccessful fo	r severa	al reasons	. It ha	s been
EXISTING ADEQUATE			found to h	e extremely	difficu	ilt to we	ld a new piece into the	existi	ng frames	with suf	ficient
FUNDED, NOT IN INVEN			accuracy t	o permit sa	atisfacto	ry reglaz	ing. Further, it has b	een four	nd almost	impossib	le to
ADEQUATE ASSETS (c+			remove exi	sting glass	from th	e frames	without breakage becaus	e the ol	d putty i	s so har	d. This
		AUTHORIZED F	UNDED project, t	herefore, p	proposes	the repla	cement of the entire sa	sh and	lass with	new win	dows.
. UNFUNDED PRIOR AUTHO	RIZATION										
. INCLUDED IN FY	PROGR										
DEFICIENCY (a-e-f-8)											
4. RELATED LINE ITEMS											
						A.					
								And the second second second second			




18 Dec 1970	1971			STRUCTION LINE ITEM		3. DEPARTMENT NAVY	MARINE CORPS BASE, CAM	IP LEJ	EUNE		
\$ 150,000		P.L.	UTHOR I ZAT I ON	7. CATEGORY CODE NUMBER	8. PROGRAM	ELEMENT NUMBER	9. STATE/COUNTRY  NORTH CAROLINA				
150,000			11. BUDGET ACCOUNT	NUMBER	12. LINE ITEM NUMBER		RENOVATE MESSHALL NOS.	107	& 206		
130,000		OECTION A	- DESCRIPTION OF	I INE ITEM			SECTION B - CO	ST ESTI	MATES	3 - 2	
TYPE OF CONSTRUCTION	18.			ISTICS OF PRIMARY FA	ACILITY	TROOP HO	OUSING - DETACHED FACILITIE	U/M	QUANTITY 46,146	# 3.25	COST (\$000 \$ 150
. PERMANENT	a. NO. OF BI	DGS. 2	6. NO. OF STORES	c: LENGTH	d. WIDTH	4.			(	)	(
. SEMI-PERMANENT		CAPACITY			,146 SF	6.				)	(
. TEMPORARY	g. COOLING		CAF		ST (\$	) c.			(	)	(
5. TYPE OF WORK	The state of the s	The second secon	ORK TO BE DONE			d.			1	)	(
NEW FACILITY				nd hardware. Re	new certain	21. SUPPORT	NG FACILITIES				\$
. ADDITION	metal	windows	s and window	sills. New con	crete floor	slab .					(
. ALTERATION	in G.	I. can w	washroom. Re	enew loose and b	roken plaste	r. b.					(
. CONVERSION	New W	ood bum	pers in corr	idors. Paint al	1 interior.	c.					(
OTHER (Specify)	Renew	condens	sate return	lines and relate	ed valves and	d.					(
Repair	fitti	nes. Re	enew heating	coil in attic s	erving galle	у		-			(
6. REPLACEMENT	Renew	refrige	eration cool:	ing condensers a	and evaporate	ors. 1.					(
7. TYPE OF DESIGN	Repai	r insula	ation in ree	fers. Provide v	ent duct and	1 1.					(
. STANDARD DESIGN		jacks.				h.					(
b. SPECIAL DESIGN		]				1.		-			(
c. DRAWING NO.						1.				-	\$ 150
		_					LINE ITEN COST				130
*		-				SIS OF REQUIREMENT		1	- 12 × 12 × 1		
23. (U/M	QUANTITATIV	/E DATA	)	1 1	. 1 - 114	lane annimen	deteriorated from length and jambs decayed and door	naruv	Wale Woll	Out III o.	
. TOTAL REQUIREMENT					4 4 701 -	Anl -lookow	lath has thered callsilly L	HE DIE	aster es	Tought man	
. EXISTING SUBSTANDAR	D	(	. 1988								
. EXISTING ADEQUATE						1	a best iding ine milition b	OLLIG	TI OT PITE	4 7 7 7 7 11	
. FUNDED, NOT IN INVE	NTORY										
ADEQUATE ASSETS (c	d)		T =								
		AUTH	ORIZED FUNDED								
. UNFUNDED PRIOR AUTH											
. INCLUDED IN FY	PRO	MAM									
DEFICIENCY (a-e-f-8											
4. RELATED LINE ITEMS					- + - 1 ammed a	ad the tumers	on of the facilities cannot and exterior requires pai			,	Idaced
		Since									



1 DATE	2. FISCAL YEAR		3. DEPARTMENT	4. INSTALLATION	
18 Dec 1970	1971	MILITARY CONSTRUCTION LINE ITEM DATA (Continued)	NAVY	MARINE CORPS BASE, CAMP LEJEUNE	
5. LINE ITEM NUMBER		6. LINE ITEM TITLE			
		RENOVATE MESSHALL NOS. 107 & 206			


25. Requirement for Line Item (Continued)

- a. Year Built: 2 1942 and 1 1943
- b. Total Cost of Construction: \$360,147
- c. It is proposed to accomplish this work by contract.
- d. This project has no relationship to other projects programmed or planned.



18 DEC 1970	1971			LITIES PROJECT	3. DEPARTMENT	MARINE CORPS BASE, CA	MP LEJE	UNE .		
\$ 138,500		P.L.	N 7. CATEG	ORY CODE NUMBER 8.	PROGRAM ELEMENT NUMBER	NORTH CAROLINA				
10. PROPOSED APPROPRIATION 138,500	N	11. BUDG	ET ACCOUNT NUMBER	12. LINE ITE	M NUMBER	REPLACE FIVE RAW WATE	R WELLS	, NOS. 60	5, 618,	TT-28,
		SECTION A DEPOS	PTION OF LINE ITEM		1971	TT-45 & TT-55				
14.	16.	SECTION A - DESCRI	FIION OF LINE ITEM		20. PRIMARY FA	SECTION B -		TES		
TYPE OF CONSTRUCTIO	N	PHYSICAL CH	ARACTERISTICS OF	PRIMARY FACILITY	WELLS		U/M	QUANTITY	UNIT COST	
a. PERMANENT	a. NO. OF BL	.DGS. 6. NO. OF S	STORES . LEN	GTH d. WIDTH	WELLIO		EA	5	7700.0	138.5
. SEMI-PERMANENT	e. DESIGN			SS AREA			1		1	
. TEMPORARY	8. COOLING		CAP.	COST (\$	11.		1		1	
15. TYPE OF WORK		PTION OF WORK TO BE		C031 (3	- 11.		1		1	
. NEW FACILITY				complete with ho	uses.	NG FACILITIES			7	
. ADDITION				ting piping from		NO PACILITIES				8
. ALTERATION		•		aw water line.					4	(
I. CONVERSION				ells to be replace	ad and					(
Repair		replaced we		ills to be replac	d.					(
6. REPLACEMENT					٠.			- Andrews		( .
7. TYPE OF DESIGN					1.	<u> </u>				4
. STANDARD DESIGN					8.					(
SPECIAL DESIGN					A.					(
. DRAWING NO.					1.					1
					j.					(
					22. TOTAL L	INE ITEN COST				\$ 138.5
	0.145.7.174.7.1				- BASIS OF REQUIREMENT					
(0/	QUANTITATIVI	DATA )		e existing water	wells, two serving	g the Hadnot Point Water	Treatme	ent Plant	and thr	ee furnis
. TOTAL REQUIREMENT			ing	water for the Ta	arawa Terrace Wate	r Treatment Plant have f	ailed to	tally be	yond hop	e of
. EXISTING SUBSTANDAR	D	1	reh	bilitation. Thi	s project propose	s the replacement of the	se five	wells co	mplete w	ith pump
. EXISTING ADEQUATE		1,	hour	es numning equi	ment, and interc	onnecting piping between	the wel	lls and e	xisting	raw water
. FUNDED, NOT IN INVE	NTORY		line	e Renlacement	is necessary in o	rder to restore the raw	water si	ipply to	these tr	eatment
ADEQUATE ASSETS (e			210	to This item	aill not cause add	itional water or air pol	lution.			
ADEQUATE ASSETS (E		AUTHOR1ZED	FUNDED	ics. Iuis icem v	TIL HOL CAUSE AUC	Telonal water of all por	-001011			
		AUTHORIZED	FUNDED							
. INCLUDED IN FY	PROGE	Au								
. DEFICIENCY (a-e-f-e										
4. RELATED LINE ITEMS										
- RELATED LINE ITEMS	Mary and the second									
							N.			
							E40.00			

BOOK NO. \_\_\_\_ PAGE NO.







## Instructions for completing form are contained in NAVFAC MO-322


Camp Lejeune, North Carolina Ali facilities inspected are in satisfactory condition except those listed on Form NAVFAC 9-11014/62, having essential deficiencies that require correction during the current fiscal year and are not funded as of the cut-off date of the Annual Inspection Summary.		5. TO  Commandant of the Marine Corps (Code COM)  6. YIA		4. ACTIVITY Marine Corps Base Camp Lejeune, No. 3. FOR PERIOD ENDING 30 June 7. COPIES TO	9. INSPECTED BY	FISCAL YEAR 1971
DATE	BY DIRECTION	when the same of	and the same of th			[ €.F.D.
-		<u> </u>		The state of the s	ONE-TIME COMPREHENSIVE	OTHER
	10			11	12	13
	FACILITIES NOT INSPECTED			REASON	DATE OF PREVIOUS INSPECTION	APPROXIMATE DATE OF NEXT INSPECTION
None						

FROM: Base Maintenance Officer

DATE:

Conments

The undersigned confirms that the items of deficiencies reported in attached form NAVFAC 9-11014/62 are essential in accordance with the criteria contained in MCO P11000.4A, and that the deficiencies cannot be accomplished during the current fiscal year.




•

Instructions for completing form are contained in NAVFAC P-322.

If continuation sheets are required, use this Form - Fill out Blocks 2, 5, and 6 thru 15 only

	Marine Corps Base	AX	LESS HOUSING	3. U.J.C.		4. FOR PERIOD END	I NG	FISCAL	YEAR 5. SHEET	
	Camp Lejeune, North Carolina	В	HOUSING			30 June		19:	71 _1_0	F 13
	6	7	8	9	10	11	12	13	14	15
	DESCRIPTION	PROJECT NUMBER	CATEGORY	P-99 LINE ITEM	DEFI- CIENCY CODE	UNFUNDED \$ COST OF LINE ITEM DEFICIENCY	FUNDE	RESPONSIBLE FUNDING SOURCE CODE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW	
CONTROL Replace tr Replacemen from Snead Replace 1, cable from the Indust Replace se	ction of trunking cable no. 7 from		135.		1	\$ 48.7		НОМС	20.25	1
Jacksonvil TRAINING F. Replace garepair swi and provide Range. The struction of Enclosure 16 December it is more	le, Montford Point and Camp Geiger.  ACILITIES OTHER THAN BUILDINGS soline motor, repair third rail, tches, repair track and track bed e transformer and ballast - G-5 is was considered to be minor conby the validating officer for FY-69.  (3) to CMC letter COM-mmk dated r 1969 to CG MCB CLNC advised that properly fundable as repair, and included in the next Type "A" Annual		179		1	10.4		НОМС	36.0	2
(2) MAINTER Replace win	NANCE - TANK AUTOMOTIVE ndows - 1502 and 1601		214 ,		1	106.0	7.7	НОМС	360	3
Electrical,	E - COVERED - DEPOT , mechanical and repair (3) roofs- and 1317		441		1	33.8		НОМС	20.25	4.



TYPE A ANNUAL INSPECTION SUMMARY
MAYFAC 9-11014/62 (10-67)
Supersedes NAVDOCKS 2730
S/N-0105-004-0200


## UNFUNDED FACILITIES DEFICIENCIES

•

Instructions for completing form are contained in NAVFAC P-322.

If continuation sheets are required, use this Form - Fill out Blocks 2, 5, and 6 thru 15 only.

Marine Corps Base Camp Lejeune, North Carolina  6  DESCRIPTION  VERED - INSTALLATION AND  anical and repair (5) roofs - 1116, 1118 and 1212  VE BUILDINGS cal - 2 ctric service cable, switches feeding Building No. 2. This o be minor construction by the er for FY-69. Enclosure (3)	PROJECT NUMBER	B CATEGORY CODE 442	9 P-99 LINE ITEM	10 DEFI- CIENCY CODE  1	30 June  11  UNFUNDED \$ COST OF LINE ITEM DEFICIENCY  \$ 77.4	e 12 FUNDED	197 13 RESPONSIBLE FUNDING SOURCE CODE	71 2 OF	13 15 LINE NO. 5
VERED - INSTALLATION AND  anical and repair (5) roofs - 1116, 1118 and 1212  VE BUILDINGS  cal - 2 ctric service cable, switches feeding Building No. 2. This o be minor construction by the	PROJECT	CATEGORY CODE	P-99 LINE	DEFI- CIENCY CODE	UNFUNDED \$ COST OF LINE ITEM DEFICIENCY		RESPONSIBLE FUNDING SOURCE CODE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW  270 1-3	LINE NO.
VERED - INSTALLATION AND  anical and repair (5) roofs - 1116, 1118 and 1212  VE BUILDINGS  cal - 2 ctric service cable, switches feeding Building No. 2. This o be minor construction by the		442 v	LINE	CIENCY CODE	\$ COST OF LINE ITEM DEFICIENCY	FUNDEC	FUNDING SOURCE CODE	VALIDATION OR EFD ON-SITE REVIEW  270 1-3	NO.
anical and repair (5) roofs - 1116, 1118 and 1212  VE BUILDINGS cal - 2 ctric service cable, switches feeding Building No. 2. This o be minor construction by the								1-3	
cal - 2 ctric service cable, switches feeding Building No. 2. This o be minor construction by the		610		1	13.8		НОМС	3	6
M-mmk dated 16 December 1969 Cost of this construction									
The construction is not incklog.  G - DETACHED FACILITIES  rs, interior painting, electical - 411		723		1	75.0		НОМС	9,0 1	7
CILITIES - MORALE, WELFARE - INTERIOR r, exterior and interior paint- and mechanical - TC-930	•	740		1	34.2		НОМС	27.0	8
STRIBUTION AND TRANSMISSION ansmission poles across North-		812		1	18.8		НОМС	240 i	9.
ri	cs, interior painting, elect- cal - 411  CILITIES - MORALE, WELFARE - INTERIOR , exterior and interior paint- and mechanical - TC-930  TRIBUTION AND TRANSMISSION	cs, interior painting, elect- cal - 411  CILITIES - MORALE, WELFARE - INTERIOR -, exterior and interior paint- and mechanical - TC-930  CTRIBUTION AND TRANSMISSION	rs, interior painting, elect- cal - 411  CILITIES - MORALE, WELFARE - INTERIOR -, exterior and interior paint- and mechanical - TC-930  TRIBUTION AND TRANSMISSION  812	TS, interior painting, elect- cal - 411  CILITIES - MORALE, WELFARE - INTERIOR -, exterior and interior paint- and mechanical - TC-930  CTRIBUTION AND TRANSMISSION  812	TS, interior painting, elect- cal - 411  CILITIES - MORALE, WELFARE - INTERIOR - exterior and interior paint- and mechanical - TC-930  CTRIBUTION AND TRANSMISSION  812	TS, interior painting, elect- cal - 411  CILITIES - MORALE, WELFARE - INTERIOR - exterior and interior paint- and mechanical - TC-930  CTRIBUTION AND TRANSMISSION  812  1 18.8	TS, interior painting, elect- cal - 411  CILITIES - MORALE, WELFARE - INTERIOR - exterior and interior paint- and mechanical - TC-930  CTRIBUTION AND TRANSMISSION  812  1 18.8	TS, interior painting, elect- cal - 411  CILITIES - MORALE, WELFARE - INTERIOR - exterior and interior paint- and mechanical - TC-930  CTRIBUTION AND TRANSMISSION  812  1 18.8 HQMC	TRIBUTION AND TRANSMISSION  723  1 75.0  HQMC  1 75.0  HQMC  1 75.0  HQMC  1 34.2  HQMC  1 34.2  HQMC  1 34.2  HQMC  1 34.2




•

Instructions for completing form are contained in NAVFAC P-322.

If continuation sheets are required, use this Form - Fill out Blocks 2, 5, and 6 thru 15 only

1. ACTIVITY CODE	2. ACTIVITY Marine Corps Base	Ax	LESS	3. U.I.C.		4. FOR PERIOD END	ING	FISCAL	5. SHEET	
	Camp Lejeune, North Carolina	В	HOUSING			30 June		197		13
	6	7	8	9	10	11	12	13	14	15
de al Antonio angles de la Companio angles de la Companio angles de la Companio angles de la Companio angles d	DESCRIPTI <b>ON</b>	PROJECT NUMBER	CATEGORY CODE	P-99 LINE ITEM	DEFI- CIENCY CODE	UNFUNDED \$ COST OF LINE ITEM DEFICIENCY	FUNDED	RESPONSIBLE FUNDING SOURCE CODE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW	
This item we maintenance Summary, ot mitted as a The estimat is \$583.0. discussion whether this decision. It is decision. It is decision. It is deficient extensive we ficiencies in a construct. Isted here ment, but no correct the ELECTRICITY LINES deplace pole	conductors, 400 MOQ's replace - as listed as a backlog of essential in the Type A Annual Inspection her than housing, for FY-67 and sub- special project on 15 March 1967. ed cost to correct the deficiency We have been advised that there is in Headquarters Marine Corps as to s item should be Housing or Other g. We have not been advised of a We are listing it as a requirement, luding the estimated cost to correct ncy in the backlog.  ork is required to correct the de- in the secondary electrical distri- em in the private side of Knox k. Corrective action will require ion project, but the deficiency is to show that there is a require- ot including the estimated cost to deficiency in the backlog (\$28.5).  - DISTRIBUTION AND TRANSMISSION es, crossarms, hardware and wire iler Park, Capehart and Paradise		812.		1	\$ 17.0		НОМС	13.5	10




UNFUNDED FACILITIES DEFICIENCIES

Instructions for completing form are contained in NAVFAC P-322.

If continuation sheets are required, use this Form - Fill out Blocks 2, 5, and 6 thru 15 only.


1. ACTIVITY CODE   2. ACTIVITY   Marine Corps Base	AX	LESS	3. U.I.C.		4. FOR PERIOD END	I NG-	FISCAL	S. SHEET	
Camp Lejeune, North Carolin	Charles and the Control	Desirate a statistical and			30 June		197		F 13
6	7	.8	9	T 10	i	12	13	14	15
DESCRIPTION	PROJECT NUMBER	CATEGORY	P-99 LINE ITEM	DEFI- CIENCY CODE	UNFUNDED \$ COST OF LINE ITEM DEFICIENCY	FUNDED	RESPONSIBLE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW	-
ELECTRICITY - DISTRIBUTION AND TRANSMISSSION LINES Cut trees and tree limbs in Paradise Point and Hadnot Point Areas		812.		1	\$ 19.0		номс	135	11
(1) HEAT, STEAM - SOURCE Replace (4) fluid drive hydraulic couplings - 1700		821		1	40.0		номс	40.5 i	12
(2) HEAT, STEAM - SOURCE Retube and make repairs to fireboxes and baffles - RR-15 and BB-9		821.		1	24.0		нQМС	27.0	13
HEAT, STEAM - TRANSMISSION Replace condensate return lines - Paradise Point from Building 2615		822,		1	48.0		НОМС	13.5	14
(5) WATER - SUPPLY, TREATMENT AND STORAGE Replace (5) wells - 605, 618, TT-28, TT-45 and TT-55		841		1	138.5		HQMC	54.0 1	15
(1) ROADS Replace fender south side - SBA-129		85 <b>1</b> .		1	77.0		НQМС	13,5	16
FIRE AND OTHER ALARM SYSTEMS Replace 72 fire alarm boxes in the Hadnot Point Area		. 880		1	27.7		НОМС	405	17
Sub Total					\$ 809.3				



REPORT NAVFAC 11014-1.

UNFUNDED FACILITIES DEFICIENCIES


Marine Corps Base	XA	LESS HOUSING	3. U.I.C.		4. FOR PERIOD END		FISCAL	Mr. Transaction	
Camp Lejeune, North Carolina	a B	HOUSING			30 Jun	e. 'Jan	: of 1 197	1 5 0	13
6	7	8	9	10	11	12	13	14	15
DESCRIPTION	PROJECT NUMBER	CATEGORY	P-99 LINE ITEM	DEFI- CIENCY CODE	UNFUNDED \$ COST OF LINE ITEM DEFICIENCY	FUNDED	RESPONSIBLE FUNDING SOURCE CODE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW	LINE NO.
(77) TRAINING BUILDINGS Structural repairs, exterior and interior painting, electrical, mechanical and replace (4) roofs - 236, 244, 443, 451, 743, 744, 752, 814, 828, 874, 879, 883, 919, M-101, M-102, M-104, M-113, M-119, M-121, M-123, M-124, M-126, M-139, M-307, M-321, M-323, M-324, M-326, M-327, M-402, M-403, M-405, M-406, M-407, M-409, M-411, M-412, M-413, M-418, M-420, M-422, M-501, M-514, M-516, M-520, M-522, M-603, BB-32, BB-34, BB-48, BB-50, BB-68, BB-71, BB-73, BB-80, BB-82, BB-83, BB-89, BB-90, BB-91, BB-92, BB-93, BB-95, BB-100, BB-139, BB-174, BB-175, BB-176, CR-106, TC-175, TC-179, TC-341, TC-627, VL-137, VL-138, VL-141 and VL-149		171	105. 2 2	2	\$ 162.4 	=: L08 rapl 744	Local	1-5.71	18
(36) TRAINING FACILITIES OTHER THAN BUILDINGS Structural repair, exterior painting, repair (2) roofs and replace (4) roofs - G-7, S-154, S-156, S-157, S-158, S-159, S-351, S-352, S-453, S-755, S-773, S-774, S-850, S-873, S-877, S-1727, S-1763, SK-5A, SK-6A, SM-6A, SM-261, SBB-161, SBB-183, SRR-19A, SRR-64, SRR-65, SRR-66, SRR-243, SOC-1C, SOC-2C, SOC-21C, SOC-26C, STC-1222, SVL-112, SVL-114 and SVL-128		179	3 7.3111 23 212, 2	25	21.8  or painting  .coofs • G-	7, 3:	Loca1	1-4	19



#### UNFUNDED FACILITIES DEFICIENCIES



1. ACTIVITY CODE 2. ACTIVITY  Marine Corps Base	AX	LESS HOUSING	3. U.I.C.		4. FOR PERIOD END	ING	FISCAL	YEAR . SHEET	
Camp Lejeune, North Carolina	Action to the second	HOUSING	7. 35 - 36 -		30 Jun	e :	197		13
6	7	8	9	10	11	12-	. 13	14	15
DESCRIPTION.	PROJECT NUMBER	CATEGORY CODE	P-99 LINE ITEM	DEFI- CLENCY CODE	UNFUNDED . \$ COST OF LINE ITEM DEFICIENCY	FUNDED	RESPONSIBLE FUNDING SOURCE CODE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW	LINE NO.
(20) MAINTENANCE - TANK, AUTOMOTIVE Structural repair, exterior and interior painting and mechanical - 574, 703, 739, 775 901, 913, 1502, 1601, 1750, 1755, S-921, A-11 M-120, BA-130, FC-100, GP-1, SGP-15, TC-773, STC-620 and SRR-80	Ş	214		.2	\$ 29.4		Local	1-3	20
(5) MAINTENANCE - FACILITIES FOR MISCELLANEOUS PROCURED ITEMS AND EQUIPMENT Structural repair, exterior and interior painting - 902, A-13, BB-51, FC-200 and TC-910		218		2	11.8		Loca1	2-4	21
(7) MAINTENANCE - PUBLIC WORKS REPAIR AND OPERATIONS Structural repair, exterior and interior painting and replace part of (2) roofs - 45, 765, 780, 1202, 2627, M-103 and RR-13		219		2	28.2		Local	2-5	22
(6) STORAGE - COVERED - DEPOT. Structural repair, exterior and interior painting, electrical and repair (2) roofs - 915, 1011, 1117, 1211, 1316 and 1317		441		2	41.2		Local	1-3	23
(100) STORAGE - COVERED - INSTALLATION AND ORGANIZATIONAL Structural repair, exterior and interior painting, electrical, mechanical, repair (2) roofs and replace (5) roofs - 56, 232, 332; 334, 405, 432, 747, 866, 903, 905, 914, 916, 1012, 1015, 1101, 1102, 1104, 1108, 1116, 1118, 1301, 1606, 1932, 1944, S-752A, A-8,		442		2	161.5		Local	1-4	24




S/N-0105-004-0200

#### UNFUNDED FACILITIES DEFICIENCIES



1. ACTIVITY CODE 2. ACTIVITY  Marine Corps Base	- [A] x	LESS HOUSING	3. U.1.C.		4. FOR PERIOD END	ING	FISCAL	YEAR 5. SHEET	
Camp Lejeune, North Carolina	В	HOUSING	No.		30 Jur	ie	19	71 _7_0	F 13
6	7	8	9	10	11	12	13	14	15
DESCRIPTION	PROJECT NUMBER	CATEGORY	P-99 - LINE ITEM	DEFI- CIENCY CODE	\$ COST OF LINE ITEM DEFICIENCY	FUNDED	RESPONSIBLE FUNDING SOURCE CODE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW	LINE
A-9, A-10, A-12, A-14, D-25, D-40, M-112, M-122, M-136, M-301, M-308, M-314, M-319, M-330, M-408, M-506, M-512, M-601, M-606, M-613, M-619, M-620, BA-128, BA-150, BB-30, BB-31, BB-36, BB-88, BB-166, BB-192, SBB-140, SBB-170, GP-2, GP-3, GP-4, GP-6, GP-7, GP-8, GP-9, GP-10, GP-11, GP-12, PT-9, PT-25, PT-30, RR-7, RR-14, RR-16, RR-19, RR-30, RR-33, RR-36, RR-48, RR-50, RR-56, RR-62, RR-240, RR-248, RR-254, TC-1020, TC-1023, TC-1025, TC-1030, TC-1032, TC-1034, TC-1035, TC-1053, TP-418, TP-449, TP-451, TP-452, VL-166, STT-50 and STT-51									100 100 100 100 100
(5) DISPENSARIES Structural repair, exterior and interior painting and mechanical - 15, 221, 520, BB-10 and RR-12		550	and the	2	\$ 11.9		Local	1	25
(54) ADMINISTRATIVE BUILDINGS Structural repairs, exterior and interior painting, electrical, mechanical, repair (4) roofs and replace (4) roofs - 1, 59, 114, 123, 216, 233, 303, 304, 311, 315, 317, 336, 337, 340, 400, 419, 439, 518, 526, 536, 537, 538, 746, 756, 827, 857, 900, 1005, 1407, 1509, M-105, M-131, M-132, M-144, M-414, M-416, M-521, M-612, M-621, BB-28, BB-37, BB-38, BB-86, GP-5, RR-17, RR-20, RR-22, RR-24, RR-249, RR-255, SH-7, VL-100, VL-105 and LCH-4000		610		2	106.6		Local	1-3	26




TYPE A ANNUAL INSPECTION SUMMARY
MAYFAC 9-11014/62 (10-67)
Supersedes NAVDOCKS 2730
S/N-0105-004-0200

#### UNFUNDED FACILITIES DEFICIENCIES




1. ACTIVITY CODE	Marine Corps Base	AX	LESS HOUSING	3. U.I.C.	andrase	4. FOR PERIOD END	ING	FISCAL	YEAR 5- SHEET	After 1
	Camp Lejeure, North Carolina	B B	HOUSING			30 June	:1	1112 197	4-1-1	13
Department of the control of	6	7	8	9	10	11	12	13	14	15
	DESCRIPTION	PROJECT NUMBER	CATEGORY CODE	P-99 LINE ITEM	DEFI- CIENCY CODE	UNFUNDED \$ COST OF LINE ITEM DEFICIENCY	FUNDED	RESPONSIBLE FUNDING SOURCE CODE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW	
QUARTERS W/Structural painting, m 6, 67, 118, 417, 422, 4 M-217, M-218 M-223, M-224 M-309, M-318 M-504, M-500, M-607, M-608 BB-11, BB-12	HOUSING - BACHELOR ENLISTED  O MESS  repair, exterior and interior echanical and repair (4) roofs - 202, 204, 208, 227, 323, 327, 410, 26, 507, 527, 1109, 1942, M-128, 8, M-219, M-220, M-221, M-222, 4, M-226, M-228, M-229, M-305, 1, M-313, M-316, M-318, M-503, 7, M-509, M-511, M-518, M-604, 9, M-611, M-614, M-616, M-622, 2, BB-13, BB-14, RR-1, RR-2, RR-4 5, BA-102, BA-104 and BA-105		722		2	\$ 226.7	<u>:</u>	Local	1-4	27
Structural painting, el replace (1) 817, 821, 92 M-210, M-315 GP-14, RR-26	HOUSING - DETACHED FACILITIES repair, exterior and interior lectrical, repair (2) roofs and roof - 107, 211, 314, 508, 572, 24, M-205, M-206, M-208, M-209, 5, M-415, M-513, BB-96, BB-98, 6, RR-28, RR-29, RR-31, RR-32, 5, RR-37, VL-101, SVL-155 and		723 🗸		2	34.2		Local	1-4	28
Structural apainting, me of built-up	DUSING - BACHELOR OFFICERS QUARTERS repair, exterior and interior echanical and replace (1) section roof - 2602, 2607, M-130, M-231, 3 and BB-45		724		2	23.2		Local	1-4	29



#### NFUNDED FACILITIES DEFICIENCIES

Instructions for completing form are contained in NAVFAC P-322.

S/N-0105-004-0200 If continuation sheets are required, use this Form - Fill out Blocks 2, 5, and 6 thru 15 only. ACTIVITY CODE 2. ACTIVITY LESS 4. FOR PERIOD ENDING 5. SHEET Marine Corps Base HOUSING FISCAL YEAR Camp Lejeune, North Carolina В 9 OF 13 HOUSING 30 June 1971 11 13 15 UNFUNDED RESPONSIBLE DATE OF EFD P-99 DEFI-PROJECT CATEGORY \$ COST OF DESCRIPTION FUNDING VALIDATION OR LINE LINE CIENCY FUNDED NUMBER CODE LINE ITEM SOURCE EFD ON-SITE CODE NO. 1 TEM DEFICIENCY CODE REVIEW : (21) TROOP HOUSING - EMERGENCY . 725 1 2 . 13.2 Local . 1-2 30 Structural repair, exterior and interior painting - BB-117, BB-118, BB-119, BB-120, BB-121, BB-122, BB-123, BB-124, BB-125, BB-126, BB-127, BB-128, BB-129, BB-130, BB-131, BB-132, BB-133, BB-136, BB-137, MH-3 and MH-4 (12) COMMUNITY FACILITIES - PERSONNEL SUPPORT AND SERVICE 730 2 18.8 Loca1 1-3 31 Structural repair, exterior and interior painting, electrical and repair (2) roofs -3, 18, 812, 1041, 1500, 2600, 2624, M-169, M-303, RR-6, RR-78 and SH-8A (70) COMMUNITY FACILITIES - MORALE, WELFARE AND RECREATIONAL - INTERIOR 740 2 178.8 Loca1 1-4 32 Structural repair, exterior and interior painting, electrical, mechanical, repair (4) roofs, replace (1) roof and replace (1) shelter roof, at RR-72 - 4, 16, 17, 25, 39, 62, 84, 89, 115, 125, 201, 225, 300, 319, 322, 341, 401, 403, 500, 524, 712, 751, 1006, 1106, 1207, 1613, 1903, 1909, 1915, 1938, 2601, 2626 2628, M-100, M-129, M-134, M-171, M-238, M-240 M-302, M-320, M-419, M-502, M-602, D-38, E-1; BA-101, BB-2, BB-3, BB-16, BB-27, BB-54, BB-177, CG-1, PT-5, RR-8, RR-10, RR-10A, RR-49 RR-51, RR-72, TC-900, TC-912, TC-1024, SA-28, TT-44, TT-57, USO, LCH-4002 and LCH-4025




TYPE A ANNUAL INSPECTION SUMMARY
MAYERS 9-11014/62 (10-67)
Supersedes NAVDOCKS 2730
S/N-0105-004-0200

#### UNFUNDED FACILITIES DEFICIENCIES



1. ACTIVITY CODE	If continuation sheets are re-		LESS	3. U.I.C.		4. FOR PERIOD END				
	Marine Corps Base	AX	HOUSING	2		. POR PERIOD END	ING	FISCAL	YEAR 5. SHEET	
	Camp Lejeune, North Carolina	В	HOUSING			30 June	e	19	71 10 OF	13
	6	7	8	9	10	11	12	13	14	15
	DESCRIPTION	PROJECT NUMBER	CATEGORY CODE	P-99 LINE ITEM	DEFI- CLENCY CODE	UNFUNDED \$ COST OF LINE ITEM DEFICIENCY	FUNDED	RESPONSIBLE FUNDING SOURCE CODE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW	L I NE NO .
Structural painting and S-73, S-140 S-347, S-44	NITY - MORALE, WELFARE AND AL - EXTERIOR repair, exterior and interior and resurface playing courts - S-69, D, S-141, S-142, S-162, S-237, S-346 47, S-544, S-545, S-558, S-1732,		750		2.	\$ 37.9		Local	1-5	33
5-1924; S-1 5-1980, S-1	1972, S-1973, S-1974, S-1976, S-1977, 1981, SD-9, SM-245, SM-246, SM-247, S-60, SRR-58 and STC-856		B 1							
Structura1	TEAM - SOURCE repair, exterior and interior 1700, D-24, M-170, M-230, M-625, 3-26		821		2	52.0		Local	1-4	34
Structural painting, magnetic formation of the second seco	- SUPPLY, TREATMENT AND STORAGE repair, exterior and interior mechanical, electrical and replace 614, M-178, M-627, M-628, BA-109, 138, SBA-108, SBA-151, CR-121, 4, BB-97, RR-45, RR-47, RR-85, 38 and SVL-108		841		2	13.9		Loca1	1-5	35
	Sub Total					\$1,173.5				




S/N-0105-004-0200

#### UNFUNDED FACILITIES DEFICIENCIES




1. ACTIVITY CODE	2. ACTIVITY Marine Corps Base	AX	LESS HOUSING	3. U.I.C.		4. FOR PERIOD END	ING	FISCAL	S. SHEET	
	Camp Lejeune, North Carolina	B.	HOUSING			30 June		197		13_
Salite se public	6	7	8	9	10	11	12	13	14	15
	DESCRIPTION	PROJECT NUMBER	CATEGORY	P-99 LINE ITEM	DEFI- CIENCY CODE	UNFUNDED \$ COST OF LINE ITEM DEFICIENCY	FUNDED	RESPONSIBLE FUNDING SOURCE CODE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW	LINE NO.
(2) COMMUN Exterior a	NICATIONS - BUILDINGS and interior painting - 24 and TP-450		131		. 3	\$ 1.3	8.	Local	1-4	36
Structural mechanical present ma	TIONAL - BUILDINGS  repair, interior painting and - 11, 27 and TC-1041, replace anual switchboard equipment located ag No. 11 with new equipment		141		3	9.2		Local	2-3	37
TOXICS	NANCE - AMMUNITION EXPLOXIVES AND repair, exterior and interior SH-8		216		3	1.9		Local		38
COMMUNICAT Structural painting a	NANCE - ELECTRONICS AND ION EQUIPMENT repair, exterior and interior nd/electrical - 100, 442, 529, 530, 13 and TC-1022		217		3	6.1		Local	1-2	39
Structura1	CH, DEVELOPMENT AND TEST BUILDINGS repair, exterior and interior 65, 813, PT-4, PT-6, PT-7 and PT-8		310		3	9.9		Loca1	1-3	40
ORGANIZATIO Structural	ITION STORAGE - INSTALLATION AND ONAL repair, exterior painting and proof - SyL-1, SyL-2, SyL-3, SyL-5, 7, SyL-8, SyL-9, SyL-10, SyL-11,		422 1		3	9.4		Loca1	1-3	41
SVL-12 and	SVL-13									



### UNFUNDED FACILITIES DEFICIENCIES




. ACTIVITY CODE	2. ACTIVITY	AX	LESS HOUSING	3. U.I.C.		4. FOR PERIOD END	ING	FISCAL	5. SHEET	
	Marine Corps Base Camp Lejeune, North Carolina	В	HOUSING			30 June		197		- 13
	f comp rejease, notes carotina	7	8	1	T		T			
	DESCRIPTION	PROJECT NUMBER	CATEGORY	P-99 LINE ITEM	DEFI- CLENCY CODE	UNFUNDED \$ COST OF LINE ITEM DEFICIENCY	12 FUNDED	RESPONSIBLE FUNDING SOURCE CODE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW	LINE NO.
Structural	STRATIVE STRUCTURES - OTHER  repair, exterior and interior and replace (1) roof - S-1733	• • • •	690		3	\$ 1.3		Local	. 4	42
Replace st and gasket recover pi	AM - TRANSMISSION  ceam traps, steam ejectors, pumps cs on valves - pack steam valves, cpes, Hadnot Point Area - recover cs and remove old pipe, Montford		822		3	7.2		Local		43
AND DISPOS Structural	AND INDUSTRIAL WASTE - TREATMENT SAL repair, exterior and interior 32, M-137, RR-38 and TT-35		831		3	1.7		Loca1	2~5	44
Structural painting a	AND GARBAGE repair, exterior and interior and replace (1) roof - M-101A, -106 and VL-107		833		3	3.9		Local	2-4	45
Structural painting a LCH-4007 a	DISTRIBUTION SYSTEM repair, exterior and interior and replace (1) roof - D-39, and STT-39A, paint fire hydrants base (876)		842		3	7.2		Loca1		46



UNFUNDED FACILITIES DEFICIENCIES

1. ACTIVITY CODE	2. ACTIVITY Marine Corps Base	AX	LESS HOUSING	3. U.I.C.		4. FOR PERIOD END	ING	FISCAL	5. SHEET	
	Camp Lejeune, North Carolina	В	HOUSING			30 Jun	e	197		F_13
	6	7	8	9	10	11	12	13	14	15
	DESCRIPTION	PROJECT NUMBER	CATEGORY CODE	P-99 LINE ITEM	DEFI- CLENCY CODE	UNFUNDED \$ COST OF LINE ITEM DEFICIENCY	FUNDED	RESPONSIBLE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW	LINE
Repair and Park, Mont	ENCING, GATES AND GUARD TOWERS  paint fences - Camp Geiger, Midway ford Point, Hadnot Point, Courthouse slow Beach  Sub Total  GRAND TOTAL		872		3	\$ 5.1 \$ 64.2 \$2,047.0		Local		47



# TAB PLACEMENT HERE

## **DESCRIPTION:**

	Unfunded Facilities
	Deficiencies (Projected)
]	Tab page did not contain hand written information
}	Tab page contained hand written information *Scanned as next image

Confidential Records Management, Inc. New Bern, NC 1-888-622-4425 9/08

REPORT NAVFAC 11014-1

•

ACTIVITY CODE	Marine Corps Base	AX	1	3. U.I.C.		4. FOR PERIOD END		FISCAL	S. SHEET	
	Camp Lejeune, North Carolina	В	HOUSING			30 Jur	ie	197	1_1_0	F1
	6	7	8	9	10	1,1	12	13	14	15
	DESCRIPTION	PROJECT NUMBER	CATEGORY	P-99 LINE ITEM	DEFI- CIENCY CODE	UNFUNDED \$ COST OF LINE ITEM DEFICIENCY	FUNDED	RESPONSIBLE FUNDING SOURCE CODE	DATE OF EFD VALIDATION OR EFD ON-SITE REVIEW	LINI NO.
2) TROOP H	OUSING - DETACHED FACILITIES 107 and 206 (Interior)		723		1	\$ 150.0		НОМС		1
ND RECREAT	TY FACILITIES - MORALE, WELFARE IONAL - INTERIOR	.:	740		1	32.0		номс.		2
eplace roo	r = 84									
OADS esurface M	ontford Point Landing Road - Highwa	у .	851		1	90.0		HQMC		3
lorence Roa harles Stra irch Street	entry Booth, Brewster Boulevard, ad - Sentry Booth to curve in road, eet - partial, Wallace Creek Bridge t - Holcomb Boulevard to Lewis Road	,				. 7				
oad, Elm Si ir Street • enter Stree	eet - Holcomb Boulevard to Michael treet - West Road to Michael Road, - Holcomb Boulevard to Michael Road et - Ash Street to Gum Street, Gibb m Street to Gum Street	,				100				
	GRAND TOTAL					\$ 272.0				
NFUNDED FAC	CILITIES DEFICIENCIES (PROJECTED)									
								*****		

