OPNAV 5216/144A (Rev. 8-81) S/N 0107-LF-052-2320

DEPARTMENT OF THE NAVY


Memorandum

DATE: 26 JAN 87 FROM: BIOLOGICAL TECHNICIAN TO: MEMO TO FILE

SUBJ: FOLLOW-UP COMPLIANCE INSPECTION ON HQ BN

THE DISCREPANCIES CITED ON A SCHEDULED COMPLIANCE INSPECTION CONDUCTED 24 NOV 86 HAVE BEEN CORRECTED. ALL HW SITES WERE IN COMPLIANCE AS OF THIS INSPECTION.

Samme U. \$ SAMMY D. GWYNN



6240 DEC 0 5 1986

From: Commanding General, Marine Corps Base, Camp Lejeune To: Commanding Officer, Headquarters Battalion, Marine Corps Base, Camp Lejeune

- Subj: HAZARDOUS WASTE COMPLIANCE INSPECTION OF HEADQUARTERS BATTALION, OF 24 NOV 86
- Ref: (a) BO 6240.5 (b) CG/MCB 291625Z Oct/86
- Encl: (1) Noted violations and recommended corrective action (2) Reference Cited
 - (3) Location of authorized HW Generation and Handling Sites

1. The subject inspection was conducted by Base environmental personnel in accordance with references (a) and (b). Enclosures (1) through (3) provide findings, recommendations and supporting information relative to the subject inspection. It should be noted that violations cited in enclosure (1) are violations of Environmental Protection Agency regulations described in reference (a).

2. Violations cited in enclosure (1) should be corrected within fifteen calendar days from the date of this letter. Addressee should immediately notify the Assistant Chief of Staff, Facilities, Marine Corps Base, of any discrepancy which cannot be corrected within the stated time frame. A reinspection will be conducted by Base environmental personnel in cooperation with the Headguarters Battalion Mazardous Material Disposal Officer (HMDO).

3. Enclosure (3) was developed based on information provided by the Headquarters Battalion HMDO during the subject inspection. Addressee is advised that for the purposes of compliance with reference (a), the sites shown on enclosure (3) will be considered the only authorized locations where hazardous waste may be routinely generated and accumulated by Headquarters Battalion. In the event additional sites are required, addressee will make written notification requesting site approval to the Commanding General, Marine Corps Base, attention Director, Natural Resources and Environmental Affairs Division. Except in an emergency, the notification shall be submitted so as to reach Natural Resources and Environmental Affairs Division at least fifteen calendar days prior to using site.

DEC 0 6 1988

Bis - Composition Composition Corps Batel Composition 191 - Composition Attitute Representation Solution Light Batelon - Composition Contra Based Stampos stores

A CONTRACTOR OF A CONTRACTOR OF A CONTRACTOR AND A CONTRACTOR A CONT

14: (4) (9) (54044) (41) CONCLIPTION ACTIN

aviane evineerias hola manders for specificative sind (1)uside verserias (3)

abile england of solutions of sales of sales will be allowed in (1)

 Vidiglitant cired undersloaders ist succif as correct with ritroro colorier cars stow it free or this istar, white a stould frequentia notify to Vide or this istar, white and free is a cire is a contract or contact and the struct corrects of a contract or contact or contact struction of the cire of a contact or contact or contact or is as any ingentian the contact of contact or contact guarters because the contact of contact or contact or guarters because the contact of contact of contact or contact and contact of the cire of the contact of contact or contact or is a contact of the contact of contact of the contact of the guarters because the contact of contact of the contact of the contact of the guarters because the contact of the

A shiribanine (2) and any bar and and and initial adjoint frow doint in the second structure of the

Subj: HAZARDOUS WASTE COMPLIANCE INSPECTION OF HEADQUARTERS BATTALION ON 24 NOV 86

4. Point of contact for this matter is the Base Hazardous Material Disposal Coordinator, Mr. Sammy Gwynn, extension 2083/1690. Mr. Gwynn is available to assist addressee develop a plan of action to correct and to prevent recurrence of cited discrepancies and to maintain compliance with reference (a).

> T. J. DALZELL By direction

Grand Grand

au ja Baasturtan on aktor utato thange the same the second of a

4. Point reconcised for this notive later taken construction forers in treast. Optimization for this notive later and additional addition and sound to containable to antivestigation of the sound and sound term complication with a transmission and sound term complication with a transmission and sound term complication with a transmission.

> inisia, et i districtio

HAZARDOUS WASTE NON COMPLIANCE NOTICE

1

ORGANIZATION:

Headquarters Bn, MCB


SHOP/UNIT:

Armory

| NO. | DISCREPANCY | SPECIFIC LOCATION | REF | RECOMMENDED CORRECTIVE ACTION |
|-----|---|-------------------|-----|---|
| 1 | Failure to establish & main- tain training records | Armory . | 1 | Maintain Hazardous Waste training records for Armorer and Assistant Armorer to include a brief description of all hazardous waste related duties. |
| 2 | Failure to post emergency spill procedures at generation site. | Armory | 2 | Post sign per BO 11090.1B encl (2) lc. |
| | | | | |


* COMMENT:


Training records for HMDO & alternate must also be maintained at the S-4 level.



1. Section 1 of reference b "clear & concise training records shall be maintained on each person actively involved in Hazardous Waste Managemnet."

2. BO 11090.1B encl (2) para lc - Posting of oil spill procedures Signs shall be posted in every building, tank location and field service where oil or hazardous materials are used.






[3]



| 4 | HAZARDOUS WASTE (HW) MANAGEMENT INSPECTION FORM | | |
|-------------------|---|--|--|
| - | Date. 24NOU86 | | |
| L. | Facility being Inspected: ARMORY Bldg 11 | | |
| 2. | Organization in Charge: He Rn, mcB | | |
| 3. | Inspection Participants/Phone Number: 55GT Spann prone | | |
| | 52/1079, RECKER, GWYNN, JGT ZAMENSKI (ARMORA) | | |
| | Description of HW Streams: WASTE SOLVENT FROM THE | | |
| 1.1.1 | EANING OF WEAPONS | | |
| <u><u>x</u>re</u> | SANING SF WEAPONS | | |
| | | | |
| | | | |
| 5. | Are records of HW generation consistent with HW streams? | | |
| 6. | HW Training | | |
| | a. Are job descriptions available for all personnel avtivel | | |
| inv | olved in HW menagement? ملم | | |
| | b. Are training records adequate/current? | | |
| | c. Are alternate personnel assigned to key positions? Ver | | |
| (11 | not, explain how unit deals with absence of key personnel) | | |
| | d. Do contacted personnel demonstrate adequate knowledge of | | |
| | (1) Regulatory Requirements | | |
| | (2) Applicable Base Orders <u>NO</u> (3) Types of HW Handled <u>NE</u> | | |
| | (4) Proper Containers <u>NO</u> | | |
| | (5) Proper Labeling | | |
| | (6) Weekly HW Inspections <u>NO</u> (7) HW Turn-in Procedures NO | | |
| | (3) Health and Safety | | |
| | (9) Spill Reporting Procedures ~00 | | |
| | (10) Spill Response Duties 20 | | |
| 7. | Condition of Storage Facilities | | |
| | a. Date of last Fire Dept Inspection? | | |
| | b. Are spills likely to reach soil or water? NO | | |
| | c. Are HW protected from weather? Yes | | |
| | d. Are weekly HW inspections conducted properly? | | |
| | | | |
| | | | |

à.



| 2.1 | |
|------|--|
| e. | Are discrepancies corrected promptly? |
| f. | Condition of containers? ("X" indicates discrepancy) |
| | <pre>(1) Closed (7) Properly Labeled (2) Leaking (8) Properly Dated (8) Properly Dated (9) Properly Stacked (9) Properly Stacked (10) Properly Packaged (10) Properly Packaged (11) Meet DOT Requirements for Contents</pre> |
| g. | Are 90 day turn-in deadlines being met? |
| | Are HW turn-in documents being prepared and submitted mely, proper manner? |
| i. | Comments: THE ARMORER STATED THAT THE VAT HAS |
| not | BEEN EMPTIED IN THE SMONTHS THAT SHE HAS |
| Been | THERE & TO HER KNOWLEDGES HAS NOT BEEN EMPTICED |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| • | |
| | |
| | |
| | |

