



UNITED STATES MARINE CORPS  
MARINE CORPS BASE  
CAMP LEJEUNE, NORTH CAROLINA 28542

T-6280/1

IN REPLY REFER TO  
6280  
NREAD

APR 29 1988

From: Commanding General, Marine Corps Base, Camp Lejeune  
To: Commandant of the Marine Corps (Code LFL)

Subj: DEFENSE ENVIRONMENTAL STATUS REPORT (DESR)

Ref: (a) CG MCB CL ltr 6800 NREAD dtd 20 Jan 1988  
(b) CMC ltr 6280 LFL/E-153 dtd 8 Dec 1987

Encl: (1) Diskett, DESR Tables 1-14, FY-87 updated

1. The disketts in reference (a) did not contain data for tables 6a, 6b and 8 because they were calendar year tables and not due until 1 May 88 per reference (b). The enclosure has been updated to include data on tables 6a, 6b, and 8 and is provided as per reference (b). For clarification or additional information, please contact Mr. Julian Wooten, Director of Natural Resources at AV 484-5003.

*J. I. Wooten*  
J. I. WOOTEN  
By direction

APR 2 1988

TABLE 6A

PCB INVENTORY SUMMARY

PERIOD COVERED: CY 1987

COMPONENT \_\_\_\_\_

PCB INVENTORY DATA (UNITS IN GALLONS, EXCEPT AS NOTED)	AS OF LAST PERIOD	AS OF CURRENT PERIOD
1. FOR PCBs FOR WHICH THE COMPONENT IS ACCOUNTABLE	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
A. QUANTITY OF PCB LIQUID IN STORAGE FOR DISPOSAL		
GAL. $\geq 500$	130	0
1. PCB LIQUID (GREATER THAN 50 PPM PCB)		
$< 500$	0	0
B. QUANTITY (CUBIC FEET) OF PCB CONTAMINATED SOLID WASTES IN STORAGE FOR DISPOSAL	5.5	0
2. FOR PCBs FOR WHICH THE DPDO IS ACCOUNTABLE	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
A. QUANTITY OF PCB LIQUID IN STORAGE FOR DISPOSAL		
GAL. $\geq 500$	0	8.1
1. PCB LIQUID (GREATER THAN 50 PPM PCB)		
$< 500$	0	0
B. QUANTITY (CUBIC FEET OF PCB CONTAMINATED SOLID WASTES IN STORAGE FOR DISPOSAL)	0	7.4
3. FOR DLA ONLY. CUMULATIVE DATA ON PCB DISPOSED, AND CONTRACT COSTS.	XXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
A. QUANTITY $> 50$ PPM PCB DISPOSED		
GAL. $\geq 500$	496	39
B. QUANTITY $< 50$ PPM PCB DISPOSED		
GAL.	55	39
C. AMOUNT OF PCB WASTES AND PCB CONTAMINATED SOIL DISPOSED		
lbs.	0	170
D. COSTS OF PCB DISPOSAL	\$28,187.00	\$7546.45

Questions to Ask Tom Coda:

AV: 227-1890/1891/1899

Question 1A: is that the sum of all PCB liquids for year, or quantity on hand on 31 Dec.?






TABLE 6A

PCB INVENTORY SUMMARY

CY 87 PCB INVENTORY DATA (UNITS IN GALLONS, EXCEPT AS NOTED)

1. PCBs Accountable For

A. Quantity of PCB Liquid In Storage For Disposal

(1) PCB Liquid (Greater Than 50 PPM PCB)

LAST PERIOD				LAST PERIOD	CURRENT PERIOD
				***** TOTALS *****	***** TOTALS *****
(ARMY)	0	NAT.GRD.	0	ARMY	0
(AIR/F)	0	GOCO	0	AIR/F	0
(NAVY)	0	MARINES	0	NAVY	0
DLA	0			DLA	0
CURRENT PERIOD				*****	
(ARMY)	0	NAT.GRD.	0	* DOD TOT	0
(AIR/F)	0	GOCO	0		
(NAVY)	0	MARINES	0		
DLA	0				

B. Quantity (Cubic Feet) of PCB Contaminated Solid Wastes In Storage For Disposal

LAST PERIOD				LAST PERIOD	CURRENT PERIOD
				***** TOTALS *****	***** TOTALS *****
(ARMY)	0	NAT.GRD.	0	ARMY	0
(AIR/F)	0	GOCO	0	AIR/F	0
(NAVY)	0	MARINES	5.5	NAVY	5.5
DLA	0			DLA	0
CURRENT PERIOD				*****	
(ARMY)	0	NAT.GRD.	0	* DOD TOT	5.5
(AIR/F)	0	GOCO	0		
(NAVY)	0	MARINES	0		
DLA	0				

2. For PCBs For Which The DPDO is Accountable

A. Quantity of PCB Liquid In Storage For Disposal

1. PCB Liquid (Greater Than 50 PPM PCB)

LAST PERIOD				LAST PERIOD	CURRENT PERIOD
				***** TOTALS *****	***** TOTALS *****
(ARMY)	0	NAT.GRD.	0	ARMY	0
(AIR/F)	0	GOCO	0	AIR/F	0
(NAVY)	0	MARINES	0	NAVY	0
DLA	0			DLA	0
CURRENT PERIOD				*****	
(ARMY)	0	NAT.GRD.	0	* DOD TOT	0
(AIR/F)	0	GOCO	0		
(NAVY)	0	MARINES	0		






Table 6A (1986)

DLA 0

::

B. Quantity (Cubic Feet of PCB Contaminated Solid Wastes In Storage For Disposal)

LAST PERIOD				***** T O T A L S *****		CURRENT PERIOD		***** T O T A L S *****	
(ARMY)	0	NAT.GRD.	0	ARMY	0		0		
(AIR/F)	0	GOCC	0	AIR/F	0		0		
(NAVY)	0	MARINES	0	NAVY	0		7.4		
DLA	0			DLA	0		0		
*****				*****		*****			
CURRENT PERIOD				* DOD TOT	0		7.4		
(ARMY)	0	NAT.GRD.	0						
(AIR/F)	0	GOCC	0						
(NAVY)	0	MARINES	7.4						
DLA	0								

3. FOR DLA ONLY

(Cumulative Data On PCB Disposed And Contract Costs)

A. Quantity > 50 PPM PCB Disposed

1986 Period: 496 gallons

1987 Period: 39 gallons

LAST PERIOD		CURRENT PERIOD	
***** T O T A L S *****		***** T O T A L S *****	
DLA	0		0
*****		*****	

B. Quantity < 50 PPM PCB Disposed

1986 Period: 55 gallons

1987 Period: 39 gallons

LAST PERIOD		CURRENT PERIOD	
***** T O T A L S *****		***** T O T A L S *****	
DLA	0		0
*****		*****	

C. Amount of PCB Wastes and PCB Contaminated Soil Disposed

1986 Period: 0

1987 Period: 170 gallons

LAST PERIOD		CURRENT PERIOD	
***** T O T A L S *****		***** T O T A L S *****	
DLA	0		0
*****		*****	

D. Costs of PCB Disposal

1986 Period: \$28,187.00

1987 Period: \$7,546.45

LAST PERIOD		CURRENT PERIOD	
***** T O T A L S *****		***** T O T A L S *****	
DLA	\$ 0		\$ 0
*****		*****	

