


UNITED STATES MARINE CORPS
MARINE CORPS BASE

CAMP LEJEUNE, NORTH CAROLINA 28542-5001

BO 11000.3 MAIN/rsm 4 Feb 1986



From: Commanding General To: Distribution List

Suoj: Cyclic Maintenance Program

Ref: (a) MCO P11000.7B

Encl: (1) Guidelines for Scope of Cyclic Maintenance


(2) Cyclic Maintenance Building Discrepancy Checklist


1. Purpose. To define the scope of the Cyclic Maintenance Program and to provide instructions concerning the administration and implementation of the program.

2. Background. The goal of the Cyclic Maintenance Program is to reduce the number of service ticket orders to a point where buildings and structures are being maintained by scheduled work as much as possible. Cyclic maintenance as defined in the reference is recurring minor structural, electrical or mechanical repairs to night use structures such as parracks, administrative and messhall facilities. This work is authorized by standing job orders which specify work center tasks by type of facilities and optimum time variables within a 60 minute per task maximum range. A guideline for the general scope of work included in cyclic maintenance is provided in enclosure (1). The work is limited to that which can be accomplished by simple handtools. The scope of the type of work is also limited to the availability of repair materials. The varying ages of the facilities aboard Camp Lejeune and the availability of repair materials plays an important role in the effectiveness of the Cyclic Maintenance Program.

# 3. Information

- a. The Cyclic Maintenance Program established under this Order will include facilities with the functional use categories of barracks, administrative facilities/headquarters and messhalls. Cyclic maintenance teams will be assigned to specific areas of responsibility and will be staffed to accomplish the repairs on a frequency cycle of approximately 90 to 120 days.
- p. The cyclic maintenance teams will utilize a Cyclic Maintenance Building Discrepancy Checklist (enclosure (2)) and this checklist will be completed by both the designated occupant's representative and the Cyclic Maintenance Team Leader prior to the actual scheduled visit by the team. The Cyclic Maintenance Building Discrepancy Checklist is not all inclusive of deficiencies but includes those most common items that are within the scope of the Cyclic Maintenance Program. The Cyclic Maintenance Team Leader will jointly review the list with the occupant's designated representative and those items that are not within the scope or materials are not available will be annotated and referred to Base Maintenance for further action.
- c. The Cyclic Maintenance Team Leader and the occupant's designated representative will conduct an inspection of the completed work.
- d. The Area Commander/Sub-area Commander will be provided a quarterly schedule for his cognizant area and the Cyclic Maintenance Team Leader will coordinate with the designated occupant's representative at least seven (7) working days before the scheduled visit. Cyclic maintenance schedules will vary slightly due to amount of work identified in a facility.
- e. Service calls and work requests for routine work of a cyclic maintenance nature will be referred by the Base Maintenance Division's Work Reception to the cyclic maintenance team if scheduled to visit the particular facility within 30 days. Emergency or urgent work will be processed immediately.





BO 11000.3 4 Feb 1986

# 4. Action

# a. Area/Station Commanders

- (1) Will ensure that the contents of this Order are disseminated to all facility occupants within their respective area/station.
- (2) Ensure the quarterly cyclic maintenance schedules provided by Base Maintenance are disseminated.
- (3) Ten days prior to the beginning of each quarter, provide a listing to the Base Maintenance Officer of any changes to the list of buildings scheduled for cyclic maintenance.
  - (4) Designate a point of contact for the Cyclic Maintenance Program.


### D. Facility Occupants

- (1) Conduct an inspection of the facility at least five (5) working days prior to the scheduled cyclic maintenance team's visit and complete a Cyclic Maintenance Building Discrepancy List.
- (2) Designate an individual representative of the facility to jointly conduct with the Cyclic Maintenance Team Leader a pre- and post-visit inspection.
  - (3) Ensure a command representative is available to unlock secured areas.
- (4) Ensure that furniture, materials and supplies are moved away from the work areas.
- c. Base Maintenance Officer. Establish a Cyclic Maintenance Program in accordance with this Order.
- 5. <u>Concurrence</u>. This Order has been coordinated and concurred in by the Commanding Generals, II Marine Amphibious Force, 2d Marine Division, FMF, 2d Force Service Support Group (Rein), FMF, 6th Marine Amphibious Brigade, FMF, and the Commanding Officers, Marine Corps Air Station, New River, Naval Hospital and the Naval Dental Clinic.

M. C. HARRINGTON

DISTRIBUTION: A plus

A plus MCAS (117) MCES (6) MCSSS (6)




#### GUIDELINES FOR SCOPE OF CYCLIC MAINTENANCE

The work listed below is a generalization of work accomplished by the Cyclic Maintenance teams. It should be understood that a certain degree of flexibility should be maintained as to the extent of accomplishment and discretion exercised by the foreman at the job site, based on the emergency and extent of the work to be done. Items mentioned, when representing a major work problem, will be reported as deficiencies by the foreman to the tenant unit representatives.

#### Structural

- 1. Adjust or repair doors, window, screens and nardware, e.g., locks, panic nardware, closers, plinds and hinges. This includes maintenance of rollup doors and crank type windows, window arms and ninge shoes.
- 2. Luoricate friction parts of all door and window hardware.
- 3. Repair or replace panels, boxes and comm boxes, insect screening, splines and window glass, screen clips and putty. This item is accomplished with limitations to individual problems. When multiple breakage occurs, a deficiency report will be submitted.
- 4. Repair or replace proken masonry items, e.g., gouged concrete decks, proken window sills, thresholds and block surfaces, where the deficiency is of a minor nature.
- 5. Stop leaks in buildings of a minor nature.
- 6. Replacement and painting of deteriorated wood on an individual oasis.
- 7. Painting of newly installed wood or metal portions of windows, doors, jambs and partitions.
- 8. Replace missing nardware, mirrors and toilet accessories.
- 9. Replace proken or missing ceramic tile and aspnalt floor tile where condition involves a small number of pieces.
- 10. Replace and paint oroken or missing wall board or ceiling acoustical tile where one or two pieces are involved.
- 11. Prime and paint ferrous metal items on an individual pasis where advanced rust or corrosion may cause excessive loss to the government.
- 12. Replace or repair (including priming and painting) hot air registers and grille parts.
- 13. Block off openings, caused by wear and tear, in temporary buildings for rodent-proofing purposes.
- 14. Maintain nurricane caples, tie downs and shutters.
- 15. Secure loose steps, approaches, wind walls, metal door and window frames.
- 16. Secure loose metal siding and flashings on quonset and Butler buildings; make minor replacements only.
- 17. Apply caulking or mastic to ward off moisture and rust on metal ouildings around eyeprows, doorways, window glass, stacks and jacks. Individual items only; major deficiencies of this nature will be reported.
- 18. Replace missing safety fuse links.




BO 11000.3 4 Feb 1986

#### Plumping

- 1. Unplug drains, toilets, urinals and sinks.
- 2. Stop leaks, replace washers, diaphragms. Repair, adjust or replace drain covers, trap strainers, plumbing fixtures, e.g., faucets, snowerheads, valves, tank parts, pipos and accessories.
- 3. Adjust valves, toilets, lavatory supports, commode and urinal anchors.
- 4. Replace pipe insulation, minor.


# Electrical

- 1. Adjust or replace fixtures, boxes, switches, breakers, receptacles, bulbs, globes, tubes, starters, ballasts and fuses.
- 2. Cneck and maintain exnaust fans.
- 3. Cneck secondary connections and report deficiencies.
- 4. Check and maintain equipment connections (except boiler rooms).
- 5. Remove unsafe extension cords, plugs and unauthorized connections.
- 6. Fire Alarms: Replace switches, covers, bells and glass for fire alarms.




# CYCLIC MAINTENANCE BUILDING DISCREPANCY CHECKLIST

BLDG#	Date				
	Carp	entry			
Items Repaired	Unit	Quantity Repaired	Quantity Replaced		
	EA				
Doors, Wood	EA				
Hinges	EA				
ьоск	EA				
Door Closer	EA			# %.	
Pusn Bars	EA				
Pull Handles	EA				
Screen Door Springs	EA				
Threshold Strips	EA		<b>"</b> "一种方法的是		
Door Stop	EA				
Door Casing	LF		100 mm		
Screen Doors	ĒΑ				
Snoe Molding	LF				
Base Board	LF				
Access Covers	EA				
Window Locks	EA				
Window & Door Lights	EA				
Cabinet Catches	EA				
Capinet Door	EA	a de la composição de la c		n yelle	
Sneetrock Walls & Ceiling	SF				
4x8 Wall Paneling	SH				
Door Bumper	EA				
Head Bolt	EA				




Carpentry Cont.

Items Repaired	Unit	Quantity Repaired	Quantity Replaced
Foot Bolt	EA		The second second
Panic Bar	EA		
Door Stop, Hook Type	EA		
Hand Rail	EA		
Floor Tile	SF		
Spirex Window Balancer	EA		
Ceiling, Acoustical Tile	EA		
Ceiling Tiles, Suspended	EA		
Mirrors	EA		
Lavatory Shelf	EA		
Vent Covers	EA		
Caulk	LF		
Tootnorusn Holder	EA		
Soap Disn	EA		
Commode Partitions	EA		
Weather Strip	EA		



Electrical


Items Repaired	Unit	Quantity Repaired	Quantity   Replaced
Items Repaired			The second section of the second section of
Ballast	EA		
Flo Tupes	EA		
Flo fixture	EA		
Incandescent Bulos	EA	And the store with	
Receptacles	EA		
Receptacle Covers	EA		
Switches	EA		
Switch Covers	EA		
Blank Covers	EA		
Lens Covers	EA		
Globes	EA		
Fan Motor (BATH)	EA		



BO 11000.3 4 Feb 1986

Plumbing

Items Repaired	Unit	Quantity Repaired	Quantity Replaced
Lavatory	·EA -		
Stems	EA		
Supply Lines	EA		The state of the s
Replace "O" Rings	EA		
Replace "P" Traps	EA		
Sink Stoppers	EA		
Bio Washers	EA		
Service Sink Faucet	EA		
Urinal Flush Valve	EA		
Spud	EA		
Urinal	EA		
Unstop Urinal	EA		
Vacuum Breaker	EA		
Commode Seats	EA		
Солтоде	EA		
Flush Valve, Commode	EA		
Toilet Tissue Holders	EA		
Unstop Drains	EA		
Drain Covers	EA		
Snower Head	EA		and the second second
Seal, Commode/Urinal	EA		




# Masonry

Items Repaired	Unit	Quantity Repaired	Quantity Replaced
Tile, Floor	SF		
Ceramic Tiles, Wall	SF		
Patch Plascer	SF		
Patch Concrete	SF		
Patcn Cracks	LF		
Quarry Tile	SF		
Holes	EA		

# Painting

Items Repaired	Unit	Quantity Repaired	Quantity Replaced
Spot Paint	SF		
Spot Paint	LF	3	
Prime & Paint New Mat.	SF		
Prime & Paint New Mat.	LF		



# FOLLOW-UP WORK 05

	LOBBON OF				
LIST OTHER DISCREPAN LISTING THE ITEM, SI		UNDER CYC	CLIC MAINTE	NANCE CRITERIA	
CARPENTRY/PAINT:					
	 et tomore				

MASONRY/PLASTER:

ELECTRICAL/PLUMBING:

METAL WORK:

CREW LEADER BLDG.

USER SIGNATURE DATE

