
=	,41,	6)	81-C-1766	TRANS	380	DATE 25 NOV 83
FROM CONTRACTOR Trader Construction Company			PROJECT TITLE AND LOCATION	ON		2) NOV 83
Lockwood Greene/Six Associates			Public Works & Helipad MCB			
=	THO DOOMADELL		Camp Lejeune,	NC		
		*List only one specification division per	form			IEWER USE ONLY
	L	ist only one of the following categories on each t and indicate which is being submitte	transmitted (		**ACTION CODES A-Approved D-Disapproved AN-Approved as noted RA-Receipt acknowledged. C-Comments R-Resubmit	
No	Contractor Approved	OICC Approval	Deviation/Substitution For OICC Approval			
ITEM N	PROJ. SPEC. SECT. & PARA. and/or PROJ. DWG. NO. *	(Type, size, model no., Mfg.	ITEM IDENTIFICATION  (Type, size, model no., Mfg. name, dwg. or brochure number)			REVIEWER'S INITIALS CODE AND DATE
69	15801 2.2.1	HVAC, Exhaust Fans, Air Co	s, Air Control Products		AN	BWB 12/2
+		Model KVIDB, Catalog Data				01/2
		and the second second				
1		LENGTH SECTION TO THE SECTION OF THE				
CONTR	ACTOR'S COMMENTS				000	DEC 12
opy o	FTRANSMITTAL AND SUBMI		CONTRACTOR REPRESENTATIVE		ICC	2 2
opy o	F TRANSMITTAL AND SUBMI	FROM (Reviewer)	John	Man	ICC JAXNCA.	RECEIVED &
ROIT S	F TRANSMITTAL AND SUBMI CC. Camp Lejet ECEIVED BY REVIEWER 11/30/83 Submittals are returned we ractor calls attention to a submittals are forwarded ransmittal form.	une, NC	IC. To	Mar rader on from the	Construction of the contract requirements of	TION IV.
ROT S	F TRANSMITTAL AND SUBMI CC. Camp Lejer ECEIVED BY REVIEWER 11/30/83 Submittals are returned we ractor calls attention to	FROM (Reviewer) Six Associates, In with action indicated. Approval of an item does not it and supports the deviation.	IC. To	Mar rader on from the	Construction of the contract requirements of	TION IV.



## Morgan Sales & Associates

2702 GREENBAY ROAD • FAYETTEVILLE, NORTH CAROLINA 28303 TELEPHONE: (919) 484-5796

material) shown and the contract into tall is that proposed to be incornerated into tall is that proposed to be incornerated into Contract Number 1132 170-81-C-1766 is in Contract Requirements unless the contractor calls attention to and supports the Deviation The Contractor shall be responsible for Providing Proper Physical Dimensions approval.  Certified by ———————————————————————————————————					
MECHANICAL CONTRACTOR———HUMPHREY, INC.  ENGINEER———JAMES M. LORICK, JR.  MANUFACTURER———AIR.CONTROL PRODUCTS, INC.  1 - Lot AIR CONTROL In-Line direct drive centrifugal fans, operating on 120/1/60 inlet venturi and blower wheel are aluminum construction, with pre-wired disconnects, (except EF-5), mounting brackets, and adjustable solid state speed controllers where indicated. All fans tested and rated in accordance with AMGA 210. Fan ratings per attached specifications. Vibration Isolators to be furnished by others.  Submitted under section 15801, page 8, paragraphs 3.3, and 3.3.1.  SEE EF-1, 2, 4 & 8  INSIDE  ATLANTIC DIVISION  NAVAL FACILITIES ENGINEERING COMMAND NORFOLK, VIRGINIA 23511  APPROVED  APPROVED  APPROVED  SUBJECT 10 THE REQUIREMENTS OF CONTRACT NO SI-C-1766  CONTRACT NO SI-C-1766  APPROVAL OF AN SUBMITTAL DOES NOT INCLUDE APPROVAL OF ANY SUBMITTAL DOES NOT INCLUDE APPROVAL OF A	PROJECT	HELIPAD & LANDSCAPING			
ENGINEER———————————————————————————————————	LOCATION	NORTH CAROLINA			
1 - Lot AIR CONTROL In-Line direct drive centrifugal fans, operating on 120/1/60 inlet venturi and blower wheel are aluminum construction, with pre-wired disconnects, (except EF-5, which is explosion proof) inlet guards (except EF-9), mounting brackets, and adjustable solid state speed controllers where indicated. All fans tested and rated in accordance with AMCA 210. Fan ratings per attached specifications. Vibration Isolators to be furnished by others.  Submitted under section 15801, page 8, paragraphs 3.3, and 3.3.1.  SEE EF-1, 2, 4 8  INSIDE  "It is hereby certified that the (equirment) more of the property of	MECHANICAL CONTRACTOR	HUMPHREY, INC.			
1 - Lot AIR CONTROL In-Line direct drive centrifugal fans, operating on 120/1/60 inlet venturi and blower wheel are aluminum construction, with pre-wired disconnects, (except EF-5, which is explosion proof) inlet guards (except EF-9), mounting brackets, and adjustable solid state speed controllers where indicated. All fans tested and rated in accordance with AMCA 210. Fan ratings per attached specifications. Vibration Isolators to be furnished by others.  Submitted under section 15801, page 8, paragraphs 3.3, and 3.3.1.  SEE EF-1, 2, 4 4 8  AILANTIC DIVISION NAVAL FACILITIES ENGINEERING COMMAND NORFOLK, VIRGINIA 23511  APPROVED APPROVED APPROVED SUBJECT TO THE REQUIREMENTS OF CONTRACT NO SI-C-1766  APPROVAL OF A SUBMITTAL DOES NOT INCLUDE APPROVAL OF ANY DEVIATION FROM THE CONTRACTOR CALLS ATTENTION TO AND SUPPORTS (HE DEVIATION THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING PROPER PHYSICAL DIMENSIONS & WEIGHTS, COORDINATION OF TRADES, ETC., AS REQUIRED.  25 Nov 83 " REVIEWER B. Brack DATE	ENGINEER	JAMES M. LORICK, JR.			
on 120/1/60) inlet venturi and blower wheel are aluminum construction, with pre-wired disconnects, (except EF-5, which is explosion proof) inlet guards (except EF-9), mounting brackets, and adjustable solid state speed controllers where indicated. All fans tested and rated in accordance with AMCA 210. Fan ratings per attached specifications. Vibration Isolators to be furnished by others.  Submitted under section 15801, page 8, paragraphs 3.3, and 3.3.1.  SEE EF-1, 2, 4 & 8  ATLANTIC DIVISION NAVAL FACILITIES ENGINEERING COMMAND NORFOLK, VIRGINIA 23511  APPROVED  APPROVED  APPROVED  APPROVED  SUBJECT TO THE REQUIREMENTS OF CONTRACT NO SI-C-1766  CONTRACT NO SI-C-1766  APPROVAL OF A SUBMITTAL DOES NOT INCLUDE APPROVAL OF ANY DEVIATION FROM THE CONTRACT REQUIREMENTS UNLESS THE CONTRACTOR CALLS ATTENTION TO AND SUPPORTS (HE DEVIA 100 N. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING PROPER PHYSICAL DIMENSIONS & WEIGHTS, COORDINATION OF TRADES, E.C., AS REQUIRED.  25 Nov 83  REVIEWER B. Sieller DATE	MANUFACTURER	AIR-CONTROL PRODUCTS, INC.			
specifica 15-20, and is submitted Covernment ed spaces, and is submitted Covernment ed spaces, and is submitted Covernment & WEIGHTS, COORDINATION OF TRADES, EIC., AS REQUIRED.  12/2/83  REVIEWER B. BLOCK DATE	tion, with pre-wired disconnects proof) inlet guards (except EF-solid state speed controllers where with and rated in accordance with AM specifications. Vibration Isola submitted under section 15801, which is hereby certified that the (equirment) (material) shown and marked in this submitted is that proposed to be incornorated into tall is that proposed to be incornorated into compliance with the Contract Contract Number 1132 772 81-C-1766 is in compliance with the Contract C	ATLANTIC DIVISION NAVAL FACILITIES ENGINEERING COMMAND NORFOLK, VIRGINIA 23511  APPROVED APPROVED SUBJECT TO THE REQUIREMENTS OF CONTRACT NO APPROVAL OF A SUBMITTAL DOES NOT INCLUDE APPROVAL OF ANY DEVIATION FROM THE CONTRACT REQUIREMENTS UNLESS THE CONTRACTOR CALLS ATTENTION TO AND SUPPORTS THE DEVIA-			
	approval.	REQUIRED. 12/2/83			
FOR OFFICER IN CHARGE OF CONSTRUCTION	Date	FOR OFFICER IN CHARGE OF CONSTRUCTION			

BOX 33442 **RALEIGH, N. C. 27606** (919) 851-0603

P. O. BOX 29146 GREENSBORO, N. C. 27408 (919) 643-6156

143 PINECREST PKWY. WILMINGTON, N. C. 28401 (919) 343-1257

