

UNITED STATES MARINE CORPS MARINE CORPS BASE CAMP LEJEUNE, NORTH CAROLINA 28542

.

MCEX/ANW/es 7100 MAR 2 9 1977

631 34


- From: Commanding General To: Commandant of the Marine Corps (Code LFF), Headquarters, U. S. Marine Corps, Washington, D. C. 20380
- Subj: Documentation of Projects submitted on MCX Form-495 as Five-Year Long Range Major Improvement Facility Program for MCX 5-1
- Encl: (1) Documentation for Location Exchange Areas 1 and 2, Project #P-178
  - (2) Documentation for Location Exchange Courthouse Bay Area, Project #P-416
  - (3) Documentation for Location Exchange Areas 4 and 5, Project #P-724
  - (4) DD Form 1391 for FY-80 Project P-063 (French Creek Area Location Exchange)
  - (5) DD Form 1391 for FY-80 Project P-603 (Marine Corps Air Station (Helicopter), New River and Camp Geiger Area Exchange Service Station)
- Ref: (a) MCO P11000.12A
  - (b) Head MCXServ Memo LFE-dar of 29 Dec 1976 (Notal)

1. The documentation required by reference (a) and as modified by reference (b), pertaining to the Five Year Long Range Major Improvement Facilities Program of this Exchange is forwarded as enclosures (1) through (5).

E. M. GLASS By direction

Copy to: CMC (Code LFE)


ENT



## PROJECT EVALUATION SHEET

	a construction of the second	Date:29	March 77
Α.	Exchange <u>Marine Corps Base, Camp Leja</u> Location	eune, North Caro]	lina
Β.	Project Exchange 1 & 2, #	<u>P-178</u>	, FY <u>1978</u>
С.	Project Category 99		
D.	Appropriate Facility Documentation Sub	mitted <u>X</u> Yes	No
Ε.	Capital Expenditure		
	1. Cost of construction project	507,064	
	2. Cost of <u>new</u> collateral equipment	72,500	
	<ol> <li>Cost of replacement collateral equipment</li> </ol>	50,000	
	4. Total cost of project		629,564
	5. Cost of project to be funded through CCF (4 less 3)		579.564
F.	Estimated increase in monthly sales	57,885	
G.	Estimated increase in monthly direct operating profit	4,573	
Η.	Estimated amortization schedule in months (Item 4 divided by increase in operating profit)	137	
I.	Brief description of project		
	Construct a consolidated Exchange in the provide facilities for snack bar, retain cleaning pick up station. Building to	11 store, barber	shop and dry

- J. Justification criterion applicable (include more than one criterion if applicable).To improve customer service through consolidation of activities.
- K. Priority classification of this project is number 2 of 2 for projects submitted by this exchange for FY 1978



COST ESTIMATING FORM NAVDOCKS\_2417 (REV 5-63)

#### SHEET ] OF 2

P-178


#### AREA OR ND ACTIVITY LOCATION CATEGORY CODE NUMBER 5th ND MARINE CORPS BASE CAMP LEJEUNE, NORTH CAROLINA 740-02 PROJECT (OF line fice) TITLE

Location Exchange Area 1 & 2

	QUANTIT	IES	MATERI	AL COSTS	LABOI	R COSTS	ENGINEERI	NG ESTIMATE
ITEM (OR FEATURE) DESCRIPTION (Abbreviate if necessary)	ND. OF UNITS	UNIT	UNIT	COST	UNIT	COST	UNIT COST	COST
1	2	3	4	5	6	7	8	9
BRICK 6" CMU W/INSULATION BAR JOISTS STRUCTUAL STL. 4" Ø PIPE STL COL METAL ROOF DECK BUILT-UP-ROOF COPPER FLASHING 2" RIGID INSULATION VINYL ASH. TILE	79,500 5,000 10 12 2,000 14,400 14,400 14,400 14,400 6,000	EA EA TN LB SF SF SF SF	.12 .43 550 560 30 .60 35 1.70 30 75	9,540 2,150 5,500 6,720 600 8,640 5,040 1,802 4,320 4,500	37 1.00 130 140 .08 .45 21 1.15 .15 .32 .65	29,415 5,000 1,300 1,680 160 6,480 3,024 1,219 2,160 1,920 5,200	49 1.43 680 700 38 1.05 56 2.85 45 1.07 1.65	38,955 7,150 6,800 8,400 760 15,120 8,064 3,021 6,480 6,420 13,200
HEUGATILE FLOOR ACOUSTICAL TILE SUSPEN	8,000	SF SF	80	8,000 11,520	45	6,480	1.25	18,000
DBL. ENTR. ALUM. DR. FRAMES & HARDWARE	4	EA	800	3,200	115	460	915	3,660
DBL. EXTERIOR HOLLOW STL, DR, FRAME & HDWE. INT. HOLLOW DOOR COMP. INT. WALL PARTITIONS METAL TOILET STALLS METAL DOWNSPOUT	4 9 447 12 280	EA EA LF EA LF	480 135 170 4.65	1,920 1,215 7,800 2,040 1,302	180 85 56 60	720 765 4,500 672 168	660 220 226 5.25	2,640 1,980 12,300 2,712 1,470
METAL SCUPPERS 6' WIDE ALUM. CANOPY PAINTING ELECTRICAL	20 190 8,000	EA LF SF	56 9.25 12	1,120 1,758 960	20 6.45 30	400 1,226 2,400	76 15.70 42	1,520 2.984 3,360
400 AMP PANEL LGT PANEL CRT BKR ETC.	5	EA	730	3,650	120	600	850	4,250
4 TUBE RECESSED FLR. LIGHTS ELEC. RECEPTACLES	150 100	EA	85 4.50	12,750 450	17 6.75	2,550 675	102 11.25	15,300 1,125
MERCURY VAPOR OUTSIDE LIGHT W/POLE MISC. WIRING W/CONDUIT FIRE PROTECTION ALARM & HEATING A/C & VENTILATI 50 TN., CONTROLS & RESISTOR COILS WITH		EA LS LS	210	2,520 2,000 3,500	140	1,680 5,000 1,500	350	4,200 7,000 5,000
INSULATED DIFFUSERS & GRILLES		LS		38,400		19,200		57,600

AME PERSON





COST ESTJMATING FORM WAYDOCKS 2417 (REV. 5-63)

REA OR ND	ACTIVITY	LOCATION	CATEGORY CODE NUMBER
5th ND	MARINE CORPS BASE	CAMP LEJEUNE, N.C.	740-02

PROJECT (Or line item) TITLE

Location Exchange Area 1 & 2

TANK AND PERTUNEL DECODIRETION	QUANTIT	IES	MATERI	AL COSTS	LABO	OR COSTS	ENGINEER	ING ESTIMATE
ITEM (OR FEATURE) DESCRIPTION (Abbreviate if necessary)	NO. OF UNITS	UNIT	UNIT COST	COST	UNIT COST	COST	UNIT COST	COST
1	2	3	4	5	6	7	8	9
Y EXHAUST FANS INCL HOOD EXHAUST PLUMBING TOILET FIXTURES W/PIPING FLOOR DRAINS W/PIPING ELEC DRINKING FTN. HOT WATER HEATER STM. 1000 gal. H" REINF. CONC. SLAB TG. STOOPS ETC. ELECTRICAL TRANSFORMER 50KVA	2 6 5 12 3 1 1 6	EA EA EA EA EA LS EA	250 225 170 350	1;500 1,125 2,040 1,050 2,500 8,000 8,100	60 225 115 120 350	360 1,125 1,380 360 280 2,500 2,100	310 450 285 470 1,700	1,860 2,250 3,420 1,410 2,780 10,500 10,200
AVING, GRADING & EXCAVATION TILITIES TO SITE LOCATION XHAUST HOOD & FANS FOR SODA FOUNTAIN EILING INSULATION	14,400	SF	in San	10,000 3,600 4,320		10,000 5,000 1,440	40	20,000 5,000 3,600 5,760
VERHEAD 15% NS., TAXES ON LABOR 12% ROFIT 10% OND 1% ONTINGENCY 10% IOH 5.5%				195,152 29,273		131,099 19,665		326,251 48,938 18,092 393,281 39,328 432,609 4,326 436,935 43,694 480,629 26,435 507,064
PREPARED BY (Name)	APPROVED B	- Fo	WELL	ell "	ITLE OR ORGANI PUBLIC	ZATION WORKS DEH	DATE PT. 2	 1 MAR 197


OF 2

SHEET 2


IDENTIFICATION NUMBER



कार्यतः स्रोधन्यन्त्व



	FISCAL YEAR	MI		RUCTION PROJECT	DATA	3. DEPARTMENT NAVY	MADINE CODDS DAS	CAMD LC M	THNE		
17 MAR 1977	1978		- long an and the second se	OPRIATED FUNDS			MARINE CORPS BAS	DE, CAMP LEUI	UNE		
5. PROPOSED AUTHORI	ZATION	6. PRIOR A	UTHORIZATION	7. CATEGORY CODE NU	IMBER 8. PRO		STATE COUNTRY				
\$ 507,000		P.L.		740-02			NORTH CAROLINA				
10. PROPOSED APPROP	PRIATION	1	11. BUDGET ACCO	and the second	PROJECT NU	JMBER ·	13. PROJECT TITLE			NM	
\$ 507,000					P-1	78	HADNOT POINT ARE LOCATION EXCHANCE		& 2		•
	SE	CTION A - I	DESCRIPTION OF	PROJECT		1		ON B - COST EST			
14.	18.					20. PRIMARY	FACILITY	U/M	QUANTITY		
TYPE OF CONSTRUCT	10N	PHYS	SICAL CHARACTER	ISTICS OF PRIMARY FAC	ILITY	LOCAT	ION EXCHANGE	SF	14,400	\$31.77	11
a. PERMANENT	X a. NO. OF	BLOGS ]	b. NO. OF STORIE	STC. LENGTH IRREG	d. WIDTH	IRREG a.			(	)	(
b. SEMI-PERMANENT		CAPACITY		I. GROSS AREA	14,400 S				(	)	(
C. TEMPORARY	R. COOLIN		R COND CA	P. · 60 TN cos	т (\$ 50,	and the second second in the second			(	1	(
15. TYPEOF WORK	19. DESCR		YORK TO BE DONE			d.				)	
8. NEW FACILITY	X Constru	uct a Lo	cation Excha	nge at a central	location	21. SUPPOR	TING FACILITIES				
b. ADDITION				nstruction to be		a. UTI	LITIES			-	(
C. ALTERATION				oncrete floor, b			E ALARM SYSTEM				(
d. CONVERSION				itioning and hea		stem PAR					(
e. OTHER (Specify)				exchange, snack		An and a second se	E IMPROVEMENTS				(
	cleani	na picku	p station, a	nd barber shop f	acilities						(
16. REPLACEMENT				ilities connecte		t.					(
17. TYPE OF DESIGN		and a particular				g.					(
A. STANDARD DESIGN	X					h.			-		(
5. SPECIAL DESIGN	Là ma					1.					(
C. DRAWING NO.						].		100			
						22. TOTAL H	PROJECT COST				CORC .
				SEC	TION C - BA	SIS OF REQUIREMEN	IT	NAMES OF A COMPANY OF A COMPANY OF A COMPANY	40 Jan 2019 - 10 Jan 10 an		
2 3.	QUANTITATI		1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 -	28. REQUIREMENT F							
	(U/M_SQUA			MISSION AND P	ROJECT.	Provide housin	g, training facilit	ies, logisti	cal suppor	t, and	ce
A. TOTAL REQUIREMEN	HADNOT	POINT BF	RL 64,890	ladministrativ	e support	for tenant Fl	eet Marine Force un	its and othe	r units as	signed.	
5. EXISTING SUBSTAND	DARD .	(	6,765	) project will	enlarge a	nd provide add	itional facilities	for patrons	in the 1st	and 2n	Id .
C. EXISTING ADEQUAT	E		39,960	of the 2d Mar	ine Divis	ion.					
d. FUNDED, NOT IN IN	VENTORY			REQUIREMENT.	Troops o	of the 2d Marin	e Division are loca	ted in the a	rea of pro	posed c	ion
8. ADEQUATE ASSETS	(c + d)		39,960	A larger Exch	ange, Sna	ck Bar, Dry Cl	eaning Pickup Stati	on, and Barb	er Shop wi	II 1mpr	'0 V
		AUTHO	RIZED FUNDE	to natrons							
I. UNFUNCED PRIOR A	UTHORIZATIO	н –		CURRENT SITUA	TION. Mi	nimum exchange	functions are goin	g on in a wi	ng of enli	sted se	irv
8. INCLUDED IN FY	- PROGR		-	in Areas 1 an	id 2.						
h. DEFICIENCY (a - a -	- ! - ٤)	24,	930 -	IMPACT IF NOT	PROVIDED	. Inadequate	exchange facilities	for exchang	e patrons	in thes	ie i
24 RELATED PROJEC	rs -				ALC: NOT OF						
		dama - market									
						upaupampu, n. promatajar visirkantu. 4400	Salesa mana adama na ata terra manarita da	denter uno etablica e etablica esta della del	nganaanno oo daaqaan oo	Page	an geode



I. DATE	2. FISCAL YEAR	MILITARY CONSTRUCTION PROJECT DATA	3. DEPARTMENT	4. INSTALLATION
17 MAR 1977	1978	(Continued)	NAVY	MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA
в. PROJECT NUMB P-178	and a second	HADNOT POINT AREA LOCATION EXCHANGE - AREAS 1 & 2		

### SPECIAL CONSIDERATIONS


1. POLLUTION PREVENTION, ABATEMENT, AND CONTROL. This project will not cause additional air or water pollution.

2. FLOOD HAZARD EVALUATION. Requirements of Executive Order No. 11296 (flood hazards) are not applicable.


3. ENVIRONMENTAL IMPACT. An environmental impact assessment has been made, and it has been determined that the proposed project will have neither a significant impact on the environment nor is it highly controversial.

4. USE OF AIR CONDITIONING. Ceiling "U" factors will be made to conform with DoD 427C.1-M.





, · • 



· · · . . . 

-

. .

C > . . 

): \*\* \* \* \* 1

P-178/P-724 N104/N105

FE0:041TEA:sh 80-0159

24 JUN 1980

Hesismon/Edwards/Hitch Architects 420 Borth Soylan Avenue Ralaigh, N. C. 27603

> Rei Contract 862470-80-2-3753, Location Exchauges, Hadnot Point (Areas 1 & 2 and 4 & 5) (N-104 and N 105), MCS Camp Lejeune, S. C.

Gentlement

Reference is made to your letter of 16 May 1980 concerning the pre-design conference held on 13 May 1980. The minutes of the meeting have been reviewed and are satisfactory to this Command.

In response to specific questions raised in your letter, the following comments are provided:

(1) The steam tunnel should not be covered with soil. In the past we have been unable to adequately establish vegetation over steam tunnels covered with soil.

(2) The desired interface sechanism for the HVAC system is a design feature elaborated on in the publication, "Architects and Engineers Guide for Interfacing into Energy Monitoring and Control Systems, which can be obtained from the Atlantic Division, Naval Facilities Engineering Command, Norfolk, Virginis 23511. Contacts are Mr. Charlie Rose or Mr. Mel Motter in the Specifications Franch, LANTOIV Design Division, telephone (804) 044-3474. The enclosed type specifications also may be of assistance in this matter.

The preliminary site plans that you forwarded have been reviewed and are considered to be satisfactory. One copy of each plan is returned herewith.

Should you have additional questions, please contact Mr. Larry Stallings, Architectural Branch, Fublic Works Repartment, telephone (919) 451-3658.

Sincerely.

V. FODSIELSEI CDR. CEC. USH Fublic Works Officer By direction of the Commanding General-

Zaclosuras

Copy to: Comlastnav/Acesocom CMC (LFF-2)

Blind copy to: MCX

AC/S. Fac

Keturn to 04



and a second second

Acts Las



# mckimmon \ edwards \ hitch architects

arthur mckimmon ii, aia

james m. edwards iii, aia john l. hitch, aia

May 16, 1980

Mr. Larry Stallings Public Works Engineering Marine Corps Base Camp Lejeune, N. C. 28542

> Re: Contract N62470-80-B-3753, N-104 (Areas 1 and 2) and N-105 (Areas 4 and 5) Location Exchanges, Hadnot Point, Marine Corps Base, Camp Lejeune, North Carolina

Dear Larry:

On Tuesday, May 13, 1980, a pre-design conference was held with Larry Stallings of Public Works, James Waugh of Marine Corps Exchange, Shelton Adcock and John Hitch of McKimmon/Edwards/Hitch, Architects present. The following is a summary of salient points of discussion from the conference.

- Refuse disposal and borrow area are located 5 miles from Area 1 and 2, and 1. 4 miles from Area 4 and 5.
- 2. Areas around buildings will be grassed under this contract. Landscaping, if desired at a later date, will be accomplished by others.
- 3. Economizer cycle for Summer non-airconditioning periods.
- 4. Any duct work exposed to the exterior which is large enough for human passage shall have a security grille installed at the point of entrance to the building.
- 5. Base prefers roof to be designed around Factory Mutual design requirements rather than LANTDIV standard specification. Since this project is a site adaptation (except HVAC), changing roofing specifications is beyond the scope of the A & E contract. (If the Base wishes to provide such a specification for our use, we will incorporate it at no change in fee.)
- At the request of the Marine Corps Exchange, plans for Public Works, NAF 6. Washington and Marine Corps Exchange are to be sent by bus to Jim Waugh to make further distribution.
- 7. Survey crew to notify Jim Waugh upon arrival on base.
- 8. Locks to be Best Locking System and Government to furnish final cores.

En fuesday, they 13, 1937, a nr - destin conference was neld with Larry Stallings 1. Refuse dispesal and Dorrow area are located 5 miles from Area 1 and ... and concurser evole for Summer convarianti ioning periods. .onfollhud ase prefers roof to be designed around factory instant assign requirements

- 9. Revised Progress Schedule:
  - (a) Received verbal authority to proceed
  - (b) Pre-design Conference
  - (c) 35% Submittal
  - (d) 90% Submittal
  - (e) 100% Submittal


9 May 1980 13 May 1980 1 July 1980 1 September 1980 1 November 1980

It was noted that the above schedule is based on a 35 day review period for each submittal. The schedule for 90% and 100% submittals may be improved particularly if government review period is held to 35 days or less.

- 10. Area 1 and 2 Exchange:
  - (a) Scheme "C" was selected as the most suitable site plan. The 50-space parking area has access only from "D" Street and does not connect with existing parking at Building 236. Pedestrian traffic connections are made to both "C" and "D" Streets. In order to avoid asphalt removal in Building236 parking lot, the parking area for Scheme "C" is to be modified as required, but the new scheme is to maintain the essence of Scheme "C". (Scheme "C" has been modified and is enclosed herewith.)
  - (b) Base Public Works is to advise A & E whether part of steam tunnel may be covered with 5" to 10" of earth as indicated on the enclosed plan.
- 11. Area 4 and 5 Exchange:
  - (a) Scheme "B" was selected as most suitable with Scheme "A" as the base bid configuration. (Scheme "B" with provision for base bid and alternates is enclosed herewith.)
  - (b) It was requested that an add alternate for providing a pedestrian connection to "L" Street be incorporated. The connection would involve approximately 300 feet of sidewalk and steps, and 50 feet of foot bridge(timber) to cross a ravine.
  - (c) Building 530 slab and foundation to be removed by base forces.

Subsequent to the conference the following information was provided by or requested of Public Works Engineering:

- 1. The building sign will read "Marine Corps Exchange" rather than designation by specific area.
- 2. Public Works to advise A & E of desired interface mechanism for connection of HVAC to the EMCS system.
  - 3. Plans for steam tunnel pits were provided for A & E's use.
  - 4. Public Works Engineering requested that water to air heat pump be evaluated in "Trace" energy analysis along with air to air heat pump and steam.



- 5. Proposed utility connection points for fire alarm, water, sewer, electrical service and steam were approved. (Telephone connection point approved on prior visit by the telephone office.)
- 6. Monument N339,656,16, E 2,495,516.05, Elev 25.22 is acceptable to use as bench mark for Area 1 and 2, and monument N335,734,61, E 2,498,376.61, Elev 26.60 is acceptable as bench mark for Area 4 and 5.

Enclosed herewith are three copies of Area 1 and 2, and Area 4 and 5 "Preliminary Site Plans" for approval. Please indicate that the plans are satisfactory to Public Works Engineering by signing and returning one copy. Approval is for general utility layout, location, and parking arrangement only.

Sincerely,


McKIMMON/EDWARDS/HITCH, ARCHITECTS

John L. Hitch, AIA

JLH:md

Enclosures

cc: Mr. E. M. Glass Mr. Jim Waugh Mr. Charlie Pye Mr. M. L. Bryant





•

MARINE CORPS EXCHANGE 0131 MARINE CORPS BASE CAMP LEJEUNE, NORTH CAROLINA 28542

IN REPLY REFER TO: MCEX/JDW/wh 4700/7000 (Special) 23 May 1980

From: Marine Corps Exchange Officer To: Public Works Officer, Marine Corps Base, Camp Lejeune, North Carolina 28542

- Subj: Pre-Design Conference, Location Exchanges 1 & 2 (N104) and 4 & 5 (N105)
- Ref: (a) McKimmon, Edwards and Hitch ltr of 16 May 1980
  (b) FONECON between Mr. Charlie Pye, NAF Architect (Code LFF-1) and Mr. J. D. Waugh, MCX 0131 Property & Maintenance Director on 23 May 1980


1. Reference (a) detailed the minutes of the Pre-Design Conference for Location Exchanges 1 & 2 (N-104) and 4 & 5 (N-105) held on Tuesday, 13 May 1980. The Marine Corps Exchange, Camp Lejeune, North Carolina concurs with the minutes of this meeting.

2. By reference (b) Mr. Charlie Pye, Code LFF-1, Headquarters, U. S. Marine Corps concurred and will forward correspondence to that effect.

3. It is requested that Public Works prepare correspondence to McKimmon, Edwards and Hitch architects indicating site plans are satisfactory and advising them to proceed with 35% submittal.

É. M. GLASS

Copy to: Mr. Charlie Pye, Code LFF-1, HQMC, Washington, DC 20380



MCEX/JDW/wh 4700/7000 (Special) 23 May 1980

From: Marine Corps Exchange Officer To: Public Works Officer, Marine Corps Base, Camp Lejeune, North Carolina 28542

- Subj: Pre-Design Conference, Location Exchanges 1 & 2 (N104) and 4 & 5 (N105)
- Ref: (a) McKinmon, Edwards and Hitch 1tr of 16 May 1980
  - (b) FONECON between Mr. Charlie Pye, NAF Architect (Code LFF-1) and Mr. J. D. Waugh, MCX 0131 Property & Maintenance Director on 23 May 1980


1. Reference (a) detailed the minutes of the Pre-Design Conference for Location Exchanges 1 & 2 (N-104) and 4 & 5 (N-105) held on Tuesday, 13 May 1980. The Marine Corps Exchange, Camp Lejeune, North Carolina concurs with the minutes of this meeting.

2. By reference (b) Mr. Charlie Pye, Code LFF-1, Headquarters, U. S. Marine Corps concurred and will forward correspondence to that effect.

3. It is requested that Public Works prepare correspondence to McKimmon, Edwards and Hitch architects indicating site plans are satisfactory and advising them to proceed with 35% submittal.

#### E. M. GLASS

Copy to: Mr. Charlie Pye, Code LFF-1, HQMC, Washington, DC 20380



 As required that within to torge provide the working to a configuration. I torget a match we descent the determined are substantian to the second of the any static plan optimic.

and the second second


NYTON UNCO

A State of Marke

e e fair e kan men in the second or the sec

. COMPONENT		DATA	2. DATE
NAV I	Y 19 99 MILITARY CONSTRUCTION PROJ	DATA	20 Oct 78
B. INSTALLATION AND			
	ASE, CAMP LEJEUNE, NORTH CAROLINA 28542		ECT NUMBER
4. PROJECT TITLE			2-178
LOCATION EXCHA	NGE, AREAS 1 & 2		-170
	FACILITY STUDY		
l. <u>Project</u> . living in the	Provides a location exchange for person area.	nel work	ing and
facilities wil	d Planned Future Workload with Regard to 1 be utilized on an 8-hour day basis se ed for this facility is indefinite.	o This F ven days	Project. The a week.
3. Descriptio	n of Proposed Construction.		
concrete, spec	f Construction. One-story modular stee ial foundation, masonry walls, concrete on, interior utility systems, rigid and ing, utility connections, site improvem	floors	, built-up le pavement
b. <u>Replac</u>	ement. Not applicable.		
c. Descr	ption of Work to be Done.		
(1) <u>Pr</u> masonry struct	rimary Facility. Modular steel frame, r cure on special foundation.	einforc	ed concrete
(2) <u>S</u>	upport Facility. Pavements, lighting an	d site	improvement
(3) <u>E</u> i cient equipmen	nergy Conservation. This project will unit and building orientation for maximum	tilize energy	energy effi conservatio
(4) <u>C</u>	ollateral Equipment.	hi. No	
(;	a) <u>Built-in</u> . Venetian blinds, window so drinking water coolers, telephone, fi and intercom systems, plumbing, heati air conditioning systems. (The foreg sidered in the project cost estimate reflected on the 1391.)	re alar ng, ven joing it	m, sprinkle tilating an ems are con
(	b) <u>Expense Items</u> . Will be nonappropriat equipment.	ed fund	supplied
	upporting Facilities. Special foundation provements, etc.	on, poll	ution abate
DD 1 DEC 76 1391	C PREVIOUS EDITIONS MAY DE USED INTERNALLY		PAGE NO.


4.



. COMPONENT NAVY	FY 19 MILITARY CONSTRUCTION PROJECT DAT	A 20 Uct 78
INSTALLATION	AND LOCATION	
MARINE CORP	S BASE, CAMP LEJEUNE, NORTH CAROLINA 28542	
. PROJECT TITLE	5. P	PROJECT NUMBER
LOCATION EX	CHANGE, AREAS 1 & 2	P-178
NAVFAC P-44 The book da The conting 10% per yea	stimates. Area cost factor for Camp Lejeune, N. 48 (Feb 1976), Military Construction Cost Enginee 44 is escalated to provide the cost for the prop 99 gency factor is 10% and the cost growth factor is 40 ar for the project.	ering Data. posed facility.
5. <u>Justifi</u>	cation for Project and for Scope of Project.	
a. <u>Jus</u>	stification for Project.	
(1) sonnel livi exchange.	) <u>Project</u> . Proposed facility is required for tro ing and working in close proximity to the propose	oops and per- ad location
(2) and minimum	) <u>Current Situation</u> . Location exchanges are in s n facilities located in or near personnel centers	substandard s.
substandard	) <u>Impact if Not Provided</u> . Personnel will continu d and minimum facilities which provide inefficier d services to patrons.	le to utilize nt operations
b. Jus	stification for Scope of Project.	
the deficie	) The project scope is the minimum size facility ency requirements for space, Category Code 740-02 This will correct the deficiency in the area. ve Data.	2 (Location
6. Equipme	ent Provided from Other Appropriations. Not appl	licable.
7. <u>Common</u> support fac	Support Facilities. Not applicable. There are cilities available in the area.	no common
\$4,315.00 p and operation facility. presently w should be n and comply	on Other Resources. The project will require an per year in increased O&MN funds for increased un ions. No additional personnel will be required to The project will enhance and improve the morale working and living in the vicinity. Proposed con responsive to the challenges presented by the end with the requirements of Executive Order 12003 of ented by NAVFACINST 4100.5A.	to operate thi of personnel nstruction ergy situation

PAGE NO. 2 OF 4

\*U.S. GOVERNMENT PRINTING OFFICE: 1978-703-173/34312-1




NIA	AVY	FY 19	MILITARY CO	NSTRUCTIC	N PROJECT D	ATA	0.04 70	
INF	2	0 Oct 78						
			CAMP LEJEUNE, N	ORTH CAROL	INA 28542			
I. PRO.					and a state of the	5. PROJEC	TNUMBER	
LOCATION EXCHANGE, AREAS 1 & 2 P-178								
						<u></u>		
			UTILIT	Y REQUIREM	ENTS			
	a.	Electricity						
	den bes		Consumption_	62,280	KWHR/yr			
			Peak Demand	36 31	KW			
			Avg Demand _		N			
	b.	Steam	Concumption	050 716	lbs/yr			
			Consumption_ Demand	343	lbs/hr			
		01			tons/yr		e - 94	
	с.	Coal		37.4	lons/yr			
	1.0	States and the second second			ailable			
	d.	Adequate ut	ility requireme	ents are av	urrupre.			
•				ents are av				
9.		ing of the P	roject.					
9.		ing of the P						
9.	<u>Sit</u>	ing of the P Building la	<u>roject</u> . <u>yout</u> . See encl	losure (1).				
	<u>Sit</u> a. b.	<u>ing of the P</u> Building la Location.	<u>roject</u> . <u>yout</u> . See encl See enclosure (	losure (1). (2).		None		
10.	<u>Sit</u> a. b. <u>Oth</u>	ing of the P Building la Location. er Graphic P	<u>roject</u> . <u>yout</u> . See encl See enclosure ( <u>resentations, i</u>	losure (1). (2). including P	hotographs.			
10. 11. area sump	Sit a. b. <u>Oth</u> <u>Eco</u> of	ing of the P Building la Location. er Graphic P nomic Analys the Base and savings to	<u>roject</u> . <u>yout</u> . See encl See enclosure (	losure (1). (2). including P ity is bein saving will om efficien	<u>hotographs</u> . g constructe be in nomin	d in a d al energ	ay con-	
10. 11. area sump an o 12. or w	Sit a. b. <u>Oth</u> <u>Eco</u> of tion pera <u>Env</u> ater	ing of the P Building la Location. er Graphic P nomic Analys the Base and savings to tional proje	roject. yout. See encl See enclosure ( resentations, i is. The facili the economic s be realized fro	losure (1). (2). including P ity is bein saving will om efficien oject will ervation me	<pre>hotographs. g constructe be in nomin t operations not cause an asures and f</pre>	d in a d al energ . This y addit eatures	gy con- is not ional air	
10. 11. area sump an of 12. or wa cons	Sit a. b. Oth Eco of tion pera <u>Env</u> ater ider	ing of the P Building la Location. er Graphic P nomic Analys the Base and savings to tional proje	roject. yout. See encl See enclosure ( resentations, i is. The facili the economic s be realized fro ct requirement. mpact. The pro nd energy conse e the design ar	losure (1). (2). including P ity is bein saving will om efficien oject will ervation me	<pre>hotographs. g constructe be in nomin t operations not cause an asures and f</pre>	d in a d al energ . This y addit eatures	gy con- is not ional air	
10. 11. area sump an of 12. or w cons 13. exch	Sit a. b. Oth Eco of tion pera <u>Env</u> ater ider <u>Qua</u> a. ange	ing of the P Building la Location. er Graphic P nomic Analys the Base and savings to tional proje rironmental I pollution a red to enhance antitative Da	roject. yout. See encl See enclosure ( resentations, i is. The facili the economic s be realized fro ct requirement. <u>mpact</u> . The pro nd energy conse the design an <u>ta</u> . <u>rement</u> . NAVFAC or the Hadnot H	losure (1). (2). including P ity is bein saving will om efficien oject will ervation me nd economic	<pre>hotographs. g constructe be in nomin t operations not cause an asures and f s of the fac wance factors</pre>	d in a d al energ . This y addit eatures ility. for a	gy con- is not ional air have been location	
10. 11. area sump an of 12. or w cons 13. exch	Sit a. b. Oth Eco of tion pera <u>Env</u> ater ider <u>Qua</u> a. ange irem	ing of the P Building la Location. er Graphic P nomic Analys the Base and savings to tional proje rironmental I pollution a red to enhance antitative Da BFRL Requir were used f	roject. yout. See encl See enclosure ( resentations, i is. The facili the economic s be realized fro ct requirement. <u>mpact</u> . The pro nd energy conse the design an <u>ta</u> . <u>rement</u> . NAVFAC or the Hadnot H 7 SF.	losure (1). (2). including P ity is bein saving will om efficien oject will ervation me nd economic P-80 allow Point area	<pre>hotographs. g constructe be in nomin t operations not cause an asures and f s of the fac wance factors</pre>	d in a d al energ . This y addit eatures ility. for a The t	gy con- is not ional air have been location otal BFRL	
10. 11. area sump an of 12. or w cons 13. exch	Sit a. b. Oth Eco of tion pera <u>Env</u> ater ider <u>Qua</u> a. ange irem	ing of the P Building la Location. er Graphic P nomic Analys the Base and savings to tional proje rironmental I pollution a red to enhance antitative Da BFRL Requir were used f nent is 32,71	roject. yout. See encl See enclosure ( resentations, i is. The facili the economic s be realized fro ct requirement. <u>mpact</u> . The pro nd energy conse the design an <u>ta</u> . <u>rement</u> . NAVFAC or the Hadnot H 7 SF.	losure (1). (2). including P ity is bein saving will om efficien oject will ervation me nd economic P-80 allow Point area E: 3,525	hotographs. g constructe be in nomin t operations not cause an asures and f s of the fac ance factors of the Base.	d in a d al energ . This y addit eatures ility. for a The t 19,151	gy con- is not ional air have been location otal BFRL	

DD 1 DEC 76 1391C s/N 0102-LF-001-3915

8

\* U.S. GOVERNMENT PRINTING OFFICE: 1978-703-173/34312-1



1. COMPONENT		a de la companya de l		2. DATE
NAVY	FY 1979 MIL	ITARY CONSTRUC	CTION PROJECT DATA	20 Oct 78
3. INSTALLATION	AND LOCATION	The Martine		
MARINE CORPS	BASE, CAMP L	EJEUNE, NORTH CA	KOLINA 28542	
4. PROJECT TITLE			5. PROJ	ECT NUMBER
LOCATION EVO			P	-178
LUCATION EXC	HANGE, AREAS	1 & 2		
F	Building No.	Area SF	Disposition	
<u>-</u>	urrung no.	<u>Micu or</u>	Disposition	-
Section States	4A	192	To be retained	l.
	125*	3,950	Substd./conver	ted to othe
			use.	
R. Stranger	225*	3,870		
	403	3,333	Н и	u
en in entre segur	403A*	192	A 1 H	
	524*	4,566	П и	н
	1.07	2 040		н
	1207	$\frac{3,240}{22,676}$	요즘 집에 다 가 가 봐요.	


\* These facilities are reflected incorrectly, as adequate, and will be changed to substandard on the next update of the Marine Corps Form 10651.

c. Planned Facilities.


4

<u>FY</u>	Project No.	Area SF	Location
79	P-178	8,100	Areas 1 & 2
80	P-724	8,100	Areas 4 & 5
82	P-431	7,210	Industrial Area
UP	and an of the second	5,782	
		29,192	Total Planned Facilities


14. <u>Funding</u>. Funding will be from the Non-appropriated Fund, Central Construction Fund, HQMC.



MARINE CORPS BASE				N EXCHANC	GE, AREAS	new new-raised with governments			
. PROGRAM ELEMENT	6. CATEGORY CODE	7. PROJ	ECT NUMBE	R 8. PI	ROJECT COS	T (\$000)			
	740-02	P-	178 411						
ите Телениција и ступи, деникани се околоницати се околони се околони стран за на извелита с /	9. CO	ST ESTIMA	TES	e 1	-	enan wennerstadare - inskilte spillesen			
	ITEM		U/M	QUANTITY	UNIT COST	COST (S000)			
LOCATION EXCHANGE UTILITIES: WATER, PAVEMENT, FLEXIBLE SITE IMPROVEMENTS/ SUBT. COST CONTINGENCY - 10% ESTIMATED CONTRACT SUPERVISION, INSPE TOTAL REQUEST INSTALLED EQUIP OT A & E DESIGN FEE PROJECT COST	ELEC, SEWER, STEA & RIGID EROSION CONTROL COST CTION & OVERHEAD HER APPROPRIATION	- 5.5%	SF LS LS LS LS LS LS LS LS	8,100	33.58	272 31. 19 15 337 33 370 19 389 - 22 411			
	•	and the latter of the state of the state							
10. DESCRIPTION OF PROP Single story struct veneer masonry wal system, utilities 11. REQUIREMENTS <u>PROJECT</u> : Provide station, barber sh sonnel in the Fir <u>REQUIREMENT</u> : An of Division located i barracks and work <u>CURRENT SITUATION</u> section of a Servi <u>IMPACT IF NOT PRO</u> change facilities distance from the	ture with reinfor 1s, built up room connected, pavem 32,717 SF. AD a location excha- nop, utilities, p st and Second Area exchange is requi- in the First and Second Area areas. : Minimum exchange ce Club construct VIDED: Personnel and/or travel or	f, insulents, insulents, an EQUATE: nge with avements as. red to p second A e funct ted in 1 will be walk to	15,911 15,911 a snack s, and s provide reas an ions are 942. compell	SF. SI bar, dry ite impro personne Exchange being p	UBSTD <u>22</u> , cleaning ovement f l of the close to rovided i e inadequ	67% SF. pick up or per- 2d Marin their n a smal			



NAVY	29 Aug 78
. INSTALLATION AND LOCATION	
MARINE CORPS BASE, CAMP LEJEUNE, NORTH CAROLINA 28	3542
4. PROJECT TITLE	5. PROJECT NUMBER
LOCATION EXCHANGE, AREAS 1 AND 2 -	P-178
SPECIAL CONSIDERATIONS	·
1. ENVIRONMENTAL IMPACT. An environmental impac made and it has been determined that the proposed neither a significant impact on the environment neversial.	project will have
2. <u>PRESERVATION OF HISTORIAL SITES AND STRUCTURE</u> ties do not directly or indirectly affect a distr structure, object, or setting which is listed in otherwise possesses a significant quality of Amer	ict, site, building, the National Register of
3. <u>FALLOUT SHELTER CONSTRUCTION</u> . Fallout shelte of project purpose.	r excluded - impairment
4. <u>FLOOD HAZARDS</u> . Requirements of Executive Ord Hazards) are not applicable.	er No. 11296 (Flood
5. <u>POLLUTION PREVENTION, ABATEMENT, AND CONTROL</u> . cause additional air or water pollution.	This project will not
6. DESIGN FOR ACCESSIBILITY OF PHYSICALLY HANDIC Consideration shall be given for accessibility of personnel.	physically handicapped
7. USE OF AIR CONDITIONING. Ceiling "U" factors	will be made to conform
with DOD 4270.1-M.	
에는 이번 것이 가지 않는 것이 있는 것이 있었다. 이것 같은 것이 있는 것이 있는 것이 있는 것이 있는 것이 있는 것이 있는 것이 있다. 이것 같은 것이 있는 것이 있는 것이 있는 것이 있는 것이 있	
	• •




OST ESTIMATING FORM MAYDOCKS 2417 (REV. 5-63) 0105 013 3800		SHEET 1 OF 2 IDENTIFICATION NUMBER P-178
	LOCATION	CATEGORY CODE NUMBER


AREA UN NU	ACTIVITY			1			the second second	and the second second
5th ND	MARINE	CORPS	BASE	CAMP	LEJEUNE,	N.C.	740-02	10000000000000000000000000000000000000
disastrony control on a strong star thought any monthly on	Comparison of the Octor of Alfander of the	CO. AND AND D. P. MAR 21/40	ANALY MALE ANALY IN CALIFORNIA AND ANALY INCOME.	and a set of the set o				
PROJECT (Or line iter	() TITLE							

## LOCATION EXCHANGE, AREAS 1 & 2

	QUANTITIES		MATERIAL COSTS		LABOR COSTS		ENGINEERING ESTIMATE	
ITEM (OR FEATURE) DESCRIPTION (Abbreviate if necessary)	NO. OF UNITS	UNIT	UNIT COST	COST	UNET COST	COST	UNIT COST	COST
1	2	3	4	5	6	• 7	8	9
(Updaf conc. clob			151.0					
4"Reinf. conc. slab,		LS	Construction and	9,525	a second second	3,100		12,625
ftgs, piling, etc.	46,300	EA	.13	6,019	.40	18,520	.53	24,539
Brick, face, sand/clay	2,900	EA	.47	1,363	1.23	3,567	1.70	4,930
CMU, 6" w/insulation	2,100	SF	.32	672	.16	336	.48	1,008
Insul, wall, rigid	6		597.	3,582	142.	852	739.	: 4,434
Bar joist	7	TN	610.	4,270	153.	1,071	763.	5,341
Struct. stl.	1,200	TN	.33	396	.09	108	.42	504
Col., stl. pipe, 4"					.49	3,969	1.15	9,315
Deck, mtl., roof	8,100	~ ~	.66	5,346			67.	the state of the second second
Roof, built-up	80	SQ	44.	3,520	23.	1,840		5,360
Flashing, copper	620	SF	1.85	1,147	1.25	775	3.10	1,922
Insul., rigid, 2"	8,100	-	.53	4,293	.27	2,187	.80	6,480
Tile, accoust., clg.	8,100	SF	.89	7,209	.49	3,969	1.38	11,178
Insul., batt, clg.	8,100	SF	.49	3,969	.26	2,106	.75	6,075
Tile, vinyl asb.	3,480	SF	.83	2,888	.36	1,253	1.19	4,141
Hemgatile Fl.	4,620	SF	1.09	5,036	.71	3,280	1.80	8.316
Dr., entr., al., dbl., w/frames & hdw.	5.	EA	873.	4.365	125.	625	998.	4,990
Dr., H.M., ext., dbl.,		1999				1.5.5.8.5.2		
w/frames & hdw	4	EA	523.	2,092	127.	508	650.	2,600
Dr., H.M., int.	10	EA	148	1,480	97.	970	245.	2,450
Partitions, wall, int.	260	LF	10.00	2,600	11.00	2,860	21.00	5,460
Stalls, mtl., toilet	8	EA	185.	1,480	65.	520	250.	2,000
Downspout, mtl. copper	170	LF	5.05	859	.65	111	5.70	970
Scuppers, mtl. copper	14	EA	60.	840	22.00	308	82.00	1,148
Canopy, al., 6"	130	LF	10.10	1,313	7.05	917	17.15	2,230
Painting	5,100	SF	.13	633	.33	1,683	.46	2,346
amerng			1.00		Sec. Sec.	e Seller	9 ES 11	
Electrical								
Transf. 150 KVA w/accys	2	EA	3,650.	7,300	766.	1,532	4,416	8,832
400 Amp. pnls &pnl.,		1.2					and the second second	
lgt, w/bkrs, etc.	3	LS		2,775	130.	390	1,055	3,165
Fluor. fix, 4T96	95	EA	95.	9,025	23.	2,185	118.	11,210
Recept., elect.	65	EA		325	7.	455	12.	780
MV fix., ext. w/pole	10	EA		4,600	305.	3,050	765.	7,650
Misc. wiring & cond.		LS		1,780		3,420	1.000	5,200
Fire protection system	Sector Sector			Sec Auger	10.1.1.1			
lights & alarm		LS		3,115		1,950	1.22 1.22	5,065
lignes a alaim	a second second	1 10	and the second s	2,112	1	1,550	A Design of the second	1 3,00

1.225





0105 013 3800

AREA OR ND	ACTIVITY	LOCATION	CATEGORY CODE NUMBER
5th ND	MARINE CORPS BASE	CAMP LEJEUNE, N.C.	740-02

PROJECT (Or line item) TITLE

## LOCATION EXCHANGE, AREAS 1 & 2

	QUANTITIES		MATERIAL COSTS		LABO	R COSTS	ENGINEERING ESTIMATE		
ITEM (OR FEATURE) DESCRIPTION (Abbreviate if necessary)	NO. OF UNITS	UNIT	UNIT	COST	UNLT COST	COST	UNIT COST	COST	
1	2	3	4	5	6	7	8	9	
Heat., A/C & Vent 35 TN heat pump, con- trols, resistor coils w/insulated duct, diff. & grilles Exh. fan, w/hood	5	LS EA	378	27,060 1,890	97	13,350 485	475	40,410	
Plumbing Toilet fix. w/piping Fl. drains w/piping Elect. drink ftn. & acc. Hot water heater, stor- age, 1,000 gal.	5 9 3 1	EA EA EA EA	245 185 380	1,225 1,665 1,140 2,720	245 125 130	1,225 1,125 390 305	490 310 510	2,450 2,790 1,530 3,025	
Site Work Paving, sub-base, grading & escav. Utilities to site loca- tion SUBTOTALS OVERHEAD - 15% INS., TAXES, ETC SUBTOTAL PROFIT - 10% SUBTOTAL BOND - 1.0% SUBTOTAL CONTINGENCY - 10% SUBTOTAL S.I.O.H. 5.5% TOTAL PROJECT ESTIM A & E DESIGN FEE -	12% LA ATE 6%	LS LS LBOR	51	7,200 <u>8,500</u> 155,247		6,360 <u>5,500</u> 97,157		13,560 14,000 252,404 37,861 11,659 301,924 301,924 301,924 332,110 4,982 337,098 33.710 370,808 18,540 389,348 22,000	

SHEET 2 OF 2


IDENTIFICATION NUMBER


DELMAR D. WEAVER

R. H. KERLEY, P.E.

PUBLIC WORKS DEPT.

29 Aug






·-

.

• t

5

 $\overline{}$ 



·

.

.

. j . · · . • .

. \* .

.

.

1