

DIAGRAM OF PROPOSED
CONSTRUCTION SPECIFICATIONS

Straight-Screened

or

Gravel-Packed Well

(Constructed in unconsolidated formations)

Open-End Well

(Constructed in consolidated formations)

land surface

A) Casing: Zinc Coated
1) Inner: Steel type 8" I. D. 2855 lbs./ft.
(200) ft. (depth) _____ ft. (into rock)
2) Outer: Black Steel type 18" I. D. 70.59 lbs./ft.
50 ft. (depth)

B) Cement:
1) Inner Casing: _____ ft. to _____ ft.
2) Outer Casing: LS ft. to 50 ft. Rock

C) Screen(s): AISI-304 type 8" I. D.
_____ ft. to _____ ft.
_____ ft. to _____ ft.

D) Gravel: _____ ft. to _____ ft. _____ in.
(size)

(Fill in each blank that applies and use appropriate diagram to show proposed construction including, but not limited to, casing (outer and inner), sealing material (cement, clay, etc.), packers, screens, gravel, chemical feed lines, etc.)

Location Diagram: (Previously prepared maps may be submitted provided they contain information required in item (g) of the application).

SEE ATTACHED DIAGRAM NAVFAC #4049524 FOR THE FOUR PROPOSED WELLS.

CLW

0000000429