

NOTE: ALL WELLS ARE GRAVEL WALLED.

STATICS AND DRAWDOWNS ARE FIGURED FROM PUMP BASE DOWN TO WATER LEVELS.

CLW

000003543

Table III C 3

## WELL SURVEY SHEET\*

Sheet No. 1DATE: 3-3-77

WELL NO.	WELL TYPE	DRILLED DEPTH ft.	STATIC LEVEL (ft)	CASING SIZE (in.)	STAGES	DRAWDOWN AT RATED CAPACITY (feet)	RATED CAPACITY (gpm)
HP-601	DRILLED	195'	21'	8"	4	17'	250
HP-602	DRILLED	160'	30'	8"	5	15'	150
HP-603	DRILLED	195'	19'	8"	5	29'	250
HP-608	DRILLED	210'	17'	8"	6	35'	200
HP-608	DRILLED	126'	42'	8"	3	16'	250
HP-609	DRILLED	150'	11'	8"	4	33'	200
HP-610	DRILLED	190'	43'	8"	4	13'	250
HP-611	DRILLED	146'	12'	8"	5	11'	250
HP-612	DRILLED	190'	14'	8"	5	23'	200
HP-613	DRILLED	150'	15'	8"	6	5'	250
HP-614	DRILLED	167'	11'	8"	6	19'	250
HP-615	DRILLED	158'	21'	8"	4	7'	250
HP-616	DRILLED	10'	29'	8"	5	25'	250

WELL NO.	SPECIFIC CAPACITY (gpm/ft of drawdown)	PUMP HEAD (ft)	MOTOR H. P.	CHLORINATION (AMOUNT)	RESIDUAL CHLORINE (ppm)	AUXILIARY POWER (type)	DD FORM	
							710	686
HP-601	14.0	21'	7.5			GASOLINE		
HP-602	10.0	30'	5.0					
HP-603	7.6	36'	10.0			GASOLINE		
HP-608	5.0	21'	10.0					
HP-609	15.6	42'	7.5			GASOLINE		
HP-609	6.1	85'	7.5					
HP-610	19.2	81'	7.5			GASOLINE		
HP-611	22.0	91'	10.0					
HP-612	8.6	84'	7.5					
HP-613	50.0	90'	10.0			GASOLINE		
HP-614	13.2	96'	10.0					
HP-615	35.7	82'	7.5					
HP-616	10.0	85'	10.0					

CLW

000003544

Table III C 3

WELL SURVEY SHEET\*

Sheet No. 2

DATE: 3-3-77

WELL NO.	WELL TYPE	DRILLED DEPTH ft.	STATIC LEVEL (ft)	CASING SIZE (in.)	STAGES	DRAWDOWN AT RATED CAPACITY (feet)	RATED CAPACITY (gpm)
HP-620	DRILLED	54'	19'	18"	4	7'	200
HP-621	DRILLED	77'	10'	8"	4	20'	250
HP-626	DRILLED	207'	16'	8"	4	15'	180
HP-627	DRILLED	187'	38'	8"	4	12'	190
HP-632	DRILLED	74'	30'	8"	6	10'	250
HP-633	DRILLED	205'	25'	8"	3	23'	200
HP-634	DRILLED	225'	20'	8"	4	20'	130
HP-635	DRILLED	215'	15'	8"	4	25'	200
HP-636	DRILLED	227'	8'	8"	5	32'	200
HP-637	DRILLED	146'	26'	8"	7	16'	150
HP-638	DRILLED	136'	27'	8"	8	35'	185
HP-639	DRILLED	76'	23'	8"	7	42'	180
HP-640	DRILLED	75'	10'	8"	6	50'	290

WELL NO.	SPECIFIC CAPACITY (gpm/ft of drawdown)	PUMP HEAD (ft)	MOTOR H. P.	CHLORINATION (AMOUNT)	RESIDUAL CHLORINE (ppm)	AUXILIARY POWER (type)	DD FORM	
							710	686
HP-620	28.6	72'	7.5					
HP-621	12.5	86'	7.5					
HP-626	12.0	105'	10.0			GASOLINE		
HP-627	15.8	145'	10.0			GASOLINE		
HP-632	25.0	155'	10.0			GASOLINE		
HP-633	8.6	98'	7.5					
HP-634	6.5	84'	7.5					
HP-635	8.0	84'	7.5					
HP-636	6.3	84'	7.5					
HP-637	9.3	130'	10.0					
HP-638	5.3	135'	10.0			GASOLINE		
HP-639	4.3	135'	20.0			GASOLINE		
HP-640	5.8	220'	20.0			GASOLINE		

CLW

000003545

Table III C 3

## WELL SURVEY SHEET\*

Sheet No. 3DATE: 3-3-77

WELL NO.	WELL TYPE	DRILLED DEPTH ft.	STATIC LEVEL (ft)	CASING SIZE (in.)	STAGES	DRAWDOWN AT RATED CAPACITY (feet)	RATED CAPACITY (gpm)
HP-641	DRILLED	71'	58'	8"	8	26'	168
HP-642	DRILLED	84'	33'	8"	8	12'	136
HP-651	DRILLED	199'	14'	8"	8	60'	200
HP-652	DRILLED	183'	22'	8"	7	14'	200
LCH-M1	DRILLED	125'	50'	8"	6	35'	300
LCH-M2	DRILLED	150'	23'	8"	6	19'	287

WELL NO.	SPECIFIC CAPACITY (gpm/ft of drawdown)	PUMP HEAD (ft)	MOTOR H. P.	CHLORINATION (AMOUNT)	RESIDUAL CHLORINE (ppm)	AUXILIARY POWER (type)	DD FORM	
							710	686
HP-641	6.5	105'	15.0					
HP-642	11.3	110'	7.5					
HP-651	3.3	226'	20.0			GASOLINE		
HP-652	14.3	220'	15.0					
LCH-M1	8.6	210'	20.0					
LCH-M2	15.1	220'	20.0			GASOLINE		

CLW

000003546

Table III C 3

WELL SURVEY SHEET\*

Sheet No. 4

DATE: 3-3-77

WELL NO.	WELL TYPE	DRILLED DEPTH ft.	STATIC LEVEL (ft)	CASING SIZE (in.)	STAGES	DRAWDOWN AT RATED CAPACITY (feet)	RATED CAPACITY (gpm)
HB-643	DRILLED	245'	24'	10"	4	36'	260
HB-644	DRILLED	255'	22'	10"	5	44'	260
HB-645	DRILLED	270'	18'	10"	4	34'	260
HB-646	DRILLED	270'	17'	10"	3	28'	260
HB-647	DRILLED	200'	24"	10"	3	25'	260
HB-648	DRILLED	265'	22'	10"	4	77'	230
HB-649	DRILLED	284'	24'	10"	5	65'	400
HB-650	DRILLED	179'	15'	10"	5	74'	260

WELL NO.	SPECIFIC CAPACITY (gpm/ft of drawdown)	PUMP HEAD (ft)	MOTOR H. P.	CHLORINATION (AMOUNT)	RESIDUAL CHLORINE (ppm)	AUXILIARY POWER (type)	DD FORM	
							710	686
HB-643	7.2	124'	15.0			GASOLINE		
HB-644	5.9	133'	15.0					
HB-645	7.6	103'	10.0			GASOLINE		
HB-646	9.3	75'	10.0			GASOLINE		
HB-647	10.4	91'	10.0			GASOLINE		
HB-648	2.9	184'	20.0					
HB-649	6.2	199'	20.0					
HB-650	3.5	210'	40.0					

CLW

000003547

Table III C 3

WELL SURVEY SHEET\*

Sheet No. 5

DATE: 3-3-77

WELL NO.	WELL TYPE	DRILLED DEPTH ft.	STATIC LEVEL (ft)	CASING SIZE (in.)	STAGES	DRAWDOWN AT RATED CAPACITY (feet)	RATED CAPACITY (gpm)
TT-26	DRILLED	95'	16'	8"	4	51'	110
TT-30	DRILLED	98'	28'	4"	10	32'	100
TT-31	DRILLED	94'	26'	8"	4	10'	145
TT-52	DRILLED	98'	31'	8"	5	14'	300
TT-53	DRILLED	89'	30'	8"	5	38'	350
TT-54	DRILLED	104'	31'	8"	5	31'	200
TT-67	DRILLED	110'	29'	6"	8	36'	168

WELL NO.	SPECIFIC CAPACITY (gpm/ft of drawdown)	PUMP HEAD (ft)	MOTOR H. P.	CHLORINATION (AMOUNT)	RESIDUAL CHLORINE (ppm)	AUXILIARY POWER (type)	DD FORM	
							710	686
TT-26	2.2	105'	10.0					
TT-30	3.1	110'	5.0					
TT-31	1.5	95'	7.5					
TT-52	21.4	100'	15.0					
TT-53	9.2	121'	15.0			GASOLINE		
TT-54	6.5	112'	10.0			GASOLINE		
TT-67	4.7	105'	7.5					

CLW

000003548

Table III C 3

WELL SURVEY SHEET\*

Sheet No. 6

DATE: 3-3-77

WELL NO.	WELL TYPE	DRILLED DEPTH ft.	STATIC LEVEL (ft)	CASING SIZE (in.)	STAGES	DRAWDOWN AT RATED CAPACITY (feet)	RATED CAPACITY (gpm)	
M-142	DRILLED	69'	24'	8"	9	21'	100	
M-168	DRILLED	151'	24'	8"	4	35'	100	
M-197	DRILLED	200'	34'	8"	5	17'	155	
M-243	DRILLED	95'	27'	8"	7	21'	150	
M-627	DRILLED	100'	11'	7"	8	16'	150	
M-628	DRILLED	67'	14'	8"	5	17'	100	
M-629	DRILLED	WELLS JUST INSTALLED - AWAITING INFO FROM PUBLIC WORKS						
M-630	DRILLED							

WELL NO.	SPECIFIC CAPACITY (gpm/ft of drawdown)	PUMP HEAD (ft)	MOTOR H. P.	CHLORINATION (AMOUNT)	RESIDUAL CHLORINE (ppm)	AUXILIARY POWER (type)	DD FORM		
							710	686	
M-142	4.8	147'	7.5						
M-168	2.8	105'	5.0			GASOLINE			
M-197	9.0	135'	10.0			GASOLINE			
M-243	7.1	148'	10.0						
M-627	9.4	164'	7.5						
M-628	5.9	150'	7.5						
M-629	WELLS JUST INSTALLED - AWAITING INFO FROM PUBLIC WORKS						GASOLINE		
M-630						GASOLINE			

CLW

000003549

Table III C 3

WELL SURVEY SHEET\*

Sheet No. 7

DATE: 3-3-77

WELL NO.	WELL TYPE	DRILLED DEPTH ft.	STATIC LEVEL (ft)	CASING SIZE (in.)	STAGES	DRAWDOWN AT RATED CAPACITY (feet)	RATED CAPACITY (gpm)
TC-100	DRILLED	66'	19'	18"	6	10'	75
TC-201	DRILLED	67'	15'	8"	3	44'	150
TC-502	DRILLED	184'	27'	8"	4	9"	300
TC-504	DRILLED	100'	22'	8"	3	38'	250
TC-600	DRILLED	70'	8'	8"	3	28'	130
TC-604	DRILLED	138'	17'	8"	4	35'	150
TC-700	DRILLED	76'	23'	7"	4	21'	125
TC-901	DRILLED	76'	9'	8"	7	26'	100
TC-1000	DRILLED	170'	10'	8"	4	37'	200
TC-1001	DRILLED	100'	25'	8"	5	20'	220

WELL NO.	SPECIFIC CAPACITY (gpm/ft of drawdown)	PUMP HEAD (ft)	MOTOR H. P.	CHLORINATION (AMOUNT)	RESIDUAL CHLORINE (ppm)	AUXILIARY POWER (type)	DD FORM	
							710	686
TC-100	7.5	80'	3.0					
TC-201	3.4	57'	5.0					
TC-502	33.3	112'	10.0			GASOLINE		
TC-504	6.6	66'	7.5			GASOLINE		
TC-600	4.6	58'	3.0					
TC-604	4.3	65'	5.0					
TC-700	5.9	70'	3.0					
TC-901	3.8	81'	3.0					
TC-1000	5.4	65'	5.0					
TC-1001	11.0	61'	5.0			GASOLINE		

CLW

000003550



Table III C 3

WELL SURVEY SHEET\*

Sheet No. 8

DATE: 3-3-77

WELL NO.	WELL TYPE	DRILLED DEPTH ft.	STATIC LEVEL (ft)	CASING SIZE (in.)	STAGES	DRAWDOWN AT RATED CAPACITY (feet)	RATED CAPACITY (gpm)
MCAS-106	DRILLED	174'	16'	8"	5	12'	178
203	DRILLED	173'	23'	8"	4	6'	100
131	DRILLED	189'	23'	8"	4	5'	250
4140	DRILLED	UNKNOWN		5"	UNKNOWN	UNKNOWN	150
4150	DRILLED			5"			150
5001	DRILLED	193'	44'	5"	3	10'	100
5009	DRILLED		34'	8"	3	16'	150

WELL NO.	SPECIFIC CAPACITY (gpm/ft of drawdown)	PUMP HEAD (ft)	MOTOR H. P.	CHLORINATION (AMOUNT)	RESIDUAL CHLORINE (ppm)	AUXILIARY POWER (type)	DD FORM	
							710	686
MCAS-106	14.8		15.0					
203	16.7		7.5					
131	50.0		7.5					
4140			5.0					
4150	UNKNOWN	UNKNOWN	5.0					
5001	10.0	75'	5.0					
5009	9.4	75'	5.0					

CLW

00000355

Table III C 3

WELL SURVEY SHEET\*

Sheet No. 9

DATE: 3-3-77

WELL NO.	WELL TYPE	DRILLED DEPTH ft.	STATIC LEVEL (ft)	CASING SIZE (in.)	STAGES	DRAWDOWN AT RATED CAPACITY (feet)	RATED CAPACITY (gpm)
RR-45	DRILLED	130'	27'	8"	10	8'	140
RR-47	DRILLED	85'	11'	8"	7	6'	250
RR-227	DRILLED	77'	13'	7"	10	10'	200

WELL NO.	SPECIFIC CAPACITY (gpm/ft of drawdown)	PUMP HEAD (ft)	MOTOR H. P.	CHLORINATION (AMOUNT)	RESIDUAL CHLORINE (ppm)	AUXILIARY POWER (type)	DD FORM	
							710	686
RR-45	17.5	205'	15.0			GASOLINE		
RR-47	41.7	190'	20.0					
RR-227	20.0	190'	10.0			GASOLINE		

CLW

000003552

Table III C 3

WELL SURVEY SHEET\*

Sheet No. 10

DATE: 3-3-77

WELL NO.	WELL TYPE	DRILLED DEPTH ft.	STATIC LEVEL (ft)	CASING SIZE (in.)	STAGES	DRAWDOWN AT RATED CAPACITY (feet)	RATED CAPACITY (gpm)
BB-43	DRILLED	54'	18'	7"	4	19'	175
BB-44	DRILLED	63'	24'	7"	4	10'	200
BB-220	DRILLED	63'	34'	6"	3	6'	150
BB-221	DRILLED	65'	35'	6"	3	8'	300
A-5	DRILLED	116'	18'	8"	4	14'	250
BA-164	DRILLED	61'	17'	5"	8	8'	200

WELL NO.	SPECIFIC CAPACITY (gpm/ft of drawdown)	PUMP HEAD (ft)	MOTOR H. P.	CHLORINATION (AMOUNT)	RESIDUAL CHLORINE (ppm)	AUXILIARY POWER (type)	DD FORM	
							710	686
BB-43	9.2	63'	5.0			GASOLINE		
BB-44	20.0	60'	5.0					
BB-220	25.0	78'	7.5					
BB-221	37.5	82'	15.0					
A-5	17.9	75'	3.0	5 lbs per day	0.6		GASOLINE	
BA-164	25.0	130'	10.0			GASOLINE		

CLW

000003553