References Cited in October 31, 1996 NMFS' Listing Determination for Central California Coast ESU of Coho Salmon (61 FR 56138)

Federal Register Notices

56 FR 58612 (November 20, 1991) 59 FR 34272 (July 1, 1994) 60 FR 38011 (July 25, 1995) 61 FR 4722 (February 7, 1996)

Published Reports and Memoranda

- Adams, P.B., and 7 coauthors. 1996. Historical and current presence-absence data of coho salmon (<u>Oncorhynchus kisutch</u>) in the central California evolutionary(sic) significant unit. Southwest Fisheries Science Center Administrative Report T-96-01.
- Allen, B. 1974. Early marine life history of Big Qualicum River chum salmon. In: Proceedings of the 1974 Northeast Pacific pink salmon workshop (Harding, D., ed.). Department of the Environment, Fisheries, Vancouver, B.C.
- Anderson, K.R. 1995. A status review of coho salmon (<u>Oncorhynchus kisutch</u>) in California south of San Francisco Bay. A report to the fish and Game Commission. 82 p.
- Beamish, R. J., and D. R. Bouillon. 1993. Pacific salmon production trends in relation to climate. Can. J. Fish. Aquat. Sci. 50:1002-1016.
- Beamish, R.J., B.L. Thomson, and G.A. McFarlane. 1992. Spiny dogfish predation on chinook and coho salmon and the potential effects on hatchery-produced salmon. Trans. Amer. Fish. Soc. 121:444-445.
- Bergren, J.J. and M.J. Filardo. 1991. An analysis of variables influencing the migration of juvenile salmonids in the Snake and lower Columbia Rivers. Fish Passage Center, Portland, OR.
- Botkin, Daniel, K. Cummins, T. Dunne, H. Reiger, M. Sobel, and L. Talbot. 1995. Status and future of salmon in Western Oregon and Northern California. The Center for the Study of the Environment. Report #8. May, 1995.
- Bottom, D.L., P.J. Howell, and J.D. Rodgers. 1985. The effects of steam alterations on salmon and trout habitat in Oregon. Oregon Department of Fish and Wildlife, 70 p. (Available from Oregon Department of Fish and Wildlife, P.O. Box 59, Portland, OR 97207.)
- Bottom, D.L., T.E. Nickelson, and S.L. Johnson. 1986. Research and development of Oregon's coastal salmon stocks. ODFW Progress Report.

- Brodeur, R.D. and D.M. Ware. 1992. Interdecadal variability in pelagic nekton biomass in the Central Subarctic Domain of the northeast Pacific Ocean. Proceedings of the International Symposium on Climate Change and Northern fish Populations. Department of Fisheries and Oceans, Canada. September 1992.
- Brown, R.F. and B.R. Mate. 1983. Abundance, movements and feeding habits of harbor seals, <u>Phoco vitulina</u>, at Netarts and Tillamook Bays, Oregon. NOAA Fishery Bull. 81(2): 291-301.
- Brown, L. R., P. B. Moyle. 1991. Status of coho salmon in California. Report to the National Marine Fisheries Service, Southwest Region, Terminal Island. 114 p.
- Brown, L. R., P. B. Moyle, and R. M. Yoshiyama. 1994. Historical decline and current status of coho salmon in California. N. Am. J. Fish. Manage. 14:237-261.
- Bryant, G. J. 1994. Status review of coho salmon in Scott Creek and Waddell Creek, Santa Cruz County, California. Natl. Mar. Fish. Serv., SW Region, Protected Species Management Division, 102 p. (Available from Natl. Mar. Fish. Serv., Southwest Region, 501 W. Ocean Blvd., Suite 4200, Long Beach, CA 90802.)
- Buchanon, D.V., Sanders, J.E., Zinn, J.L., and Fryer, J.L. 1983. Relative susceptibility of four stocks of summer steelhead to infection of <u>Ceratomyxa shasta</u> and bacterial diseases found in the Willamette River. Trans. Amer. Fish. Soc. 112:541-543.
- California Advisory Committee on Salmon and Steelhead Trout (CACSST). 1988. Restoring the balance. Calif. Dep. Fish Game, 84 p. (Available from California Department of Fish and Game, Inland fisheries Division, 1416 Ninth St., Sacramento, CA 95814.)
- California Department of Fish and Game (CDFG). 1965. California fish and wildlife plan. Three volumes. Sacramento, CA. (Available from California Department of Fish and Game, Inland Fisheries Division, 1416 Ninth St., Sacramento, CA 95814.)
- CDFG. 1991. Sport fishing for anadromous salmonid fishes. California Department of Fish and Game draft Environmental/Satellite Document. August 1991.
- CDFG. 1994. Petition to the California Board of Forestry to list coho salmon (<u>Oncorhynchus</u> <u>kisutch</u>) as a sensitive species. Calif. Dep. Fish Game Rep., 35 p. plus appendices. (Available from California Board of Forestry, 1416 Ninth, Sacramento, CA 95814.)
- CDFG. 1995. Letter from C.F. Raysbrook (CDFG) to Garth Griffin (NMFS) re: Endangered and threatened species; proposed threatened status for 3 ESU's of Coho Salmon (<u>Oncorhynchus kisutch</u>) from OR through CA.

- CDFG. 1995. Letter from Timothy Farley, Chief, Inland Fisheries Division, California Department of Fish and Game, to J. Lecky, Chief, Protected Species Management Division, NMFS. Letter dated November 6, 1995. 14 p.
- California Department of Water Resources (CDWR). 1982. South Fork of the Trinity River salmonid enhancement study. CDWR, Northern District, Red Bluff, California. (Available from Protected Resources Division, NMFS, 525 N.E. Oregon Street, Suite 500, Portland, OR 97232.)
- California State Lands Commission (CSLC). 1993. California's rivers: A public trust report. California State Lands Commission, 304 p. (Available from California State Lands Commission, 1807 13th St., Sacramento, CA 95814.)
- California State Water Resources Control Board (CSWRCB). 1991. Water quality assessment summary report, water quality concerns. CSWRCB, Sacramento, California.
- Chapman, D., C. Peven, T. Hillman, A. Giorgi, and F. Utter. 1994. Status of summer steelhead in the mid-Columbia River. Don Chapman Consultants, Inc., 318 p. + appendices. (Available from Don Chapman Consultants, Inc., 3653 Rickenbacker, Suite 200, Boise, ID 83705.)
- Columbia River Basin Fish and Wildlife Authority (CBFWA). 1991. The biological and technical justification for the flow proposal of the Columbia Basin Fish and Wildlife Authority. Columbia Basin fish and Wildlife Authority, Portland, Oregon.
- Cooney, R.T., T.M. Willamette, S. Sharr, D. Sharp, and J. Olsen. 1993. The effect of climate on North Pacific pink salmon (<u>Oncorhynchus gorbuscha</u>) production: examining some details of a natural experiment. Proceedings of the International Symposium on Climate Change and Northern Fish Populations. Department of Fisheries and Oceans, Canada.
- Cooper, R., and T.H. Johnson. 1992. Trends in steelhead abundance in Washington and along the Pacific coast of North America. Wash. Dep. Wildlife, Fish. Manage. Div., Report 92-20, 90 p. (Available from Washington Department of Wildlife, 600 Capital Way N., Olympia, WA 98501-1091.)
- Cordone, A.J., and D.W. Kelley. 1961. The influences of inorganic sediment on the aquatic life of streams. California Fish and Game 47:189-228.
- Cox, B. 1992. Proposal to feed erythromycin into juvenile coho salmon for control of bacterial kidney disease (BKD). California Department of Fish and Game, Big Creek Hatchery.
- Cramer, S.P., and 12 co-authors. 1995. The status of steelhead populations in California in regards to the Endangered Species Act. Document prepared for Association of California Water Agencies, 167 p. (Available from Protected Resources Division, NMFS 525 N.E. Oregon Street, Suite 500, Portland, OR 97232.)

- Evelyn, T.P.T, J.E. Ketcheson and L. Prosperi-Porta. 1984. Further evidence for the presence of Renibacterium salmoninarum in salmonid eggs and for the failure of providone iodine to reduce the intra-ovum infection rate in water-hardened eggs. Journal of Fish Disease 7:173-182.
- Evelyn, T.P.T., L. Prosperi-Porta, and J.E. Ketcheson. 1986. Experimental intra-ovum infection of salmonid eggs with <u>Renibacterium salmoninarum</u> and vertical transmission of the pathogen with such eggs despite their treatment with erythromycin. Diseases of Aquatic Organisms 1:197-202. Behavioral Ecology Sociobiology. 16:65-71.
- Foott, S.J. 1992. Disease survey of the Trinity River salmonid smolt populations, 1991 report.U.S. Fish and Wildlife Service, California-Nevada Fish Health Center, Anderson, C.A. 31 p.
- Foott, J.S., R.L. Walker, J.D. Williamson, and K. C. True. 1994. Health and physiology monitoring of chinook and steelhead smolts in the Trinity and Klamath Rivers. U.S. Fish and Wildlife Service, California-Nevada Fish Health Center, unpubl. Rep., 12 p. (Available from Protected Resources Division, NMFS 525 N.E. Oregon Street, Suite 500, Portland, OR 97232.)
- Forest Ecosystem Management Assessment Team (FEMAT). 1993. Forest ecosystem management: an ecological, economic, and social assessment. U.S. Forest Service, Natl. Mar. Fish. Serv., Bureau of Land Management, U.S. Fish and Wildlife Service, National Park Service, U.S. Environmental Protection Agency. Portland, Oregon, and Washington D.C. 843 p. + app.
- Francis, R.C., and T.H. Sibley. 1991. Climate change and fisheries: what are the real issues? The Northwest Environmental Journal 7:295-307.
- Francis, R.C., S. Riser and W. Wooster. 1992. Salmonid fisheries oceanography of the Northeast Pacific: A proposal to Washington Sea Grant. Washington Sea Grant Program, university of Washington, Seattle, WA 98195. 35 p.
- Francis, R.C. 1993. Climate change and salmonid production in the North Pacific Ocean. In: Proceedings of the Ninth Annual Pacific Climate (PACLIM) Workshop, April 21-24, 1992, K.T. Redmond and V.L. Tharp (eds). California Department of Water Resources, Interagency Ecological Studies Progress, Technical Report 34.
- Fryer, J.L. and J.E. Sanders. 1981. Bacterial kidney disease of salmonid fish. Annual Review of Microbiology, 35:273-298.
- Graybill, M.R. 1981. Haul out patterns and diet of harbor seals, <u>Phoca vitulina</u>, in Coos County, Oregon. Master's Thesis. Univ. of Oregon. 55 p.

- Hagans, D.K., W.E. Weaver, and M.A. Madej. 1986. Long term on-site and off-site effects of logging and erosion in the Redwood Creek Basin in northern California. Natural Council on Air and Streams, Technical Bulletin 460. New York, New York.
- Hanson, L.C. 1993. The foraging ecology of Harbor Seals, <u>Phoca vitulina</u>, and California Sea Lions, <u>Zalophus californianus</u>, at the mouth of the Russian River, California. M.S. Thesis, Sonoma State University, California. 70 p.
- Hare, S.R., and R.C. Francis. 1993. Climate change and salmonid production in the North Pacific Ocean. Proceedings of the International Symposium on Climate Change and Northern Fish Populations. Department of Fisheries and Oceans, Canada. September 1992.
- Higgins, P., S. Dobush, and D. Fuller. 1992. Factors in northern California threatening stocks with extinction. Humboldt Chapter of the American Fisheries Society, Arcata, CA, 24 p.
- Hindar, K., N. Ryman and F. Utter. 1991. Genetic Effects of Cultured Fish on Natural Fish Populations. Can. J. Fish. Aquat. Sci., Vol. 48, 12 pp.
- Hollowed A.B. and W.S. Wooster. 1991. (See Hollowed and Wooster, 1992.)
- Hollowed A.B. and W.S. Wooster. 1992. Variability of winter ocean conditions and strong year classes of Northeast Pacific groundfish. ICES 1991/Variability Symposium/Paper No. 33/Session 3.
- Holt, R.A., J.E. Sanders, J.L. Zinn, J.L. Fryer, and K.S. Pilcher. 1975. Relation of water temperature to flexibacter columnaris infection in steelhead trout (<u>Salmo gairdneri</u>), coho (<u>Oncorhynchus kistuch</u>) and chinook (<u>Oncorhynchus tshawytscha</u>) salmon. Journal of the Fisheries Research Board of Canada 32:1553-1559.
- Holtby, L. B., and J. C. Scrivener. 1989. Observed and simulated effects of climatic variability, clear-cut logging, and fishing on the numbers of chum salmon (<u>Oncorhynchus keta</u>) and coho salmon (<u>O. kisutch</u>) returning to Carnation Creek, British Columbia. In C. D. Levings, L. B. Holtby, and M. A. Henderson (editors), Proceedings of the national workshop on effects of habitat alteration on salmonid stocks, p. 62-81. Can. Spec. Publ. Fish. Aquat. Sci. 105.
- Holtby, L. B., B. C. Andersen, and R. K. Kadowaki. 1990. Importance of smolt size and early ocean growth to interannual variability in marine survival of coho salmon (<u>Oncorhynchus</u> <u>kisutch</u>). Can. J. Fish. Aquat. Sci. 47:2181-2194.
- Jameson, R.J. and K.W. Kenyon. 1977. Prey of sea lions in the Rogue River, Oregon. J. Mammal. 58(4):672.

- Janda, R.J., K.M. Nolan, D.R. Harden, and S.M. Coleman. 1975. Watershed conditions in the drainage basin of Redwood Creek, Humboldt County, California. U.S. Geologic Survey, Menlo Park, California. File report 75-568. 266 p.
- Jensen, P.T. and P.G. Swartzell. 1967. California salmon landings 1952 through 1965. CDFG, Fish Bulletin 135:43-57.
- Johnson, S.L. 1988. The effects of the 1983 El Nino on Oregon's coho (<u>Oncorhynchus kisutch</u>), and chinook (<u>O. tshawytscha</u>) salmon. Fisheries Research. 6:105-123.
- Judsen, S. and D.F. Ritter. 1964. Rates of regional denudation in the United States. Journal of Geophysical Research volume 69. 11:3395-3401.
- Kelsey, H.M. 1980. A sediment budget and an analysis of geomorphic processes in the Van Duzen River basin, north coastal California, 1941-1975: Summary. Geol. Soc. Am. Bull., part 1, 91:190-195.
- Leek, S.L. 1987. Viral erythrocytic inclusion body syndrome (EIBS) occurring in juvenile spring chinook salmon (<u>Oncorhynchus tshawytscha</u>) reared in freshwater. Canadian Journal of Fisheries and Aquatic Science, 44:685-688.
- Leopold, L.B. 1968. Hydrology for urban land planning a guidebook on the hydrologic effects of urban land use. USGS Circular 554.
- Lisle, T.E. 1982. The recovery of stream channels in north coastal California from recent large floods. Pages 31-41 in K. Hashagen, Ed. Habitat disturbance and recovery proceedings. California Trout, San Francisco, California. 90 p.
- Lloyd, D.S., J.P. Koenigs, and J.D. LaPerriere. 1987. Effects of turbidity in fresh waters of Alaska. North American Journal of Fisheries Management. 7:18-33.
- McEwan, D., and T.A. Jackson. 1996. Steelhead restoration and management plan for California. California. Dep. Fish Game, 234 p. (Available from California Department of fish and Game, Inland Fisheries Division, 1416 Ninth Street, Sacramento, CA 95814.)
- Matthews, G.M., D.L. Park, S. Achord and T. E. Ruehle. 1986. Static seawater challenge test to measure relative stress levels in spring chinook salmon smolts. Transactions of the AFS 115:236-244.
- Maule, A.G., C.B. Schreck, C.S. Bradford and B.A. Barton. 1988. Physiological effects of collecting and transporting emigrating juvenile chinook salmon past dams on the Columbia River. Transactions of the American Fisheries Society 117:245-261.

- National Marine Fisheries Service (NMFS). 1994. Memorandum from Michael Schiewe (NMFS) to William Stelle (NMFS) via U. Varanasi (NMFS) Re: Status Review of Coho Salmon from California, Oregon, and Washington, September 2, 1994.
- NMFS. 1996. Memorandum from A. MacCall to H. Diaz-Soltero Re: update of coho salmon presence-absence data, August 27, 1996.
- NMFS. 1996. Memorandum from M.H. Schiewe to W. Stelle and H. Diaz-Soltero Re. Supplemental report of the biological review team on central California coast coho salmon. October 17, 1996
- Nawa, R.K., C.A. Frissell, and W.J. Liss. 1991. Life history and persistence of anadromous fish stocks in relation to stream habitats and watershed classification Fiscal Year 1990. Fish Research Project Oregon, Or. Dept. Fish Wildlf., 14pp.
- Neeley, D. 1994. The Relation Between Oceanic Factors and California Steelhead Survival. Prepared for Association of California Water Agencies, 32 pp. S.P. Cramer & Associates. Gresham, OR.
- Nehlsen, W., J.E. Williams, and J.A. Lichatowich. 1991. Pacific salmon at the crossroads: stocks at risk from California, Oregon, Idaho, and Washington. Fisheries 16: 4-21.
- Nickelson, T. E. 1986. Influences of upwelling, ocean temperature, and smolt abundance on marine survival of coho salmon (<u>Oncorhynchus kisutch</u>) in the Oregon Production Area. Can. J. Fish. Sci. 43:527-535.
- Pacific Fishery Management Council (PFMC). 1993. Preseason Report 1 Stock abundance analysis for 1993 salmon fisheries. Salmon Technical Team, PFMC, Portland, OR.
- Pacific Fishery Management Council (PFMC). 1978. Fishery management plan for commercial and recreational salmon fisheries off the coasts of Washington, Oregon, and California commencing in 1978. March 1978. 157 p.
- Palmisano, J.F., R.H. Ellis and v.W. Kaczynski. 1993. The impact of environmental and management factors on Washington's wild anadromous salmon and trout. Report for Washington Forest Protection Association and Washington Department of Natural Resources, 371 pp.
- Pearcy, W.G. 1992. Ocean ecology of North Pacific salmonids. Univ. Washington Press, Seattle, 179 p.
- Quinn, T. and R. Tallman. 1987. Seasonal environmental predictability and homing in riverine fishes. Environmental Biology of Fishes, Vol. 18, No. 2, pp. 155-159.

- Reiser, D.W. and T.C. Bjornn. 1979. Influence of forest and rangeland management o anadromous fish habitat in the western United States and Canada 1. Habitat requirements of anadromous salmonids, PNW-96, 54 pp.
- Reynolds, F.L., T.J. Mills, R. Benthin, and A. Low. 1993. Restoring central valley streams: A plan for action. Calif. Dep. Fish Game, Sacramento, CA, 184 pp.
- Roffe, T.J. and B.R. Mate. 1984. Abundance and feeding habits of pinnipeds in the Rogue River, Oregon. J. Wildl. Manage. 48(4): 1262-1274.
- Rogers, D.E. 1984. Trends in abundance of northeastern Pacific stocks of salmon. Pp. 100-127 In: W.G. Pearcy (ed.) The influence of ocean conditions on the production of salmonids in the North Pacific. Oregon State University, Corvallis, Oregon.
- Rogers, D.E. 1987. Pacific salmon. Pp. 461-476 In: D.W. Hood and S.T. Zimmerman (eds.). Alaska Office of Ocean Assessment Division, NOAA, Washington D.C.
- Royer, T.C. 1989. Upper ocean temperature variability in the northeast Pacific Ocean: Is it an indicator of global warming? Jour. Geophy. Res. 94: 18175-18183.
- Rucker, R.R., B.J. Earp and E.J. Ordall. 1953. Infectious diseases of Pacific salmon. Transactions of the American Fisheries Society, 88:297-312.
- Ruggerone. 1986. Consumption of Migrating Juvenile Salmonids by Galls Foraging Below a Columbia River Dam. Transactions of the AFS Vol. 115: 736-742. (See VIII.D.1.).
- Sanders, J., J. Long, C. Arakawa, J. Bartholomew, and J. Rohovec. 1992. Prevalence of Renibacterium salmoninarum among Downstream-Migrating Salmonids in the Columbia River. Journal of Aquatic Animal Health, 4:72-75.
- Scarnecchia. 1981. Effects of streamflow and upwelling on yield of wild coho salmon (<u>Oncorhynchus kisutch</u>) in Oregon. Canadian Jour. Fish. Aquat. Sci. 38:471-475.
- Scheffer, T.H., and C.C. Sperry. 1931. Food habits of the Pacific harbor seal, <u>Phoca vitulina</u> richardsi. J. Mammal. 12(3):214-226.
- Schreck, C.B. 1987. Stress measurement. Pages 89-96 In: Improving hatchery effectiveness as related to smoltification, Proceedings of smolt workshop. Warm Springs, Oregon.
- Stewart, C.R. and T.C. Bjornn. 1990. Supplementation of salmon and steelhead stocks with hatchery fish: a synthesis of published literature. U.S. Department of Energy, Bonneville Power Administration, Technical Report 90-1.
- Stine, S. 1994. Extreme and persistent drought in California and Patagonia during medieval time. Nature 369:546-549.

- Sweeney, B.W. and R.L. Vannote. 1978. Size variation and the distribution of hemimetabolous aquatic insects: two themal equilibrium hypotheses. Science.
- Trenberth, K.E. 1990. Recent observed interdecadal climate changes in the Northern Hemisphere. Bull. Am. Meteor. Soc. 71:988-992.
- Trenberth, K.E. and J.W. Hurrel. 1993. Decadal coupled atmospheric-ocean variations in the North Pacific. Proceedings of the Int. Symp. On Climate Change and North. Fish. Pop., September 1992. Dept. Fish. and Oceans, Canada.
- U.S. Forest Service (USFS) and U.S. Bureau of Land Management (BLM). 1994. Environmental assessment for the implementation of interim strategies for managing anadromous fish-producing watersheds in eastern Oregon and Washington, Idaho, and portions of California. March 18, 1994. 68 p. + appendices.
- Vernon, E.H. 1958. An examination of factors affecting the abundance of pink salmon in the Fraser River. International Pacific Salmon Fisheries Commission Progress Report, No. 5, 49p. New Westminster, B.C., Canada.
- Wahrhaftig, C. 1976. Statement of erosion problems in Redwood Creek. Memo to the Board of Forestry. January 15, 1976. California Department of fish and Game, Eureka, California.
- Waples, R.S. 1991. Genetic interactions between hatchery and wild salmonids: Lessons from the Pacific Northwest. Can. J. Fish. Aquat. Sci. 48 (Suppl. 1):124-133.
- Waples, R.S. 1991. Definition of a "species" under the Endangered Species Act: Application to Pacific Salmon. U.S. Dept of Commerce., NOAA Tech. Memo., NMFS, F/NWC-194, 29p.
- Ward, M.B. 1993. The physical dynamics of the Subarctic Front of the North Pacific Ocean and its relation to salmon (<u>Oncorhynchus</u> spp.) production. M.S. thesis, University of Washington, Seattle, WA.
- Weaver, William and Danny K. Hagans. 1996. Aerial Reconnaissance Evaluation of 1996
 Storm Effects on Upland Mountainous Watersheds of Oregon and Southern Washington:
 Wildland response to the February 1996 storm and flood in the Oregon and Washington
 Cascades and Oregon Coast Range Mountains, 65 pp. Pacific Rivers Council, Eugene, OR.
- Wickett, W.P. 1967. Ekman transport and zooplankton concentration in the North Pacific Ocean. Journal of the Fisheries Research Board of Canada, 24:581-594.

- Weitkamp, L.A., T.C. Wainwright, G.J. Bryant, G.B. Milner, D.J. Teel, R.G. Kope, and R.S.
 Waples. 1995. Status review of coho salmon from Washington, Oregon, and California.
 NOAA Tech. Memo. NMFS-NWFSC-24. 258 p. (Available from Protected Resources Division, NMFS, 525 NE Oregon Street, Portland, OR 97232.)
- Wilderness Society. 1993. The Living Landscape, Volume 2: Pacific Salmon and Federal Lands, 87 pp. Bolle Center for Forest Ecosystem Management, Washington, D.C. (Available from the Wilderness Society, 900 Seventeenth Street, N.W., Washington, DC 20406-2596.)
- Wocket. 1967. (See Wickett, 1967)
- Wood, J.W. 1979. Diseases of Pacific Salmon, Their Prevention & Treatment. Washington Department of Fisheries-Hatchery Div., pp. 43-46.
- Wood, C.C. 1987. Predation of Juvenile Pacific Salmon by the Common Merganser on Eastern Vancouver Island. I:Predation During the Seaward Migration & II: Predation of Stream-Resident Juvenile Salmon by Merganser Broods. Documents submitted to the ESA Administrative Record for west coast coho.