Rules and Regulations

Federal Register

Vol. 69, No. 170

Thursday, September 2, 2004

This section of the FEDERAL REGISTER contains regulatory documents having general applicability and legal effect, most of which are keyed to and codified in the Code of Federal Regulations, which is published under 50 titles pursuant to 44 U.S.C. 1510.

The Code of Federal Regulations is sold by the Superintendent of Documents. Prices of new books are listed in the first FEDERAL REGISTER issue of each week.

DEPARTMENT OF HOMELAND SECURITY

8 CFR Parts 215, 235 and 252

[DHS-2004-0002]

RIN 1650-AA00

United States Visitor and Immigrant Status Indicator Technology Program ("US-VISIT"); Authority To Collect Biometric Data From Additional Travelers and Expansion to the 50 Most Highly Trafficked Land Border Ports of Entry; Correction

AGENCY: Border and Transportation Security Directorate, DHS.

ACTION: Interim rule; correction.

SUMMARY: On August 31, 2004, the Department of Homeland Security (DHS) published an interim rule in the Federal Register at 69 FR 53318 expanding the United States Visitor and Immigrant Status Technology Program (US-VISIT) to the 50 most highly trafficked land border ports of entry in the United States. The interim rule also further defined the population of aliens who are required to provide biometric identifiers and other identifying information under the US-VISIT program. The interim rule contained a typographical error and identified an incorrect docket number. The correct docket number is DHS-2004-0002.

DATES: *Effective date:* The interim rule is effective September 30, 2004.

Comment date: Written comments must be submitted on or before November 1, 2004.

FOR FURTHER INFORMATION CONTACT:

Michael Hardin, Senior Policy Advisor, US–VISIT, Border and Transportation Security, Department of Homeland Security, 1616 Fort Myer Drive, 18th Floor, Arlington, Virginia 22209, (202) 298–5200. Dated: August 31, 2004.

Elizabeth L. Branch,

Associate General Counsel for Rules and Legislation, Office of the General Counsel, Department of Homeland Security. [FR Doc. 04–20126 Filed 8–31–04; 1:10 pm]

BILLING CODE 4410-10-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2004-18958; Directorate Identifier 2004-NE-32-AD; Amendment 39-13778; AD 2004-18-01]

RIN 2120-AA64

Airworthiness Directives; Hoffmann Propeller GmbH & Co KG Models HO– V343 and HO–V343K Propellers

AGENCY: Federal Aviation Administration (FAA), DOT. **ACTION:** Final rule; request for comments.

SUMMARY: The FAA is adopting a new airworthiness directive (AD) for Hoffmann Propeller GmbH & Co KG (Hoffmann Propeller) models HO–V343 and HO-V343K propellers. This AD requires initial and repetitive visual inspections of propeller blades for blade shake and blade nut preload. This AD also requires initial and repetitive eddy current inspections of blade hubs for damage and cracks. This AD results from a report of a blade separating from either a model HO-V343 or HO-V343K propeller. We are issuing this AD to prevent propeller hub failure and blade separation due to an unknown root cause, leading to damage and possible loss of control of the airplane.

DATES: Effective September 17, 2004. The Director of the Federal Register approved the incorporation by reference of certain publications listed in the regulations as of September 17, 2004.

We must receive any comments on this AD by November 1, 2004.

ADDRESSES: Use one of the following addresses to submit comments on this proposed AD.

- DOT Docket Web site: Go to http: //dms.dot.gov and follow the instructions for sending your comments electronically.
- Government-wide rulemaking Web site: Go to http://www.regulations.gov

and follow the instructions for sending your comments electronically.

- Mail: Docket Management Facility; U.S. Department of Transportation, 400 Seventh Street, SW., Nassif Building, Room PL-401, Washington, DC 20590.
 - Fax: (202) 493–2251.
- Hand Delivery: Room PL-401 on the plaza level of the Nassif Building, 400 Seventh Street, SW., Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

You can get the service information identified in this AD from Hoffmann Propeller GmbH & Co KG, Küpferlingstraße 9, D–83022 Rosenheim, Germany, telephone ++49–(0)8031–1878–78.

You may examine the comments on this AD in the AD docket on the Internet at http://dms.dot.gov.

FOR FURTHER INFORMATION CONTACT:

Frank Walsh, Aerospace Engineer, Boston Aircraft Certification Office, FAA, Engine & Propeller Directorate, 12 New England Executive Park, Burlington, MA 01803–5299; telephone (781) 238–7158; fax (781) 238–7199.

SUPPLEMENTARY INFORMATION: The Luftfahrt-Bundesamt (LBA), which is the aviation authority for Germany, recently notified us that an unsafe condition may exist on Hoffmann propeller models HO-V343 and HO-V343K propellers. The LBA has notified us of an occurrence of a propeller blade separating from the hub. Initial investigation after that blade separation revealed that the propeller hub was cracked. The root cause of the failure is not known and is still under investigation. A propeller blade having blade shake may be evidence of either incorrect blade nut preload or a cracked hub or both. Incorrect blade nut preload may be evidence of a cracked hub. The actions specified in this AD are of precautionary nature. We certificated these propellers for use in the U.S. in 1997. We estimate that 12 of these propellers of the same type design are installed on airplanes of U.S. registry.

Relevant Service Information

We have reviewed and approved the technical contents of Hoffmann Propeller GmbH & Co KG Service Instruction No. 61–10–05 SI E 4B, dated July 13, 2004, that describes procedures for initial and repetitive visual inspections of propeller blades for blade

shake and blade nut preload. This service instruction also describes procedures for initial and repetitive eddy current inspections of blade hubs for damage or cracks. The LBA classified this service instruction as mandatory and issued AD D–2004–352R2, dated July 23, 2004, in order to ensure the airworthiness of these propellers in Germany.

Bilateral Airworthiness Agreement

These Hoffmann Propeller GmbH & Co KG models HO-V343 and HO-V343K propellers are manufactured in Germany and are type certificated for operation in the United States under the provisions of section 21.29 of the Federal Aviation Regulations (14 CFR 21.29) and the applicable bilateral airworthiness agreement. Under this bilateral airworthiness agreement, the LBA kept the FAA informed of the situation described above. We have examined the findings of the LBA, reviewed all available information, and determined that AD action is necessary for products of this type design that are certificated for operation in the United

FAA's Determination and Requirements of This AD

The unsafe condition described previously is likely to exist or develop on other Hoffmann Propeller GmbH & Co KG model HO-V343 and HO-V343K propellers of the same type design. We are issuing this AD to prevent propeller hub failure and blade separation due to an unknown root cause, leading to damage and possible loss of control of the airplane. This AD requires initial and repetitive visual inspections of propeller blades for blade shake and blade nut preload. This AD also requires initial and repetitive eddy current inspections of blade hubs for damage and cracks. You must use the service information described previously to perform the actions required by this AD.

FAA's Determination of the Effective Date

Since an unsafe condition exists that requires the immediate adoption of this AD, we have found that notice and opportunity for public comment before issuing this AD are impracticable, and that good cause exists for making this amendment effective in less than 30 days.

Interim Action

These actions are interim actions and we may take further rulemaking actions in the future.

Docket Management System (DMS)

We have implemented new procedures for maintaining AD dockets electronically. As of May 17, 2004, we post new AD actions on the DMS and assign a DMS docket number. We track each action and assign a corresponding Directorate identifier. The DMS docket No. is in the form "Docket No. FAA—200X—XXXXX." Each DMS docket also lists the Directorate identifier ("Old Docket Number") as a cross-reference for searching purposes.

Comments Invited

This AD is a final rule that involves requirements affecting flight safety and was not preceded by notice and an opportunity for public comment; however, we invite you to submit any written relevant data, views, or arguments regarding this AD. Send your comments to an address listed under ADDRESSES. Include "AD Docket No. FAA-2004-18958; Directorate Identifier 2004-NE-32-AD" in the subject line of your comments. We specifically invite comments on the overall regulatory, economic, environmental, and energy aspects of the rule that might suggest a need to modify it.

We will post all comments we receive, without change, to http:// dms.dot.gov, including any personal information you provide. We will also post a report summarizing each substantive verbal contact with FAA personnel concerning this AD. Using the search function of the DMS Web site, anyone can find and read the comments in any of our dockets, including the name of the individual who sent the comment (or signed the comment on behalf of an association, business, labor union, etc.). You may review the DOT's complete Privacy Act Statement in the Federal Register published on April 11, 2000 (65 FR 19477-78), or you may visit http://dms.dot.gov.

We are reviewing the writing style we currently use in regulatory documents. We are interested in your comments on whether the style of this document is clear, and your suggestions to improve the clarity of our communications with you. You can get more information about plain language at http://www.faa.gov/language and http://www.plainlanguage.gov.

Examining the AD Docket

You may examine the docket that contains the AD, any comments received, and any final disposition in person at the DMS Docket Offices between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The Docket Office (telephone (800) 647–

5227) is located on the plaza level of the Department of Transportation Nassif Building at the street address stated in **ADDRESSES.** Comments will be available in the AD docket shortly after the DMS receives them.

Regulatory Findings

We have determined that this AD will not have federalism implications under Executive Order 13132. This AD will not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify that the regulation:

- 1. Is not a "significant regulatory action" under Executive Order 12866;
- 2. Is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and
- 3. Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

We prepared a summary of the costs to comply with this AD and placed it in the AD Docket. You may get a copy of this summary by sending a request to us at the address listed under **ADDRESSES**.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

Adoption of the Amendment

■ Under the authority delegated to me by the Administrator, the FAA amends part 39 of the Federal Aviation Regulations (14 CFR part 39) as follows:

PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§39.13 [Amended]

■ 2. The Federal Aviation Administration (FAA) amends § 39.13 by adding the following new airworthiness directive (AD):

2004–18–01 Hoffmann Propeller GmbH & Co KG: Amendment 39–13778. Docket No. FAA–2004–18958; Directorate

Identifier 2004–NE–32–AD.

Effective Date

(a) This AD becomes effective September 17, 2004.

Affected ADs

(b) None.

Applicability

(c) This AD applies to Hoffmann Propeller GmbH & Co KG (Hoffmann Propeller) models HO–V343 and HO–V343K propellers. These propellers are installed on, but not limited to, general aviation airplanes possibly having an FAA-approved Supplemental Type Certificate.

Unsafe Condition

(d) This AD results from a report of a blade separating from either a model HO–V343 or HO–V343K propeller. We are issuing this AD to prevent propeller hub failure and blade separation due to an unknown root cause, leading to damage and possible loss of control of the airplane.

Compliance

(e) You are responsible for having the actions required by this AD performed within the compliance times specified unless the actions have already been done.

Propellers With Hubs Having 1,200 or More Flight Hours-Since-New (FHSN)

(f) For propellers having hubs with 1,200 or more FHSN, do the following:

- (1) Before each flight after the effective date of this AD, perform a preflight check for blade shake. Use paragraph 2.2 of Accomplishment Instructions of Hoffmann Propeller Service Instruction (SI) No. 61–10–05 SI E 4B, dated July 13, 2004, to do this check. If you find any blade shake, do the following before further flight:
- (i) Record the blade shake, blade nut preload, and final blade nut torque of all three blades. Use paragraph 2.2 of Accomplishment Instructions of Hoffmann Propeller Service Instruction (SI) No. 61–10–05 SI E 4B, dated July 13, 2004, to do these recordings and checks.
- (ii) Remove propeller blades from the hub. Information on blade removal can be found in Hoffmann Propeller Overhaul Manual No. (E)661.
- (iii) Perform an eddy current inspection (ECI) of the propeller hub for damage and cracks. Use paragraphs 2.3 through 2.4 of Accomplishment Instructions of Hoffmann Propeller SI No. 61–10–05 SI E 4B, dated July 13, 2004, to do the ECI.
- (iv) If the propeller hub has damage or cracks, remove the propeller hub from service before further flight.
- (2) Perform repetitive checks and inspections as specified in paragraphs (f)(1)(i) through (f)(1)(iv) of this AD within intervals of 100 flight hours-since-last-inspection.

Propellers With Hubs Having Fewer Than 1,200 FHSN

(g) For propellers with hubs having fewer than 1,200 FHSN, do the following:

(1) Before each flight after the effective date of this AD, perform a preflight check for blade shake, as specified in paragraph (f)(1) of this AD. If blade shake is found, perform the follow-up actions specified in paragraphs (f)(1)(i) through (f)(1)(iv) of this AD.

(2) Perform an ECI of the propeller hub for damage and cracks before exceeding 1,200 FHSN. Use paragraphs 2.3 through 2.4 of Accomplishment Instructions of Hoffmann Propeller SI No. 61–10–05 SI E 4B, dated July 13, 2004, to do the ECI.

Alternative Methods of Compliance

(h) The Manager, Boston Aircraft Certification Office, has the authority to approve alternative methods of compliance for this AD if requested using the procedures found in 14 CFR 39.19.

Material Incorporated by Reference

(i) You must use Hoffmann Propeller Service Instruction No. 61-10-05 SI E 4B, dated July 13, 2004, to perform the checks and inspections required by this AD. The Director of the Federal Register approved the incorporation by reference of this service bulletin in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. You can get a copy from Hoffmann Propeller GmbH & Co KG, Küpferlingstraße 9, D-83022 Rosenheim, Germany, telephone ++49-(0)8031-1878-0; fax ++49-(0)8031-1878-78; or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/ federal_register/code_of_federal_regulations/ ibr_locations.html.

Related Information

(j) LBA airworthiness directive D–2004–352R2, dated July 23, 2004, which holds EASA Approval No. 2004–7836, also addresses the subject of this AD.

Issued in Burlington, Massachusetts, on August 23, 2004.

Robert E. Guyotte,

Acting Manager, Engine and Propeller Directorate, Aircraft Certification Service. [FR Doc. 04–19829 Filed 9–1–04; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. 2002-NM-327-AD; Amendment 39-13779; AD 2004-18-02]

RIN 2120-AA64

Airworthiness Directives; Boeing Model 737–600, 737–700, 737–700C, 737–800, and 737–900 Series Airplanes

AGENCY: Federal Aviation Administration, DOT.

ACTION: Final rule.

SUMMARY: This amendment adopts a new airworthiness directive (AD), applicable to certain Boeing Model 737–600, 737–700, 737–700C, 737–800, and 737–900 series airplanes, that requires measuring the electrical resistance of the support bracket for the fire extinguisher bottle located in the left main landing gear wheel well to ensure that it does not exceed the maximum allowed resistance; and corrective actions, if necessary. This action is necessary to prevent high electrical

resistance in the squib firing circuit, which could result in insufficient electrical current to fire the fire extinguisher bottle squib and discharge the fire extinguishing agent, which could lead to an uncontrolled engine fire. This action is intended to address the identified unsafe condition.

DATES: Effective October 7, 2004. The incorporation by reference of a certain publication listed in the regulations is approved by the Director of the Federal Register as of October 7, 2004.

ADDRESSES: The service information referenced in this AD may be obtained from Boeing Commercial Airplanes, P.O. Box 3707, Seattle, Washington 98124-2207. This information may be examined at the Federal Aviation Administration (FAA), Transport Airplane Directorate, Rules Docket, 1601 Lind Avenue, SW., Renton, Washington; or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call (202) 741-6030, or go to: http://www.archives.gov/ federal register/ code_of_federal_regulations/ ibr_locations.html.

FOR FURTHER INFORMATION CONTACT:

Doug Pegors, Aerospace Engineer; Propulsion Branch, ANM–140S, FAA, Seattle Aircraft Certification Office, 1601 Lind Avenue, SW., Renton, Washington; telephone (425) 917–6504; fax (425) 917–6590.

SUPPLEMENTARY INFORMATION: A proposal to amend part 39 of the Federal Aviation Regulations (14 CFR part 39) to include an airworthiness directive (AD) that is applicable to certain Boeing Model 737-600, 737-700, 737-700C, 737-800, and 737-900 series airplanes was published in the Federal Register on December 4, 2003 (68 FR 67812). That action proposed to require measuring the electrical resistance of the support bracket for the fire extinguisher bottle located in the left main landing gear wheel well to ensure that it does not exceed the maximum allowed resistance; and corrective actions, if necessary.

Comments

Interested persons have been afforded an opportunity to participate in the making of this amendment. Due consideration has been given to the comments received.

Support for the Proposal

Two commenters, who do not have airplanes affected by the proposed AD, either do not object to or agree with the proposed AD.