On-Scene Commander's Guide



For Responding To Biological/Chemical Threats

November 1, 1999

Table of Contents

For ease of use, the Guide separates Biological and Chemical incident information by color.

Table of Contents	2
Disclaimer	2
Preface	3
Acknowledgments	4
Biological Threat Agent Incidents	2 2 3 4 5 5 6 8
Incident Objectives	5
On-Scene General Assessment	6
Hazard Assessment	8
On-Scene Assessment/Response Strategy	
Scenario #1	9
On-Scene Assessment/Response Strategy	
Scenario #2	11
A Glossary of Terms	14
Chemical Threat Agent Incidents	
Incident Objectives	15
Hazard Assessment	16
On-Scene General Assessment	17
On-Scene Assessment/Response Strategy	
Scenario #3	19
On-Scene Assessment/Response Strategy	
Scenario #4	21
A Glossary of Terms	24
Notification	25
Telephone List	25
References	26

Disclaimer

Extensive and reasonable care has been exercised in the preparation of this document. Biological/chemical information, references and authorities were used to document the applicability of the information contained herein. This document is designed to function only as a guide to incident commanders and not to be used as a hard and fast set of rules. At the scene of any terrorist incident involving chemical/biological threat agents circumstances vary and are unpredictable. Incidents may require only the most rudimentary application of the suggestions made in this document, but may also require extremely complex intervention procedures that are beyond the scope of this document.

Preface

This On-Scene Commander's Guide Responding to Biological/Chemical Threats has been developed in coordination with "stakeholders" from federal agencies (the "interagency"), and state and local emergency responder communities. It was developed to enhance the previously disseminated guidance distributed as NDPO Bulletins distributed in December 1998 and April 1999. It is a tool to assist commanders in the field in assessing options during the first two hours of an incident involving a potential biological or chemical agent. It is intended to augment existing response policies and not supersede local protocols. This Guide is general in nature and not intended to be a technical guide for emergency responders. The Guide has dual applicability in law enforcement and public safety communities. I sincerely hope you will find this Guide to be beneficial.

Thomas M. Kuker Director

1 Jan M. Kukes

NDPO...by and for emergency responders.

Acknowledgments

This could not have been completed without the considerable input and assistance from the following organizations:

American College of Emergency Physicians

DHHS: Office of Emergency Preparedness

DHHS: Centers for Disease Control & Prevention

Department of Justice

Environmental Protection Agency

Federal Bureau of Investigation

Federal Emergency Management Agency

Hilderbrand & Noll Associates

International Association of Chiefs of Police

International Association of Fire Chiefs

National Fire Protection Association

National Interagency Civil-Military Institute

National Registry of Emergency Medical Technicians

National Sheriffs Association

National Volunteer Fire Council

Prince George's County Fire/EMS, Maryland

Sacramento Fire Department

U.S. Army Medical Research Institute of Infectious Diseases

Virginia Department of Emergency Services

Biological Threat Agent Incidents

General incident objectives for responding to known or unknown potential biological threats.

Incident Objectives

ш	Remove people from narm's way
	Assess situation
	Be cognizant of secondary devices
	Secure the perimeter, set up operation areas, and establish hazard control zones (i.e., hot, warm and cold zone)
	Control and identify agents involved
	Rescue, consider decontamination, triage, treat and transport victims
	Stabilize incident
	Avoid additional contamination
	Secure evidence and treat as a crime scene

On-Scene General Assessment

In assessing the situation commanders should		
	<u>ler:</u> Evacuating persons from the potential at-risk areas to minimize potential exposure	
	Number of apparent victims	
	Weather conditions, wind direction, atmospheric conditions, and time of day	
	Plume direction (vapor/cloud movement)	
	Types of injuries and symptoms presented (potentially none if a recent biological incident)	
	Information from witnesses' (what they saw and heard)	
	Exact location of incident (type of occupancy)	
	Nature of agent and type of exposure	
	A safe access route and staging area	
	Isolating area and deny entry	
Additionally commanders should insure first responders:		
	(AWARE)	
	Approach scene from upwind/upgrade	
	Wear at least respiratory protection immediately	
	Alert other first responders of potentially dangerous conditions	
	Restrict entry to area	
П	Evaluate victims' signs/symptoms and alert others	

On-Scene General Assessment

(continued)

Observe possible indicators of a Biological Threat Agent:

 Unusual Dead or Dying Animals sick or dying animals, marine life, or people (note: this condition would not occur in the early stages of an incident)
Unusual Casualties
Unusual Liquid, Spray, Powder or Vapor □ spraying and suspicious devices or packages

Hazard Assessment

Ty	oes:
	Bacteria (e.g., anthrax, plague) Virus (e.g., smallpox, viral hemorrhagic fevers) Toxins (e.g., ricin, botulism)
	 Bacteria and Virus types are living organisms. They: enter the body via inhalation, ingestion, or breaks in skin. grow and reproduce. can be contagious and cause an epidemic. Toxins are not living organisms. They:
	enter the body the same as pathogens.are not contagious.
Ch	aracteristics:
	Requires a dispersion device typically for aerosol generation
	Non-volatile
	Is not absorbed through intact skin More toxic by weight than chemicals agents and industrial chemicals
	Poses a possible inhalation hazard
	Have a delayed effect ranging from several hours, to days, or weeks
	Are invisible to our senses

On-Scene Assessment

□ Treat as a crime scene.

Scenario #1:

An anonymous caller indicating a biological agent (e.g., Anthrax) threat or envelope (letter unopened or opened; no release).

<u>Protective equipment or decontamination and prophylaxis treatment should not be required unless hazards or risks are indicated.</u>

Law enforcement response including local police and FBI agent(s).
 Incident commanders should consider whether full fire department response is needed unless device or suspicious material is present or individuals are symptomatic (notify Health Dept. as local Standard Operating Procedures (SOP) dictate).
 Incident commanders should consider whether full HAZMAT response is needed unless device or suspicious material or individuals are presenting symptoms (notify Health Dept. as local SOP dictate).

Response Strategy

Scenario #1:

An anonymous caller indicating a biological agent (e.g., Anthrax) threat or envelope (letter unopened or opened; no release).

Personal Protective equipment, decontamination, and/or prophylaxis treatment should not be required unless hazards or risks are indicated. Routine law enforcement investigation (similar to a bomb threat).

1111	conganon (ominar to a borno trircat).
	Persons in the at-risk area should be rapidly evacuated
	and evaluated by medical/public health professionals as
	appropriate.
	Treat as a crime scene.
	5
	determine credibility of a threat).
	Screen package/envelope by Bomb Squad to ensure no
_	dispersal mechanism/device inside.
	Double bag the envelope and place in a suitable container
	like evidence paint can.
	Control the material as evidence with documentation of
	"chain of custody" and follow the FBI plan for laboratory
	analysis through the local FBI office.
	Search to confirm no substance or additional
	package/envelope is present.
	Assess the building ventilation system to rule out forced
	entry and tampering.
	An inspection of the building's ventilation system may be
	warranted based on the assessment.
	Attention should be focused on appliances or devices
	foreign to the surroundings.

On-Scene Assessment

Scenario #2:

A package/envelope/device with a potential threat of a biological agent (present or released).

Suspicious material(s) with a threat of a biological agent should initiate a public safety response including notifications according to existing local SOP:

- □ Local Police, Bomb Technicians/Squad and FBI agent(s)
- ☐ Fire, EMS, and HAZMAT units
- □ Local and state health and environmental departments
- ☐ Treat as a HAZMAT/crime scene

Response Strategy

Scenario #2:

A package/envelope/device with a potential threat of a biological agent (present or released).

Suspicious material(s) with a threat of a biological agent should initiate a public safety response including notifications according to existing local SOP:

Persons in the at-risk area should be rapidly evacuated and evaluated by medical/public health professionals as appropriate.
Treat as a HAZMAT/crime scene.
Follow local protocols for evaluating risk regarding potential explosive device(s).
If an explosive device is not ruled out coordinate efforts with local/regional Bomb Squad and the local FBI office.
If an explosive device is ruled out evaluate for potential chemical, biological, or radioactive source material.
If radioactive source material appears to be present, follow local plans for requesting additional assistance.
Perimeter security denying entry into crime scene.
Follow Evidence Response Team (ERT) protocols for
documenting the crime scene.
Decontamination at the site should only be considered for the individual(s) who came in direct physical contact
/inhalation with alleged biological powder.
Remove and double-bag clothes and/or provide on-site shower.

Response Strategy (continued)

Scenario #2

A package/envelope/device with a potential threat of	of a
biological agent (present or released).	

	facility are usually not indicated. This decision can be made
	in conjunction with the local health officer based on a
	threat assessment.
	Even in a "true" release, prophylaxis can be temporarily
	delayed until definitive agent identification is completed.
	Clothing of exposed persons should be removed at home
	and either routinely laundered or double-bagged for
_	evidence purposes based on instructions.
	Post-Decontamination considerations:
	Law enforcement personnel should interview all potential
	victims and document their names, addresses, and phone
_	numbers.
	Decisions to provide treatment for Biological Threat Agents
_	should be made by public health officials.
	Consider mental health of potentially exposed persons.
	It is important that sample results be relayed to exposed
	victims once available to either initiate additional medical
	procedure(s) if tests are positive or to eliminate fears and
	anxiety if tests are negative.
	If explosive devices are ruled out and the evaluation for
	potential chemical, biological, or radioactive source material
	is negative then response continues as a law enforcement
	investigation.

A Glossary of Terms

Anthrax - an infectious, usually fatal disease of warm-

blooded animals, especially cattle and sheep, caused by the *bacillus anthracis* bacterium. The toxin that exists as spores can live in the soil. The spores are very resistant in the environment and may survive for decades in certain soil conditions. Spores are dormant forms of a bacterium, bacterium produces the toxin.

Bacteria - Single celled organisms that multiply by cell division and that can cause disease in humans, plants and animals.

Biological Threat Agents - Living organisms or the materials derived from them that cause deterioration of material. Biological threat agents may be used as liquid droplets, slurry, aerosols, or dry powders.

Biological Threat - the intentional use of biological threat agents as weapons designed to kill or injure humans, animals, or plants, or to damage equipment.

Etiological Agents - living microorganism, or toxin, which causes or may cause human disease.

Evidence Response Team - federal, state, local technically trained law enforcement team to collect and process evidence from the crime scene.

Toxins - toxic substance of natural origin produced by an animal, plant, or microbe. They differ from chemical substances in that they are not manmade. Toxins may include botulism, ricin, and mycotoxins

Chemical Threat Agent Incidents

General incident objectives for responding to known or unknown potential chemical threats.

Incident Objectives

ш	Remove people from narms way.
	Assess situation
	Be cognizant of secondary devices
	Secure the perimeter, set up operation areas, establish hazard control zones (i.e., hot, warm and cold zone)
	Control and identify agents involved
	Rescue, consider decontamination, triage, treat and transport victims
	Stabilize incident
	Avoid additional contamination
	Secure evidence and treat as a crime scene

On-Scene General Assessment

In assessing the situation commanders should consider:			
· 	ns from the potential at-risk areas to exposure		
Weather condition	s, wind direction, atmospheric		
conditions and time	e of day		
☐ Plume direction (va	apor/cloud movement)		
Number of appare	nt victims		
Types of injuries a	nd symptoms presented (potentially		
none if a biological	incident)		
□ Type of exposure	and nature of possible agent		
☐ Information from v	vitnesses' (what they saw and		
heard)			
Exact location of in	ncident (type of occupancy)		
Suggested safe ac	ccess route and staging area		
☐ Isolate area and d	eny entry		
Additionally commande	ers should ensure first		
responders:			
	(AWARE)		
■ Approach scene for a property of the pro	rom upwind/upgrade		
■ Wear at least resp	iratory protection immediately		
■ Alert other first res	sponders of potentially dangerous		
conditions			
Restrict entry to ar	ea		
☐ Evaluate victims's	igns/symptoms and alert others.		

On-Scene General Assessment

(continued)

Observe possible indicators of a Chemical Threat Agent:

Unusual or Dying Animals ☐ lack of insects
Unexplained Casualties □ multiple victims □ serious illness □ nausea, trouble breathing, □ convulsions □ definite casualty patterns
Unusual Liquid, Spray or Vapor □ droplets, oily film □ unexplained odors □ low clouds/fog unrelated to weather
Suspicious Devices/Packages unusual metal debris abandoned spray devices unexplained munitions

Hazard Assessment

Characteristics:				
	Requires a dispersion device typically for aerosol			
	generation.			
	Requires weaponization.			
	Can be found as a solid, liquid or gas.			
	The less volatile the agent the more persistent.			
	Clinical effects vary from immediate to hours.			
	Effects of chemical threat agents are affected by:			
	□ temperature			
	□ humidity			
	precipitation			
	■ wind speed			
	nature of terrain and buildings			
Typos				
Types				
<u> </u>	Nerve Agents			
	Blister Agents			
	3			
	Choking Agents			
	Irritating Agents			

The five classes of chemical threat agents all may produce incapacitation, serious injury, and/or death. Dose dependent in each victim. Effects range from mild to deadly.

On-Scene Assessment

□ Treat as a crime scene.

Scenario #3:

An anonymous caller indicating a chemical agent threat (no release).

<u>Protective equipment or decontamination and prophylaxis treatment should not be required unless hazards or risks are indicated:</u>

Law enforcement response including local police and FBI agent(s).
 Incident commanders should consider whether full fire department response is needed unless device or suspicious material is present or individuals are symptomatic (notify Health Dept. as local SOP dictate).
 Incident commanders should consider whether full HAZMAT response is needed unless device or suspicious material or individuals are presenting symptoms (notify Health Dept. as local SOP dictate).

Response Strategy

Scenario #3:

An anonymous caller indicating a chemical agent threat (no release).

<u>Protective equipment or decontamination and prophylaxis treatment should not be required unless hazards or risks are indicated.</u>

Conduct routine law enforcement investigation (similar to a bomb threat):

Persons in the at-risk area should be rapidly evacuated and evaluated by medical/public health professionals as appropriate.
Treat as a crime scene.
Information gathering at the scene (threat assessment to determine credibility of a threat).
Search to confirm no substance or additional package/envelope is present.
Assess building ventilation system to rule out forced entry and tampering.
Inspection of the building ventilation system may be warranted based on the search.

Attention should be focused on appliances or devices foreign to the surroundings.

On-Scene Assessment

Scenario #4:

A package/device with a potential threat of a chemical agent (present or released).

Suspicious material along with a threat of a chemical device should initiate a public safety response including notifications according to existing local SOP:

Persons in the at-risk area should be rapidly evacuated and evaluated by medical/public health professionals as appropriate.
 Local Police, Bomb Technicians/Squad and FBI agent(s)
 Fire, EMS, and HAZMAT
 Local and state health and environmental departments

☐ Treat as a HAZMAT/crime scene

Response Strategy

Scenario #4:

A package/device with a potential threat of a chemical agent (present or released).

Suspicious material along with a threat of a chemical or release of a chemical device should initiate a public safety response including notifications according to existing local plans:

and evaluated by medical/public health professionals as appropriate.
Treat as a HAZMAT/crime scene.
Follow local protocols for evaluating risk regarding a potential explosive device(s).
Coordinate efforts with local / regional Bomb Squad and the local FBI office if an explosive device is not ruled out.
Evaluate for potential chemical, biological, or radioactive source material if an explosive device is ruled out.
Follow local plans for requesting additional assistance if radioactive source material appears to be present.
Establish perimeter security denying entry into the HAZMAT/crime scene.
Follow Evidence Response Team (ERT) protocols

Response Strategy

(continued)

Scenario #4

A package/device with a potential threat of a chemical agent (present or released).

Personal Response Safety Considerations		
	Wear self protection	
	Wear the highest level of Personal Protective Equipment (PPE) until additional agent information indicates otherwise	
	<u> </u>	
Re	esponse Strategy	
		
	Evaluate need to evacuate or protect in place	
	Preserve crime scene	
	Alert hospitals regarding imminent mass casualties;	
	consider use of field hospitals	
	Coordinate control of personnel	
	Restrict scene access	
	Conduct evacuation	
	Provide scene security	
	Estimate number of casualties	
	Arrange for transportation	
	Establish decontamination areas	
	Separate victims with symptoms at triage from those	
_	without symptoms	
	Set up separate decontamination sites for civilians and	
	emergency response personnel	

A Glossary of Terms

Blister Agent - a chemical agent, also called a vesicant, which causes serve blistering and burns to tissues, skin, eyes, and respiratory tract. Exposure is through liquid or vapor contact. Also, referred to as mustard agents; examples include lewisite and mustard.

Blood Agent - a chemical agent that interferes with the ability of blood to transport oxygen and causes asphyxiation. Examples include cyanogen chloride and cyanide.

Choking Agent - a chemical agent that causes physical injury to the lungs. It may cause the lungs to fill with liquid, which results in lack of oxygen, hence choking on liquids. Examples include chlorine and phosgene.

Evidence Response Team - federal, state, local technically trained law enforcement team to collect and process evidence from the crime scene.

Irritating Agent - a chemical agent, also called riot control agents or tear gas, which causes respiratory distress and tearing designed to incapacitate. Examples include pepper spray and tear gas.

Nerve Agent - a substance that interferes with the central nervous system. Exposure is through liquid contact with the eyes or skin and inhalation of the vapor. Three distinct symptoms associated with nerve agents are pinpoint pupils, headaches, and chest tightness. Examples include sarin, tabun and VX. *Note: Many symptoms are associated with exposure. Victims severity of exposure, i.e., condition, can be clinically graded by initial symptom/signs at evaluation and during repeat exam.*

Notification

Local law enforcement	
Local fire department	
Local FBI field office	

Telephone List

The following list of telephone numbers is provided as suggested contacts for incident commanders. The toll free number to the NRC* is for use after initial notifications are made, and for supplemental guidance.

Local Health Office
Poison Control
Local Emergency Department
State Health Department
National Response Center* (800)-424-8802
or
National Response Center (DC area) (202) 267-2675
Other local number
Other local number
Other local number

^{*} The National Response Center (NRC) provides direction to the first response community through the FBI's Weapons of Mass Destruction Operations Unit during suspected terrorist incidents. The WMDOU can initiate the appropriate federal assets in response to the potential WMD threat.

Useful References and Links

References:

- □ NDPO Special Bulletin #1 (SB-1)
- Medical Management of Biological Casualties U.S.A.M.R.I.I.D.
- □ Morbidity & Mortality Weekly Report Bioterrorism
 Alleging Use of Anthrax & Interim Guidelines for
 Management, 1998

Links:

CDCwww.cdc.gov/

EPAwww.epa.gov/swercepp/

FEMAhttp://ndms.dhhs.gov

HHShttp://ndms.dhhs.gov

NDPOwww.ndpo.usdoj.gov

NICIwww.nici.org

NGBwww.ngb.dtic.mil/

OJPwww.ojp.usdoj.gov/osldps

SBCCOMwww.apqea.mil/index.html